



Southeast Michigan Climate Summary

Monthly Temperature, Precipitation, and Snowfall Summaries

Michigan, Average Temperature, September
1901-2000
Avg. 58.5°F






February 2020 – Regional Temperature Summary


Average Temperature (left) & Departure from Average (right)

Average Temperature (°F)
February 1, 2020 to February 29, 2020



Midwestern Regional Climate Center
Illinois State Water Survey, Prairie Research Institute
University of Illinois at Urbana-Champaign

Average Temperature (°F): Departure from Mean
February 1, 2020 to February 29, 2020



Midwestern Regional Climate Center
Illinois State Water Survey, Prairie Research Institute
University of Illinois at Urbana-Champaign





February 2020 – SE Michigan Temperature Summary

Warmest, Coldest, and Averages

| Name | Warmest | Coldest | Avg High | Avg Low | Monthly Mean |
|------------------------------|-----------|-----------|-------------|-------------|--------------|
| ADRIAN LENAWEE COUNTY AP | 52 | 5 | 41.0 | 12.0 | 28.3 |
| ALGONAC WWTP | 50 | 2 | 40.0 | 13.0 | 28.6 |
| ANN ARBOR MUNICIPAL AP | 52 | -1 | 41.5 | 9.5 | 27.7 |
| ANN ARBOR SE | 54 | 1 | 40.5 | 11.5 | 27.8 |
| ANN ARBOR U OF MICH | 53 | -4 | 41.0 | 9.5 | 28.6 |
| AUBURN 2NE | 47 | -8 | 38.5 | 13.0 | 26.8 |
| BAD AXE | 51 | 1 | 40.5 | 9.0 | 24.8 |
| BURTON 4N | 55 | -7 | 41.5 | 7.0 | 25.9 |
| CARO WWTP | 53 | -4 | 41.5 | 7.0 | 25.9 |
| CASS CITY 1 SSW | 53 | -8 | 41.0 | 5.5 | 25.2 |
| CHELSEA | 54 | -1 | 43.5 | 13.5 | 28.0 |
| DEARBORN | 54 | 2 | 43.0 | 15.0 | 29.8 |
| DETROIT CITY AP | 53 | 4 | 43.0 | 12.0 | 30.0 |
| DETROIT METRO AIRPORT | 54 | 4 | 43.0 | 12.5 | 30.1 |
| DETROIT WILLOW RUN AP | 54 | 2 | 44.0 | 11.5 | 30.8 |
| DUNDEE | 53 | 5 | 42.0 | 13.0 | 29.1 |
| DURAND WWTP | 53 | -2 | 42.5 | 10.5 | 26.3 |
| FARMINGTON | 52 | 1 | 39.5 | 11.0 | 26.8 |
| FILION 5NNW | 50 | 8 | 41.5 | 19.0 | 28.6 |
| FLINT 7W | 52 | -3 | 38.5 | 10.0 | 26.4 |
| FLINT FCWOS | 53 | -4 | 43.0 | 8.0 | 28.0 |
| GOODRICH | 53 | -8 | 42.5 | 6.5 | 26.6 |
| GROSSE POINTE FARMS | 52 | 3 | 42.0 | 12.0 | 28.0 |
| HARBOR BEACH 1 SSE | 51 | 4 | 41.5 | 11.5 | 26.2 |

| Name | Warmest | Coldest | Avg High | Avg Low | Monthly Mean |
|----------------------------|-----------|-----------|-------------|------------|--------------|
| LAPEER 2W | 54 | -6 | 43.5 | 11.5 | 27.6 |
| LAPEER WWTP | 54 | -2 | 43.5 | 9.5 | 26.9 |
| LEXINGTON WATER PLANT | 50 | 0 | 40.5 | 14.0 | 27.2 |
| LINDEN WWTP | 51 | -2 | 41.0 | 9.5 | 26.0 |
| MANCHESTER | 53 | 1 | 40.0 | 12.0 | 28.0 |
| MIDLAND | 47 | -1 | 39.0 | 8.5 | 25.7 |
| MILAN WWTP | 52 | 4 | 40.5 | 14.0 | 28.8 |
| MORENCI | 55 | 3 | 40.5 | 15.0 | 28.0 |
| NEWPORT 4SSE | 52 | 6 | 42.5 | 12.5 | 29.4 |
| OIL CITY 2S | 48 | -10 | 36.5 | 6.5 | 25.2 |
| OWOSSO WWTP | 51 | -2 | 41.0 | 11.0 | 26.6 |
| PTK INTL AP | 50 | -2 | 39.5 | 8.5 | 27.0 |
| PONTIAC WWTP | 55 | 1 | 43.5 | 16.0 | 29.0 |
| PORT HOPE | 51 | 8 | 43.0 | 12.0 | 27.3 |
| PORT HURON | 48 | 4 | 40.0 | 12.0 | 29.4 |
| RICHMOND 4 NNW | 51 | -1 | 41.0 | 11.0 | 27.3 |
| SAGINAW #3 | 50 | 4 | 40.0 | 12.5 | 27.1 |
| SAGINAW MBS INTL AP | 47 | -3 | 39.5 | 7.5 | 26.4 |
| SALINE 4SW | 53 | 1 | 42.0 | 12.5 | 28.9 |
| TECUMSEH | 53 | 2 | 38.5 | 13.0 | 27.2 |
| TIPTON 2WNW | 52 | -3 | 40.0 | 11.5 | 27.6 |
| VASSAR | 52 | -10 | 39.0 | 6.5 | 26.2 |
| WHITE LAKE 4E | 49 | -11 | 38.0 | 4.0 | 24.3 |
| WHITMORE LAKE 1NW | 52 | -5 | 39.5 | 9.0 | 26.4 |



February – Top 20 Coldest/Warmest

Top 20 Coldest/Warmest Februaries in Southeast Lower Michigan

| Rank | Detroit Area* | | | | Flint Bishop** | | | | Saginaw Area*** | | | |
|------|---------------|------|---------|------|----------------|------|---------|------|-----------------|------|---------|------|
| | Coldest | | Warmest | | Coldest | | Warmest | | Coldest | | Warmest | |
| | Temp | Year | Temp | Year | Temp | Year | Temp | Year | Temp | Year | Temp | Year |
| 1 | 12.2 | 1875 | 39.5 | 1882 | 11.3 | 2015 | 34.5 | 1998 | 11.5 | 2015 | 33.6 | 2017 |
| 2 | 14.1 | 2015 | 37.9 | 2017 | 12.8 | 1979 | 34.4 | 2017 | 12.1 | 1979 | 33.4 | 1998 |
| 3 | 14.8 | 1934 | 36.7 | 1998 | 13.4 | 1978 | 31.8 | 1983 | 13.0 | 1914 | 31.5 | 1984 |
| 4 | 16.0 | 1936 | 33.8 | 1930 | 14.9 | 1963 | 31.2 | 1984 | 13.2 | 1963 | 30.7 | 1932 |
| 5 | 16.1 | 1904 | 33.6 | 1877 | 16.0 | 2014 | 31.1 | 1930 | 13.4 | 1934 | 30.7 | 1930 |
| 6 | 16.3 | 1978 | 33.5 | 1954 | 16.4 | 1936 | 31.1 | 1932 | 13.6 | 1978 | 30.6 | 1931 |
| 7 | 16.4 | 1979 | 33.3 | 1984 | 17.1 | 1934 | 31.1 | 1927 | 13.6 | 1936 | 30.5 | 1999 |
| 8 | 16.5 | 1901 | 33.3 | 1976 | 17.3 | 2007 | 31.0 | 2012 | 14.3 | 1917 | 30.3 | 2012 |
| 9 | 17.2 | 1885 | 33.0 | 1932 | 18.3 | 1967 | 31.0 | 1976 | 15.5 | 2014 | 29.9 | 1954 |
| 10 | 17.6 | 1914 | 32.9 | 2002 | 18.4 | 1994 | 31.0 | 1931 | 16.8 | 2007 | 29.2 | 2016 |
| 11 | 17.9 | 1905 | 32.8 | 1931 | 18.5 | 1923 | 30.9 | 1999 | 16.9 | 1962 | 29.1 | 1983 |
| 12 | 17.9 | 1895 | 32.7 | 1999 | 18.7 | 1958 | 30.8 | 1954 | 16.9 | 1994 | 29.0 | 1938 |
| 13 | 18.3 | 1912 | 32.6 | 2012 | 19.9 | 1942 | 30.1 | 1938 | 16.9 | 1912 | 28.9 | 1976 |
| 14 | 18.8 | 1963 | 32.6 | 1890 | 20.0 | 1962 | 30.0 | 2002 | 17.1 | 1923 | 28.8 | 2002 |
| 15 | 19.3 | 2007 | 32.1 | 1953 | 20.0 | 1959 | 29.8 | 2016 | 17.4 | 1916 | 28.3 | 2000 |
| 16 | 19.4 | 2014 | 32.1 | 1880 | 20.1 | 1988 | 29.4 | 1992 | 17.8 | 1920 | 28.2 | 1921 |
| 17 | 19.5 | 1917 | 31.8 | 2000 | 20.2 | 1982 | 29.3 | 2000 | 18.5 | 2003 | 28.1 | 1927 |
| 18 | 19.8 | 1899 | 31.8 | 1927 | 20.3 | 1980 | 29.2 | 1991 | 18.6 | 1967 | 28.1 | 1915 |
| 19 | 19.8 | 1889 | 31.6 | 1983 | 20.3 | 1929 | 28.8 | 1953 | 18.9 | 1958 | 28.0 | 1991 |
| 20 | 20.7 | 1982 | 31.2 | 2016 | 20.5 | 2003 | 28.7 | 1987 | 18.9 | 1913 | 28.0 | 1987 |

* Detroit Area temperature records date back to January 1874.

** Flint Bishop temperature records date back to January 1921.

*** Saginaw Area temperature records date back to January 1912.







February 2020 – Regional Precipitation Summary

Total Monthly Precipitation (left) & Percent of Mean (right)

Accumulated Precipitation (in)
February 1, 2020 to February 29, 2020




(C) Midwestern Regional Climate Center




Midwestern Regional Climate Center
Illinois State Water Survey, Prairie Research Institute
University of Illinois at Urbana-Champaign

Accumulated Precipitation: Percent of Mean
February 1, 2020 to February 29, 2020



(C) Midwestern Regional Climate Center

Mean period is 1981-2010.



Midwestern Regional Climate Center
Illinois State Water Survey, Prairie Research Institute
University of Illinois at Urbana-Champaign





February 2020 – SE Michigan Precipitation Summary

Total precipitation, greatest daily total, and total number of days of measurable precip

| Name | Highest Daily Total | Monthly Total | # of days with precip |
|------------------------------|---------------------|---------------|-----------------------|
| ADRIAN LENAWEЕ COUNTY AP | 0.15 | 0.73 | 12 |
| ALGONAC WWTP | 0.25 | 1.51 | 9 |
| ANN ARBOR 2.1 WNW | 0.34 | 1.31 | 12 |
| ANN ARBOR 3.1 SE | 0.36 | 1.30 | 12 |
| ANN ARBOR 4.5 W | 0.34 | 1.14 | 9 |
| ANN ARBOR 7.1 W | 0.40 | 1.48 | 12 |
| ANN ARBOR MUNICIPAL AP | 0.12 | 0.44 | 6 |
| ANN ARBOR SE | 0.42 | 1.67 | 13 |
| ANN ARBOR U OF MICH | 0.51 | 1.72 | 13 |
| BAD AXE | 0.25 | 1.21 | 10 |
| BAY PORT 3.2 SSW | 0.24 | 0.98 | 9 |
| BURTON 4N | 0.37 | 1.48 | 12 |
| CARO WWTP | 0.22 | 1.00 | 10 |
| CASS CITY 1 SSW | 0.31 | 1.28 | 10 |
| CHELSEA | 0.23 | 1.30 | 10 |
| CHESANING | 0.29 | 1.30 | 9 |
| CHESTERFIELD 2.4 E | 0.17 | 0.82 | 10 |
| DAVISBURG 1.3 ESE | 0.24 | 1.32 | 12 |
| DEARBORN | 0.25 | 1.25 | 10 |
| DEARBORN HEIGHTS 1.8 NW | 0.22 | 1.19 | 14 |
| DETROIT CITY AP | 0.11 | 0.40 | 12 |
| DETROIT METRO AIRPORT | 0.31 | 1.16 | 13 |
| DETROIT WILLOW RUN AP | 0.10 | 0.25 | 4 |
| DEXTER 0.3 ENE | 0.31 | 1.35 | 11 |
| DEXTER 2.2 SE | 0.37 | 1.58 | 12 |
| DUNDEE | 0.23 | 1.17 | 11 |
| DURAND 6.2 WNW | 0.35 | 1.39 | 15 |
| DURAND WWTP | 0.25 | 0.98 | 11 |
| FARMINGTON | 0.30 | 1.15 | 11 |
| FARMINGTON HILLS 1.4 N | 0.41 | 1.46 | 11 |
| FENTON 2.7 SSE | 0.32 | 1.33 | 11 |
| FENTON 6.2 WSW | 0.27 | 1.24 | 12 |
| FILION 5NNW | 0.19 | 0.65 | 10 |
| FLINT 7W | 0.19 | 0.96 | 12 |
| FLINT FCWOS | 0.28 | 0.93 | 11 |
| FRASER 1.2 N | 0.33 | 1.47 | 13 |
| GOODRICH | 0.18 | 0.92 | 12 |

| Name | Highest Daily Total | Monthly Total | # of days with precip |
|--------------------------------|---------------------|---------------|-----------------------|
| GROSSE ILE 1.6 N | 0.23 | 0.98 | 10 |
| HARBOR BEACH 1 SSE | 1.90 | 3.18 | 11 |
| LAKE ORION 4.3 SSE | 0.57 | 1.56 | 10 |
| LAPEER 2W | 0.19 | 1.06 | 13 |
| LAPEER WWTP | 0.27 | 1.01 | 11 |
| LEXINGTON WATER PLANT | 0.41 | 1.28 | 11 |
| LINDEN WWTP | 0.30 | 1.21 | 11 |
| LIVONIA 2.0 NE | 0.20 | 1.03 | 12 |
| MANCHESTER | 0.34 | 1.38 | 10 |
| MIDLAND | 0.24 | 0.88 | 7 |
| MIDLAND 2.9 SW | 0.29 | 1.00 | 7 |
| MILAN WWTP | 0.24 | 1.17 | 12 |
| MONROE 3.0 S | 0.25 | 1.15 | 11 |
| MORENCI | 0.28 | 1.46 | 9 |
| NEW BALTIMORE 0.4 SSE | 0.68 | 1.44 | 12 |
| NEWPORT 4SSE | 0.26 | 1.26 | 12 |
| ORTONVILLE 2.3 S | 0.32 | 1.26 | 12 |
| PLEASANT RIDGE 0.5 WNW | 0.28 | 1.28 | 13 |
| PLYMOUTH 5.4 W | 0.38 | 1.45 | 13 |
| PONTIAC OAKLAND COUNTY INTL AP | 0.07 | 0.34 | 7 |
| PONTIAC WWTP | 0.29 | 1.22 | 11 |
| PORT HOPE | 0.24 | 1.04 | 15 |
| PORT HURON | 0.60 | 1.36 | 11 |
| PORT HURON 1.6 W | 0.45 | 1.44 | 14 |
| RICHMOND 4 NNW | 0.42 | 1.24 | 10 |
| ROSEVILLE 1.7 ENE | 0.34 | 1.20 | 11 |
| SAGINAW 6.4 W | 0.18 | 0.76 | 8 |
| SAGINAW #3 | 0.24 | 1.11 | 9 |
| SAGINAW MBS INTL AP | 0.10 | 0.43 | 7 |
| TECUMSEH | 0.28 | 1.33 | 10 |
| TROY 1.8 S | 0.50 | 1.46 | 12 |
| UTICA 2.9 E | 0.33 | 0.86 | 11 |
| WATERFORD 2.1 NW | 0.28 | 1.02 | 12 |
| WHITE LAKE 0.5 E | 0.17 | 1.11 | 12 |
| WHITE LAKE 4E | 0.31 | 1.13 | 11 |
| WHITMORE LAKE 1NW | 0.39 | 1.27 | 10 |
| WYANDOTTE | 0.35 | 1.44 | 11 |



February – Top 20 Wettest/Driest

Top 20 Wettest/Driest Februaries in Southeast Lower Michigan

| Rank | Detroit Area* | | | | Flint Bishop** | | | | Saginaw Area*** | | | |
|------|---------------|------|--------|------|----------------|------|--------|------|-----------------|------|--------|------|
| | Wettest | | Driest | | Wettest | | Driest | | Wettest | | Driest | |
| | Total | Year | Total | Year | Total | Year | Total | Year | Total | Year | Total | Year |
| 1 | 6.41 | 1881 | 0.04 | 1877 | 5.28 | 1954 | 0.17 | 1969 | 6.10 | 1997 | 0.21 | 1969 |
| 2 | 5.59 | 1876 | 0.15 | 1969 | 5.13 | 1938 | 0.25 | 1934 | 4.33 | 1938 | 0.24 | 1947 |
| 3 | 5.02 | 1990 | 0.22 | 1895 | 4.02 | 2018 | 0.27 | 1963 | 4.09 | 1990 | 0.32 | 1964 |
| 4 | 4.95 | 1938 | 0.38 | 1947 | 3.52 | 2001 | 0.29 | 2007 | 3.55 | 1950 | 0.34 | 1963 |
| 5 | 4.95 | 1908 | 0.45 | 1978 | 3.52 | 1950 | 0.34 | 1979 | 3.13 | 2008 | 0.39 | 1984 |
| 6 | 4.85 | 1950 | 0.47 | 1934 | 3.12 | 1997 | 0.37 | 1958 | 3.06 | 1935 | 0.41 | 1979 |
| 7 | 4.70 | 1939 | 0.52 | 1964 | 3.01 | 1985 | 0.42 | 1987 | 3.03 | 2009 | 0.42 | 2007 |
| 8 | 4.30 | 1900 | 0.53 | 1987 | 2.77 | 1949 | 0.51 | 1978 | 3.02 | 1965 | 0.43 | 2020 |
| 9 | 4.27 | 2018 | 0.55 | 1941 | 2.59 | 1990 | 0.52 | 1989 | 2.98 | 1918 | 0.44 | 1942 |
| 10 | 4.26 | 1909 | 0.57 | 1979 | 2.57 | 2009 | 0.52 | 1984 | 2.83 | 1954 | 0.46 | 1917 |
| 11 | 4.16 | 1887 | 0.61 | 1907 | 2.50 | 1924 | 0.55 | 1964 | 2.79 | 1998 | 0.47 | 1982 |
| 12 | 4.05 | 1926 | 0.63 | 2004 | 2.45 | 2005 | 0.55 | 1947 | 2.74 | 2001 | 0.47 | 1934 |
| 13 | 4.05 | 1893 | 0.66 | 2003 | 2.42 | 2017 | 0.56 | 1970 | 2.69 | 2018 | 0.49 | 2003 |
| 14 | 3.90 | 1997 | 0.67 | 1958 | 2.37 | 2019 | 0.60 | 2003 | 2.69 | 1939 | 0.49 | 1995 |
| 15 | 3.83 | 1985 | 0.70 | 1963 | 2.36 | 2011 | 0.66 | 2004 | 2.64 | 1960 | 0.51 | 1987 |
| 16 | 3.61 | 2008 | 0.72 | 1902 | 2.35 | 2008 | 0.66 | 1982 | 2.62 | 1985 | 0.59 | 1978 |
| 17 | 3.60 | 2011 | 0.76 | 1889 | 2.32 | 1971 | 0.68 | 1991 | 2.61 | 1930 | 0.60 | 1983 |
| 18 | 3.56 | 1998 | 0.77 | 1989 | 2.27 | 1976 | 0.70 | 1977 | 2.56 | 1974 | 0.72 | 1920 |
| 19 | 3.56 | 1918 | 0.82 | 2007 | 2.21 | 2016 | 0.71 | 1941 | 2.51 | 1959 | 0.73 | 1989 |
| 20 | 3.48 | 1954 | 0.82 | 1953 | 2.21 | 1930 | 0.71 | 1929 | 2.39 | 1915 | 0.73 | 1977 |

* Detroit Area precipitation records date back to November 1874.

** Flint Bishop precipitation records date back to January 1921.

*** Saginaw Area precipitation records date back to January 1912.






February 2020 – Midwest Snowfall Summary



Total Monthly Snowfall (*left*) & Departure From Normal (*right*)

Accumulated Snowfall (in)
February 1, 2020 to February 29, 2020



Midwestern Regional Climate Center
cli-MATE: MRCC Application Tools Environment

Accumulated Snowfall (in): Departure from Mean
February 1, 2020 to February 29, 2020



Midwestern Regional Climate Center
cli-MATE: MRCC Application Tools Environment





February – Top 20 Snowiest/Least Snowy

Top 20 Snowiest/Snowless Februaries in Southeast Lower Michigan

| Rank | Detroit Area* | | | | Flint Bishop** | | | | Saginaw Area*** | | | |
|------|---------------|------|----------|------|----------------|------|----------|------|-----------------|------|----------|------|
| | Snowiest | | Snowless | | Snowiest | | Snowless | | Snowiest | | Snowless | |
| | Total | Year | Total | Year | Total | Year | Total | Year | Total | Year | Total | Year |
| 1 | 38.4 | 1908 | 0.0 | 1998 | 31.7 | 2011 | 0.4 | 1998 | 34.2 | 2008 | 0.0 | 1987 |
| 2 | 31.7 | 2011 | 0.7 | 1953 | 29.4 | 2008 | 1.4 | 1992 | 29.4 | 2011 | 0.1 | 1984 |
| 3 | 28.4 | 1881 | 0.9 | 2004 | 22.7 | 2016 | 1.9 | 2017 | 23.4 | 1935 | 0.5 | 1998 |
| 4 | 28.0 | 1900 | 1.5 | 1895 | 21.8 | 2018 | 2.2 | 1987 | 22.2 | 2013 | 1.4 | 1983 |
| 5 | 27.6 | 1926 | 1.6 | 1906 | 21.8 | 2014 | 2.4 | 1953 | 20.3 | 1965 | 1.9 | 2017 |
| 6 | 27.0 | 2010 | 2.0 | 1987 | 21.2 | 2010 | 2.4 | 1937 | 20.0 | 1912 | 1.9 | 1977 |
| 7 | 26.4 | 2015 | 2.1 | 1882 | 20.8 | 1990 | 2.9 | 1969 | 19.8 | 1985 | 2.0 | 1932 |
| 8 | 24.2 | 2008 | 2.2 | 2017 | 20.6 | 1986 | 2.9 | 1943 | 18.6 | 1926 | 2.1 | 1980 |
| 9 | 23.5 | 2013 | 2.2 | 1915 | 20.1 | 1994 | 3.0 | 1979 | 18.4 | 1990 | 2.2 | 1947 |
| 10 | 23.4 | 2014 | 2.3 | 1969 | 19.7 | 1965 | 3.0 | 1934 | 18.3 | 2010 | 2.4 | 1942 |
| 11 | 21.0 | 2018 | 2.4 | 1992 | 19.6 | 1988 | 3.5 | 1945 | 18.0 | 2016 | 2.5 | 1969 |
| 12 | 20.8 | 1986 | 2.4 | 1937 | 18.8 | 2020 | 3.6 | 1984 | 18.0 | 2005 | 2.6 | 1928 |
| 13 | 19.6 | 1898 | 2.5 | 1966 | 18.3 | 1946 | 3.6 | 1938 | 17.7 | 1924 | 3.1 | 1995 |
| 14 | 19.2 | 2003 | 2.6 | 1891 | 17.4 | 2015 | 3.8 | 1977 | 17.5 | 1950 | 3.2 | 1919 |
| 15 | 19.2 | 1988 | 2.7 | 1943 | 17.2 | 1960 | 4.1 | 1928 | 17.1 | 1956 | 3.4 | 1958 |
| 16 | 18.0 | 1893 | 2.8 | 1968 | 17.0 | 1924 | 4.5 | 1957 | 17.0 | 2014 | 3.5 | 1963 |
| 17 | 17.1 | 1994 | 2.8 | 1925 | 16.7 | 1973 | 4.8 | 1983 | 17.0 | 2012 | 3.7 | 1957 |
| 18 | 16.9 | 1985 | 2.9 | 2001 | 16.6 | 2013 | 4.9 | 1932 | 16.2 | 2015 | 3.7 | 1917 |
| 19 | 16.5 | 1936 | 3.1 | 1949 | 16.5 | 1926 | 5.0 | 2001 | 16.2 | 1962 | 3.8 | 1913 |
| 20 | 16.4 | 1901 | 3.1 | 1919 | 16.3 | 1967 | 5.1 | 1921 | 16.2 | 1946 | 4.0 | 1964 |

* Detroit Area snowfall records date back to January 1880.

** Flint Bishop snowfall records date back to January 1921.

*** Saginaw Area snowfall records date back to January 1912.







Season-To-Date 2019-2020 Midwest Snowfall Summary


Total Monthly Snowfall (left) & Departure From Normal (right)

Accumulated Snowfall (in)
October 1, 2019 to February 29, 2020



Midwestern Regional Climate Center
cli-MATE: MRCC Application Tools Environment

Accumulated Snowfall (in): Departure from Mean
October 1, 2019 to February 29, 2020



Midwestern Regional Climate Center
cli-MATE: MRCC Application Tools Environment

