

RHINELANDER

WEATHER

BOOK

(1908 – PRESENT)

Updated: 04/08/24

Note: The 1991-2020 climate normal were added to the climate books. The Rhineland ASOS temperature climate normals were used. The WJFW-TV precipitation and snowfall climate normals were used.

RHINELANDER NOTES:

The Rhinelander weather book was developed to help enhance the understanding of the Rhinelander climate history. In this book, the cooperative observer data were used from 1908 to 1999 for all temperature, precipitation and snowfall records. Since 2000, temperature data and all liquid precipitation events were used from the Rhinelander ASOS site. During mixed precipitation or all snow events, the liquid equivalent and snowfall measurements from WJFW - TV meteorologists were used in this document and are used in the daily climate summary issued for Rhinelander. While there was temperature data for the Rhinelander airport dating back to 1973, it was not used due to the uncertainty in its quality with respect to the daily maximum and minimum temperatures. In addition, precipitation measurements from the airport were not available at the time of the study.

During our study, the climate program leader at the National Weather Service in Green Bay discovered many years of impartial or completely missing snowfall data. Missing or partial snowfall observations were especially noted from the middle 1970s to the late 1990s. Per requests from users of the Rhinelander book, snowfall and snow depth were estimated during these years. Estimated snowfall data were not used in the compilation of record daily, monthly, seasonal and yearly snowfall records. Estimated snowfall totals were also not used in the compilation of the largest snow storms to hit Rhinelander. Estimated snow depths were not used in the computation of the record snow depth at Rhinelander. Estimated snowfall and snow depth data are listed in a table below the measured snowfall records table. The user can determine if he or she wants to include this data for their use.

Estimated snowfall totals were determined by surrounding cooperative sites totals within 75 miles of Rhinelander for each day that was missing. Along with data from surrounding sites, estimated snowfall was also based on the liquid / snow water ratios and temperature tables. Estimation of snowfall totals for each day is an inexact science due to the variability of when the observation is taken, melting or blowing snow, and if the observation point is sheltered from the wind.

Dew point data at Rhinelander was taken from the Rhinelander airport dating back to 1973. For the all-time maximum and minimum dew points and the monthly maximum / minimum dew points, there is a footnote describing that the values may not be the true maximum or minimum dew point for the month. There was a considerable amount of missing daily dew point data from the 1970s to the 1990s. Due to the missing data, average monthly dew points could be not calculated during this period.

RHINELANDER WEATHER RECORDS (BOOK 1 OF 2)

Page # Monthly Weather Records

| | |
|-------|----------------------------------------------------------------------|
| 6-12 | January Temperature / Precipitation / Snowfall / HDD & CDD Records |
| 13-20 | February Temperature / Precipitation / Snowfall / HDD & CDD Records |
| 21-27 | March Temperature / Precipitation / Snowfall / HDD & CDD Records |
| 27-33 | April Temperature / Precipitation / Snowfall / HDD & CDD Records |
| 34-40 | May Temperature / Precipitation / Snowfall / HDD & CDD Records |
| 41-47 | June Temperature / Precipitation / Snowfall / HDD & CDD Records |
| 48-54 | July Temperature / Precipitation / Snowfall / HDD & CDD Records |
| 55-61 | August Temperature / Precipitation / Snowfall / HDD & CDD Records |
| 62-68 | September Temperature / Precipitation / Snowfall / HDD & CDD Records |
| 69-75 | October Temperature / Precipitation / Snowfall / HDD & CDD Records |
| 76-82 | November Temperature / Precipitation / Snowfall / HDD & CDD Records |
| 83-89 | December Temperature / Precipitation / Snowfall / HDD & CDD Records |

Page # Yearly Weather Records

| | |
|-------|-------------------------------------------------------------------|
| 90-96 | Yearly Temperature / Precipitation / Snowfall / HDD & CDD Records |
| 97 | Seasonal Heating Degree Day Records (July 1 - Jun 30) |

Page # Seasonal Weather Records

| | |
|---------|-------------------------------------------------------------------|
| 98-104 | Winter Temperature / Precipitation / Snowfall / HDD & CDD Records |
| 105-111 | Spring Temperature / Precipitation / Snowfall / HDD & CDD Records |
| 112-118 | Summer Temperature / Precipitation / Snowfall / HDD & CDD Records |
| 119-125 | Fall Temperature / Precipitation / Snowfall / HDD & CDD Records |

Page # Seasonal Snowfall Records

| | |
|-----|------------------------------------------------|
| 126 | Snowiest / Least Snowiest Seasons (Sep to May) |
|-----|------------------------------------------------|

Page # Temperatures / Precipitation Data

| | |
|---------|-----------------------------------------------------------------------------------|
| 127 | Greatest 24 Hour Temperature Change |
| 128-129 | Date of First / Last Subzero Temperature of the Season |
| 130 | Earliest / Latest First and Last Subzero Temperature of the Winter / Spring |
| 131 | Number of Days of Subzero Temperatures by Cold Season (Nov - Mar) |
| 132 | Most / Least Number of Days of Subzero Temperatures |
| 133 | Consecutive Days Between Subzero Readings |
| 134 | Date Of First Fall / Last Spring Freeze |
| 135 | Latest/Earliest Last and First Freeze Spring and Fall |
| 136 | Freeze Averages / Consecutive Non-Freeze Days |
| 137 | Growing Season Data |
| 138-139 | Highest / Lowest Maximum and Minimum Temperatures |
| 140 | Highest / Lowest Daily Average Temperatures |
| 141-146 | Earliest / Latest / Average Temperature Thresholds (50, 60, 70, 80, 90 degrees) |
| 147-148 | Consecutive Days Below Certain Temperatures Thresholds |
| 149-151 | Number of 90 Degree Days Each Year / Max Number Of 90 Degree Days by Month / Year |
| 152 | Occurrences of 100 Degrees |

RHINELANDER WEATHER RECORDS

(BOOK 1 OF 2)

| Page # | Dewpoint Data |
|---------------|-------------------------------------------------------------|
| 153-165 | Top Rankings of Maximum / Minimum Dewpoints by Month / Year |
| 166-169 | Maximum / Minimum Dewpoints by Month / Year |
| 170-171 | Average Dewpoints by Month / Year |
| 172-178 | Top Rankings of Dewpoints by Month / Year |
| 179-180 | Index for Rhinelander Weather Records Book 2 of 2 |

RHINELANDER WEATHER RECORDS

(BOOK 2 OF 2)

| Page # | Temperature Data |
|---------------|-----------------------------------------|
| 181-190 | Monthly Temperatures (Max / Min / Mean) |
| 191 | Winter Temperatures (Max / Min / Mean) |
| 192 | Spring Temperatures (Max / Min / Mean) |
| 193 | Summer Temperatures (Max / Min / Mean) |
| 194 | Fall Temperatures (Max / Min / Mean) |
| 195 | Yearly Temperatures (Max / Min / Mean) |
| 196-203 | Monthly / Yearly Temperature Extremes |

| Page # | Heating and Cooling Degree Days |
|---------------|----------------------------------------|
| 204-207 | Monthly / Seasonal Heating Degree Days |
| 208-210 | Heating Degree Days by Season |
| 211-213 | Monthly / Yearly Cooling Degree Days |
| 214-216 | Cooling Degree Days by Season |

| Page # | Precipitation Data |
|---------------|------------------------------------------------|
| 218-219 | Monthly / Yearly Precipitation Totals 7 |
| 220-222 | Seasonal Precipitation Totals |
| 223-226 | Greatest 24 Hour Precipitation by Month / Year |

RHINELANDER WEATHER RECORDS

(BOOK 2 OF 2)

| Page # | Snowfall Data |
|---------------|-------------------------------------------------------------------------------------|
| 227 | Top 25 Seasonal Snowfall Totals (September to May) |
| 228-231 | Snowfall Totals by Season (September to May) |
| 232-235 | Snowfall Totals by Calendar Year |
| 236-238 | Snowfall Totals by Season (Fall / Winter / Spring) |
| 239-245 | Greatest Calendar Day Snowfall Totals By Month / Year |
| 246-252 | Greatest Snowstorms in History (1-2 Day Totals) |
| 253-259 | Greatest Snow Depth on Record by Month / Year |
| 260-263 | Consecutive Days with Snow on the Ground (1, 6, 12 inches & 24 inches) |
| 264-267 | Number of Days with Snow Cover (1.0, 6.0, 12.0 inches, 18.0 inches & 24.0 inches) |
| 268-271 | Most / Least Day with Snow Cover (1.0, 6.0, 12.0 inches, 18.0 inches & 24.0 inches) |
| 272-273 | Earliest / Latest Measurable Snowfall - (Trace / 0.1 / 1.0 inches) |
| 274-277 | Date of First and Last 0.1/1.0 inches Of Snow |

| Page # | Wind Data |
|---------------|--------------------------------------------|
| 279-283 | Rhineland Peak Wind Gust Data by Month |
| 284-285 | Average Wind Speed Data (Month / Year) |
| 286-298 | Rhineland Airport Wind Rose (Month / Year) |

| Page # | Pressure Data |
|---------------|-----------------------------------------------------|
| 299-305 | Maximum / Minimum Monthly & Yearly Pressure Records |
| 306-309 | Maximum / Minimum Pressure by Month / Year |

| Page # | Droughts Since 1900 |
|---------------|----------------------------|
| 310-319 | Droughts Since 1900 |

RHINELANDER JANUARY TEMPERATURE RECORDS

(1991-2020 Normal: High 22.6 / Low 3.7 / Mean 13.1)

| Jan Rank | Warmest Mean | Year(s) |
|----------|--------------|----------------|
| | | |
| 1 | 24.0 | 2006 |
| 2 | 23.8 | 1944 |
| 3 | 21.8 | 1990 |
| 4 | 21.5 | 1934 |
| 5 | 21.2 | 2002 |
| 6 | 20.2 | 1931 |
| 7 | 20.1 | 2023 |
| 8T | 19.8 | 1914,2024 |
| 10 | 19.4 | 1964 |
| 11 | 19.0 | 1932 |
| 12T | 18.9 | 1919,1989 |
| 14T | 18.8 | 1958,2020 |
| 16 | 18.3 | 1998 |
| 17 | 17.9 | 2021 |
| 18 | 17.7 | 2001 |
| 19 | 17.6 | 2017 |
| 20T | 17.5 | 1933,2012 |
| 22T | 17.3 | 1908,1921 |
| 24 | 17.1 | 1953 |
| 25 | 16.9 | 1947 |
| 26 | 16.8 | 1967 |
| 27 | 16.6 | 1987 |
| 28T | 16.5 | 1983,2007 |
| 30 | 16.3 | 1949 |
| 31T | 16.1 | 1939,1992 |
| 33 | 15.9 | 1995 |
| 34 | 15.6 | 1960 |
| 35 | 15.4 | 1909 |
| 36 | 15.3 | 1956 |
| 37 | 15.2 | 1942 |
| 38 | 15.1 | 1946 |
| 39 | 14.9 | 2010 |
| 40 | 14.8 | 2016 |
| 41 | 14.7 | 1973 |
| 42 | 14.5 | 1941 |
| 43T | 14.1 | 1913,2013,2018 |
| 46 | 13.8 | 1910 |
| 47 | 13.6 | 1993 |
| 48 | 13.4 | 1969 |

| Jan Rank | Coldest Mean | Year(s) |
|----------|--------------|-----------|
| | | |
| 1 | -5.4 | 1912 |
| 2 | -2.6 | 1929 |
| 3 | 0.9 | 1918 |
| 4T | 1.4 | 1924,1994 |
| 6T | 1.6 | 1920,1982 |
| 8 | 1.7 | 1977 |
| 9 | 2.3 | 2014 |
| 10 | 2.8 | 1972 |
| 11 | 3.3 | 1979 |
| 12 | 3.4 | 1963 |
| 13T | 4.1 | 1930,1971 |
| 15 | 4.6 | 2009 |
| 16T | 4.9 | 1917,1988 |
| 18 | 5.0 | 1970 |
| 19 | 6.2 | 1959 |
| 20T | 6.3 | 1966,1996 |
| 22T | 6.4 | 1937,2004 |
| 24T | 6.5 | 1927,1948 |
| 26 | 6.6 | 2022 |
| 27T | 7.0 | 1957,1984 |
| 29 | 7.4 | 1936 |
| 30 | 7.6 | 1922 |
| 31 | 7.8 | 1985 |
| 32T | 8.1 | 1935,1943 |
| 34 | 8.2 | 1940 |
| 35 | 8.3 | 1950 |
| 36 | 8.7 | 1991 |
| 37 | 8.8 | 1976 |
| 38 | 8.9 | 1951 |
| 39T | 9.0 | 1938,1945 |
| 41 | 9.1 | 1962 |
| 42 | 9.6 | 1978 |
| 43 | 9.8 | 2003 |
| 44 | 10.0 | 1997 |
| 45 | 10.2 | 2011 |
| 46 | 10.3 | 1926 |
| 47 | 10.4 | 1986 |
| 48 | 10.5 | 1965 |
| 49T | 10.6 | 1954,1974 |

RHINELANDER JANUARY TEMPERATURE RECORDS

HIGHEST MAXIMUM TEMPERATURE

| Highest Temp | Date(s) / Year(s) |
|--------------|--------------------------|
| 53 | 25/1981 |
| 52 | 23/1942 |
| 51 | 20/1908,25/1944, 26/1944 |
| 50 | 26/1973 |
| 49 | 24/1981,13/1987 |
| 48 | 26/2002,08/2003 |
| 47 | 24/1942 |

LOWEST MINIMUM TEMPERATURE

| Lowest Temp | Date(s) / Year(s) |
|-------------|----------------------------------|
| -41 | 28/1915 |
| -40 | 06/1912,16/1982 |
| -39 | 15/1972 |
| -38 | 07/1912,12/1912,24/1935,17/1982 |
| -37 | 12/1909,24/1922,25/1922,09/1977 |
| -36 | 23/1935,18/1948,30/1950 |
| -35 | 27/1935,24/1948, 25/1948,27/1950 |

RHINELANDER JANUARY TEMPERATURE RECORDS

LOWEST MAXIMUM TEMPERATURE

| Lowest | |
|--------|-------------------------|
| Max | Date(s) / Year(s) |
| -19 | 18/1994 |
| -18 | 01/1920 |
| -17 | 06/2014 |
| -16 | 23/1963 |
| -15 | 07/1912,13/1929 |
| -14 | 06/1912,11/1912,25/1972 |
| -13 | 10/1912,12/1912,19/1985 |

HIGHEST MINIMUM TEMPERATURE

| Highest | |
|---------|-------------------------------------------------|
| Min | Date(s) / Year(s) |
| 42 | 26/1944 |
| 36 | 23/1967 |
| 35 | 13/1932,18/1973 |
| 34 | 23/1909,05/1946,04/2007,06/2008,22/2017,26/2024 |
| 33 | 22/1909,25/1944,23/1969,30/1988,11/2013 |
| 33 | 21/2017,24/2017 |
| 32 | Last occurrence - 25/2024 |

RHINELANDER JANUARY PRECIPITATION RECORDS

(1991-2020 Normal Precipitation 1.21 Inches)

| Jan Rank | Wettest | Year(s) |
|----------|---------|----------------|
| 1 | 3.54 | 1950 |
| 2 | 3.48 | 1935 |
| 3 | 3.15 | 1997 |
| 4 | 3.04 | 1939 |
| 5 | 2.79 | 1969 |
| 6 | 2.68 | 1967 |
| 7 | 2.53 | 1996 |
| 8 | 2.50 | 1971 |
| 9 | 2.47 | 1916 |
| 10 | 2.30 | 1999 |
| 11 | 2.18 | 1946 |
| 12 | 2.09 | 1938 |
| 13 | 1.93 | 2017 |
| 14T | 1.90 | 1937,1975 |
| 16 | 1.84 | 1998 |
| 17 | 1.81 | 1980 |
| 18 | 1.80 | 2020 |
| 19 | 1.70 | 1976 |
| 20 | 1.67 | 1932 |
| 21 | 1.65 | 1979 |
| 22 | 1.64 | 1952 |
| 23 | 1.62 | 2023 |
| 24 | 1.60 | 2000 |
| 25 | 1.49 | 1983 |
| 26 | 1.47 | 1936 |
| 27 | 1.46 | 1920 |
| 28 | 1.45 | 1993 |
| 29 | 1.40 | 1982 |
| 30 | 1.39 | 1915 |
| 31 | 1.38 | 2014 |
| 32 | 1.37 | 1923 |
| 33 | 1.35 | 1949 |
| 34 | 1.34 | 2005 |
| 35T | 1.33 | 2004,2012 |
| 37T | 1.26 | 1914,1918,1989 |
| 40T | 1.19 | 1929,2013,2018 |
| 43 | 1.18 | 1988 |
| 44 | 1.17 | 2008 |
| 45 | 1.15 | 2006 |

| Jan Rank | Driest | Year(s) |
|----------|--------|--------------------------|
| 1 | 0.14 | 1985 |
| 2 | 0.21 | 1961 |
| 3 | 0.28 | 2003 |
| 4 | 0.30 | 1963 |
| 5 | 0.31 | 1957 |
| 6 | 0.34 | 1908 |
| 7 | 0.36 | 1912 |
| 8T | 0.39 | 1934,1995 |
| 10T | 0.41 | 1919,1947 |
| 12T | 0.42 | 1913,1959 |
| 14 | 0.43 | 1981 |
| 15 | 0.44 | 1965 |
| 16 | 0.46 | 1948 |
| 17 | 0.48 | 1910 |
| 18T | 0.49 | 1909,1925,1958 |
| 21T | 0.50 | 1931,1974 |
| 23 | 0.51 | 1984 |
| 24 | 0.52 | 1951 |
| 25T | 0.55 | 1917,1978 |
| 27 | 0.56 | 1930 |
| 28T | 0.57 | 1922,1990 |
| 30T | 0.58 | 1955,1956,1977 |
| 33 | 0.59 | 1926 |
| 34T | 0.61 | 1945,2002 |
| 36T | 0.66 | 1911,2021 |
| 38T | 0.67 | 1927,1940,1954,1962,2022 |
| 43T | 0.68 | 2009,2015 |
| 45 | 0.69 | 1953 |
| 46T | 0.70 | 1991,1992,2010 |
| 49 | 0.72 | 1964 |
| 50 | 0.73 | 2007 |
| 51 | 0.76 | 2016 |
| 52 | 0.77 | 1941 |
| 53 | 0.78 | 1928 |
| | | |
| | | |
| | | |
| | | |
| | | |

RHINELANDER JANUARY SNOWFALL RECORDS

(1991-2020 Normal Snowfall - 13.8 Inches)

| Jan | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------|
| Rank | Snowiest | Year(s) |
| | | |
| 1 | 31.5 | 1935 |
| 2 | 31.0 | 1967 |
| 3 | 30.7 | 1950 |
| 4 | 29.0 | 1969 |
| 5 | 26.0 | 1938 |
| 6T | 24.0 | 1937,1971 |
| 8 | 22.9 | 2020 |
| 9 | 21.9 | 2014 |
| 10 | 20.6 | 1998 |
| 11 | 19.8 | 2012 |
| 12 | 18.0 | 1929 |
| 13 | 17.2 | 2023 |
| 14 | 17.1 | 2017 |
| 15T | 17.0 | 1923,1952,2004 |
| 18T | 16.5 | 1946,2011 |
| 20 | 16.2 | 2005 |
| 21 | 16.1 | 1920 |
| 22 | 16.0 | 1975 |
| 23 | 15.8 | 1936 |
| 24 | 15.7 | 1968 |
| 25 | 15.4 | 1915 |
| 26 | 15.2 | 2018 |
| 27 | 15.1 | 2000 |
| 28 | 15.0 | 1994 |
| 29T | 14.0 | 1932,1939 |
| 31 | 13.9 | 1951 |
| 32 | 13.3 | 1965 |
| MONTHS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE MONTH. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS. | | |
| | | |
| | E27.6 | 1999 |
| | E24.0 | 1979 |
| | E23.6 | 1997 |
| | E22.1 | 1976 |
| | E20.0 | 1996 |
| | E18.3 | 1982 |

| Jan | Least | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------|
| Rank | Snowiest | Year(s) |
| | | |
| 1 | 2.1 | 1974 |
| 2 | 3.0 | 1947 |
| 3 | 3.5 | 1934 |
| 4 | 3.7 | 1942 |
| 5 | 4.0 | 1919,1922 |
| 7 | 4.1 | 1957 |
| 8 | 4.6 | 1953 |
| 9 | 5.0 | 1921 |
| 10 | 5.3 | 1948 |
| 11T | 5.5 | 1933,1944,1956 |
| 14 | 5.7 | 1912 |
| 15T | 6.0 | 1909,1926,1977 |
| 18T | 6.1 | 1949,2003 |
| 20T | 6.2 | 1908,2010 |
| 22 | 6.4 | 1958 |
| 23T | 6.5 | 1961,1963 |
| 25 | 6.6 | 1970 |
| 26 | 6.7 | 1914 |
| 27 | 7.3 | 1931 |
| 28 | 7.4 | 2016 |
| 29 | 7.5 | 1973 |
| 30 | 8.1 | 2021 |
| 31 | 8.5 | 1959 |
| 32T | 8.7 | 1925,1964 |
| 34 | 8.8 | 1941 |
| 35T | 9.0 | 1927,1930 |
| MONTHS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE MONTH. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS. | | |
| | | |
| | E5.8 | 1985 |
| | E6.8 | 1981 |
| | E7.4 | 1984 |
| | E7.8 | 1990, 1995 |
| | E8.0 | 1991 |
| | E8.2 | 1978, 1992 |

RHINELANDER JANUARY HEATING DEGREE DAY RECORDS

(1991-2020 Normal Heating Degree Days - 1,607)

| Jan Rank | Greatest HDD | Year(s) |
|----------|--------------|-----------|
| 1 | 2,184 | 1912 |
| 2 | 2,095 | 1929 |
| 3 | 1,990 | 1918 |
| 4 | 1,973 | 1924 |
| 5 | 1,969 | 1994 |
| 6 | 1,966 | 1982 |
| 7 | 1,964 | 1920 |
| 8 | 1,961 | 1977 |
| 9 | 1,933 | 2014 |
| 10 | 1,928 | 1972 |
| 11 | 1,916 | 1979 |
| 12 | 1,911 | 1963 |
| 13 | 1,889 | 1930 |
| 14 | 1,888 | 1971 |
| 15 | 1,868 | 2009 |
| 16 | 1,865 | 1917 |
| 17T | 1,862 | 1970,1988 |
| 19T | 1,819 | 1959,1996 |
| 21 | 1,818 | 1966 |
| 22 | 1,816 | 2004 |
| 23 | 1,813 | 1937 |
| 24T | 1,811 | 1927,1948 |
| 26 | 1,802 | 2022 |
| 27T | 1,796 | 1957,1984 |
| 29 | 1,787 | 1936 |
| 30 | 1,774 | 1922 |
| 31 | 1,769 | 1985 |
| 32 | 1,759 | 1943 |
| 33 | 1,758 | 1935 |
| 34T | 1,756 | 1940,1950 |
| 36 | 1,746 | 1991 |
| 37 | 1,741 | 1976 |
| 38 | 1,737 | 1951 |
| 39T | 1,734 | 1938,1945 |
| 41 | 1,730 | 1962 |
| 42 | 1,712 | 1978 |
| 43 | 1,707 | 2003 |
| 44 | 1,703 | 1997 |
| 45 | 1,694 | 2011 |

| Jan Rank | Least HDD | Year(s) |
|----------|-----------|-----------|
| 1 | 1,263 | 2006 |
| 2 | 1,268 | 1944 |
| 3 | 1,325 | 1919 |
| 4 | 1,329 | 1990 |
| 5 | 1,345 | 1934 |
| 6 | 1,353 | 2002 |
| 7 | 1,383 | 2023 |
| 8 | 1,384 | 1931 |
| 9 | 1,392 | 2024 |
| 10 | 1,396 | 1914 |
| 11 | 1,406 | 1964 |
| 12 | 1,418 | 1932 |
| 13 | 1,424 | 1958 |
| 14T | 1,425 | 1989,2020 |
| 16 | 1,442 | 1998 |
| 17 | 1,451 | 2021 |
| 18 | 1,459 | 2001 |
| 19 | 1,464 | 1933 |
| 20 | 1,465 | 2017 |
| 21 | 1,467 | 2012 |
| 22 | 1,469 | 1908 |
| 23 | 1,470 | 1921 |
| 24 | 1,480 | 1953 |
| 25T | 1,485 | 1947,1967 |
| 27 | 1,495 | 1983 |
| 28 | 1,496 | 1987 |
| 29 | 1,497 | 2007 |
| 30 | 1,506 | 1949 |
| 31 | 1,508 | 1939 |
| 32 | 1,513 | 1992 |
| 33 | 1,516 | 1995 |
| 34 | 1,526 | 1960 |
| 35 | 1,534 | 1909 |
| 36 | 1,536 | 1956 |
| 37 | 1,538 | 1942 |
| 38 | 1,543 | 1946 |
| 39 | 1,548 | 2010 |
| 40 | 1,550 | 2016 |
| 41 | 1,558 | 1941 |

RHINELANDER JANUARY COOLING DEGREE DAY RECORDS

(NORMAL COOLING DEGREE DAYS - 0)

| Jan | Greatest | |
|------|----------|-----------|
| Rank | CDD | Year(s) |
| 1 | 0 | All Years |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| Jan | Least | |
|------|-------|-----------|
| Rank | CDD | Year(s) |
| 1 | 0 | All Years |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

RHINELANDER FEBRUARY TEMPERATURE RECORDS

(1991-2020 Normal: High 26.9 / Low 5.7 / Mean 16.3)

| Feb Rank | Warmest Mean | Year(s) |
|----------|--------------|----------------|
| 1 | 30.0 | 1998 |
| 2 | 27.2 | 2024 |
| 3 | 25.0 | 2017 |
| 4 | 24.5 | 1915 |
| 5T | 24.2 | 1983,1984 |
| 7 | 24.0 | 1954 |
| 8 | 23.7 | 1931 |
| 9 | 23.1 | 1999 |
| 10 | 23.0 | 2000 |
| 11 | 22.5 | 1976 |
| 12T | 22.3 | 1961,1987 |
| 14 | 22.2 | 2012 |
| 15 | 22.0 | 2002 |
| 16 | 21.3 | 1952 |
| 17 | 20.9 | 1992 |
| 18 | 20.4 | 1911 |
| 19 | 20.3 | 2005 |
| 20 | 20.1 | 1930 |
| 21 | 19.9 | 1991 |
| 22 | 19.7 | 2023 |
| 23 | 19.6 | 2016 |
| 24 | 19.5 | 2010 |
| 25 | 19.1 | 1940 |
| 26 | 18.7 | 1981 |
| 27T | 18.6 | 1921,2004 |
| 29T | 18.4 | 1938,1944 |
| 31T | 18.2 | 1908,1964 |
| 33 | 18.0 | 1935 |
| 34T | 17.7 | 1969,1997 |
| 36T | 17.6 | 1909,1977 |
| 38 | 17.5 | 1927 |
| 39T | 17.4 | 1957,1960,2011 |
| 42 | 17.3 | 1966 |
| 43 | 17.1 | 1990 |
| 44 | 17.0 | 2009 |
| 45 | 16.2 | 1973 |
| 46T | 15.8 | 1945,1953 |
| 48 | 15.7 | 1925 |
| 49 | 15.4 | 1975 |

| Feb Rank | Coldest Mean | Year(s) |
|----------|--------------|----------------|
| 1 | -0.8 | 1936 |
| 2 | 1.3 | 1917 |
| 3 | 3.0 | 2015 |
| 4 | 3.2 | 1923 |
| 5 | 4.3 | 2014 |
| 6 | 5.7 | 1933 |
| 7 | 6.3 | 1929 |
| 8 | 6.7 | 1914 |
| 9 | 7.5 | 2021 |
| 10 | 7.6 | 1989 |
| 11 | 8.0 | 1963 |
| 12T | 8.4 | 1913,1934 |
| 14 | 8.6 | 1939 |
| 15T | 8.8 | 1922,1979,2007 |
| 18 | 8.9 | 2003 |
| 19 | 9.0 | 1972 |
| 20 | 9.4 | 1988 |
| 21 | 9.5 | 1978 |
| 22 | 9.7 | 1967 |
| 23 | 9.8 | 1974 |
| 24 | 9.9 | 2022 |
| 25 | 10.1 | 1918 |
| 26 | 10.7 | 1994 |
| 27 | 10.9 | 1970 |
| 28 | 11.0 | 1916 |
| 29 | 11.4 | 1910 |
| 30T | 11.5 | 1912,2001 |
| 32T | 11.6 | 1920,1985,2008 |
| 35T | 11.9 | 1965,1986 |
| 37T | 12.2 | 1962,1980 |
| 39 | 12.5 | 1982 |
| 40 | 12.7 | 1959 |
| 41 | 12.8 | 1996 |
| 42 | 12.9 | 1968 |
| 43 | 13.0 | 1937 |
| 44 | 13.1 | 1958 |
| 45 | 13.2 | 1948 |
| 46 | 13.3 | 1971 |

RHINELANDER FEBRUARY TEMPERATURE RECORDS

HIGHEST MAXIMUM TEMPERATURE

| Highest | |
|---------|-------------------------------------------------|
| Temp | Date(s) / Year(s) |
| 65 | 27/2024 |
| 60 | 16/1931 |
| 59 | 24/1976,29/2000 |
| 58 | 20/1930,23/1930,24/1931,19/2017 |
| 57 | 19/1930 |
| 56 | 22/1930,26/1958,22/2000,26/2000,21/2017 |
| 55 | 19/1981,22/1984,07/1991,08/1991,17/2017,22/2017 |
| 54 | Many Occurrences |
| | |

LOWEST MINIMUM TEMPERATURE

| Lowest | |
|--------|-------------------------|
| Temp | Date(s) / Year(s) |
| -42 | 03/1996 |
| -41 | 16/1936 |
| -40 | 09/1951 |
| -38 | 01/1996 |
| -37 | 19/1929,01/1938 |
| -36 | 09/1933,02/1996,04/1996 |
| -35 | 25/1928 |
| | |
| | |
| | |

RHINELANDER FEBRUARY TEMPERATURE RECORDS

LOWEST MAXIMUM TEMPERATURE

| Lowest | |
|--------|-----------------------------------------|
| Max | Date(s) / Year(s) |
| | |
| -16 | 17/1936 |
| -15 | 02/1996 |
| -10 | 09/1933,04/2007 |
| -8 | 03/1917,10/1933,01/1971 |
| -7 | 05/1913,07/1933,08/1933,01/1937 |
| -6 | 20/1918,18/1929,04/1933,06/1933,01/1996 |
| -5 | 6 Occurrences - Last 03/2007 |

HIGHEST MINIMUM TEMPERATURE

| Highest | |
|---------|-------------------------------------------------|
| Min | Date(s) / Year(s) |
| | |
| 42 | 26/2000 |
| 39 | 29/2000 |
| 38 | 22/1930,21/2017 |
| 37 | 19/1994,20/2017 |
| 36 | 17/1981,26/1998,25/2000,10/2009 |
| 35 | 25/1951,09/1966,18/1997,24/2000,22/2017,08/2024 |
| 34 | 12/1908,20/1954,16/1981 |

RHINELANDER FEBRUARY PRECIPITATION RECORDS

(1991-2020 Normal Precipitation – 1.22 Inches)

| Feb Rank | Wettest | Year(s) |
|----------|---------|-----------|
| 1 | 4.43 | 2005 |
| 2 | 3.36 | 1937 |
| 3 | 2.94 | 1922 |
| 4 | 2.82 | 1971 |
| 5 | 2.78 | 1945 |
| 6 | 2.48 | 1939 |
| 7 | 2.45 | 2012 |
| 8 | 2.40 | 1940 |
| 9 | 2.27 | 1932 |
| 10 | 2.10 | 1951 |
| 11 | 2.09 | 1953 |
| 12 | 2.06 | 2004 |
| 13 | 1.95 | 1981 |
| 14 | 1.90 | 2021 |
| 15 | 1.88 | 2002 |
| 16 | 1.86 | 2000 |
| 17 | 1.75 | 1938 |
| 18 | 1.71 | 2023 |
| 19 | 1.69 | 1962 |
| 20 | 1.66 | 1933 |
| 21 | 1.61 | 2013 |
| 22 | 1.59 | 1918 |
| 23 | 1.57 | 1979 |
| 24 | 1.53 | 1919 |
| 25T | 1.46 | 1908,1999 |
| 27T | 1.43 | 1936,2017 |
| 29T | 1.39 | 1984,1992 |
| 31 | 1.35 | 1975 |
| 32 | 1.32 | 1948 |
| 33 | 1.31 | 1926 |
| 34 | 1.27 | 1961 |
| 35 | 1.24 | 2001 |
| 36 | 1.23 | 2014 |
| 37T | 1.17 | 1911,2003 |
| 39 | 1.14 | 2008 |
| 40 | 1.12 | 1972 |
| 41T | 1.10 | 1928,2018 |
| 43 | 1.06 | 1998 |

| Feb Rank | Driest | Year(s) |
|----------|--------|----------------|
| 1 | 0.03 | 1958 |
| 2 | 0.04 | 1993 |
| 3 | 0.10 | 1987 |
| 4 | 0.11 | 1997 |
| 5 | 0.12 | 1969 |
| 6 | 0.17 | 1912 |
| 7 | 0.19 | 1968 |
| 8T | 0.21 | 1956,2015 |
| 10 | 0.22 | 1964 |
| 11T | 0.23 | 1980,1982 |
| 13 | 0.24 | 1988 |
| 14T | 0.30 | 1923,1943 |
| 16T | 0.32 | 1934,1990 |
| 18 | 0.33 | 1960 |
| 19 | 0.35 | 1970 |
| 20T | 0.38 | 1978,2020,2024 |
| 23 | 0.41 | 1989 |
| 24 | 0.42 | 2011 |
| 25T | 0.43 | 1959,1966 |
| 27T | 0.44 | 1977,1986 |
| 29T | 0.45 | 1914,1941,1942 |
| 32T | 0.46 | 1916,1947,1963 |
| 35T | 0.49 | 1924,1952 |
| 37 | 0.50 | 1931 |
| 38 | 0.51 | 1995 |
| 39 | 0.54 | 1910 |
| 40 | 0.56 | 1996 |
| 41 | 0.59 | 1944 |
| 42T | 0.60 | 1967,2010 |
| 44 | 0.61 | 1927 |
| 45 | 0.64 | 1913 |
| 46T | 0.65 | 1949,1954 |
| 48T | 0.69 | 1946,1950 |
| 50 | 0.70 | 1957 |
| 51T | 0.72 | 1917,1955,1973 |
| 54 | 0.73 | 1920 |

RHINELANDER FEBRUARY SNOWFALL RECORDS

(1991-2020 Normal Snowfall - 15.8 Inches)

| Feb Rank | Snowiest | Year(s) |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| | | |
| 1 | 39.5 | 1937 |
| 2 | 28.5 | 2012 |
| 3 | 28.0 | 1940 |
| 4 | 25.0 | 1939 |
| 5 | 24.8 | 1953 |
| 6 | 24.5 | 2004 |
| 7 | 24.1 | 1945 |
| 8 | 22.0 | 2013 |
| 9 | 21.9 | 1933 |
| 10 | 21.5 | 1962 |
| 11 | 21.0 | 1922 |
| 12 | 20.5 | 2021 |
| 13 | 19.5 | 2023 |
| 14T | 19.0 | 1938,1967 |
| 16 | 18.1 | 2000 |
| 17 | 17.7 | 2014 |
| 18 | 17.6 | 1961 |
| 19 | 17.0 | 1971 |
| 20 | 16.0 | 1948 |
| 21T | 15.0 | 1926,1965 |
| 23 | 14.7 | 2022 |
| 24T | 14.5 | 1919,2005 |
| 26T | 14.1 | 1936,2008 |
| 28 | 13.9 | 1909 |
| 29 | 13.5 | 1918 |
| 30 | 13.2 | 2001 |
| 31 | 13.1 | 2018 |
| 32T | 13.0 | 1917,1975 |
| 34 | 12.3 | 1954 |
| 35 | 12.1 | 2002 |
| | | |
| MONTHS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE MONTH. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS. | | |
| | | |
| | E16.0 | 1979 |
| | E14.5 | 1991 |

| Feb Rank | Least Snowiest | Year(s) |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------|
| | | |
| 1 | 0.5 | 1993 |
| 2 | 0.8 | 1943 |
| 3 | 1.0 | 1958 |
| 4 | 1.7 | 1944 |
| 5 | 2.0 | 1966 |
| 6T | 3.0 | 1968,1997 |
| 8 | 3.2 | 1915 |
| 9 | 3.5 | 1947 |
| 10T | 3.6 | 1955,1956 |
| 12T | 4.0 | 1969,1998 |
| 14 | 4.5 | 2020 |
| 15 | 4.6 | 1912 |
| 16 | 5.0 | 1973 |
| 17 | 5.3 | 1934 |
| 18 | 5.4 | 2015 |
| 19 | 5.5 | 1995 |
| 20 | 5.6 | 2011 |
| 21 | 5.7 | 1946 |
| 22T | 6.0 | 1924,1949,1970 |
| 25 | 6.4 | 1942 |
| 26 | 6.5 | 1941 |
| 27 | 6.8 | 2024 |
| 28T | 7.0 | 1923,1927,1931,1994 |
| 32T | 7.6 | 1908,1964,1999 |
| 35T | 8.0 | 1914,1916,1930 |
| 38 | 8.2 | 2017 |
| 39 | 8.4 | 2010 |
| 40T | 8.5 | 1932,1959,1960 |
| 43 | 8.6 | 1913 |
| | | |
| | | |
| MONTHS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE MONTH. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS. | | |
| | | |
| | E0.8 | 1987 |
| | E1.4 | 1977 |

RHINELANDER FEBRUARY HEATING DEGREE DAY RECORDS

(1991-2020 Normal Heating Degree Days - 1,364)

| Feb Rank | Greatest HDD | Year(s) |
|----------|--------------|-----------|
| 1 | 1,913 | 1936 |
| 2 | 1,786 | 1917 |
| 3 | 1,731 | 1923 |
| 4 | 1,729 | 2015 |
| 5 | 1,691 | 2014 |
| 6 | 1,661 | 1933 |
| 7 | 1,642 | 1929 |
| 8 | 1,633 | 1914 |
| 9 | 1,623 | 1972 |
| 10 | 1,612 | 1988 |
| 11 | 1,603 | 2021 |
| 12 | 1,600 | 1989 |
| 13 | 1,591 | 1963 |
| 14 | 1,583 | 1913 |
| 15 | 1,581 | 1934 |
| 16 | 1,578 | 1939 |
| 17 | 1,570 | 2007 |
| 18 | 1,569 | 1979 |
| 19T | 1,568 | 1922,2003 |
| 21 | 1,565 | 1916 |
| 22 | 1,550 | 1912 |
| 23 | 1,549 | 1978 |
| 24 | 1,544 | 2008 |
| 25 | 1,543 | 1967 |
| 26 | 1,542 | 1920 |
| 27 | 1,538 | 1974 |
| 28 | 1,536 | 1918 |
| 29 | 1,532 | 2022 |
| 30 | 1,525 | 1980 |
| 31 | 1,517 | 1994 |
| 32T | 1,511 | 1970,1996 |
| 34 | 1,507 | 1968 |
| 35 | 1,500 | 1948 |
| 36 | 1,496 | 1910 |
| 37T | 1,493 | 1928,1985 |
| 39 | 1,492 | 2001 |
| 40 | 1,484 | 1965 |
| 41 | 1,482 | 1986 |

| Feb Rank | Least HDD | Year(s) |
|----------|-----------|-----------|
| 1 | 972 | 1998 |
| 2 | 1,090 | 2024 |
| 3 | 1,114 | 2017 |
| 4 | 1,128 | 1915 |
| 5 | 1,139 | 1983 |
| 6 | 1,141 | 1954 |
| 7 | 1,148 | 1931 |
| 8 | 1,169 | 1999 |
| 9 | 1,176 | 1984 |
| 10 | 1,186 | 1961 |
| 11 | 1,191 | 1987 |
| 12 | 1,196 | 2002 |
| 13 | 1,212 | 2000 |
| 14 | 1,229 | 1976 |
| 15 | 1,235 | 2012 |
| 16 | 1,243 | 1911 |
| 17 | 1,245 | 2005 |
| 18T | 1,252 | 1930,1991 |
| 20 | 1,260 | 1952 |
| 21 | 1,261 | 2023 |
| 22 | 1,266 | 2010 |
| 23 | 1,268 | 1992 |
| 24 | 1,283 | 1940 |
| 25 | 1,294 | 1981 |
| 26 | 1,295 | 1921 |
| 27 | 1,297 | 1938 |
| 28 | 1,307 | 2016 |
| 29 | 1,310 | 1935 |
| 30 | 1,315 | 1997 |
| 31 | 1,318 | 1969 |
| 32 | 1,320 | 1977 |
| 33 | 1,321 | 1909 |
| 34 | 1,323 | 1927 |
| 35 | 1,324 | 2009 |
| 36 | 1,326 | 1957 |
| 37 | 1,327 | 2011 |
| 38 | 1,332 | 1966 |
| 39 | 1,336 | 1990 |
| 40 | 1,341 | 1944 |

RHINELANDER MARCH TEMPERATURE RECORDS

(1991-2020 Normal: High 38.6 / Low 17.2 / Mean 27.9)

| Mar | Warmest | |
|------|---------|---------------------|
| Rank | Mean | Year(s) |
| | | |
| 1 | 42.9 | 2012 |
| 2 | 40.1 | 1910 |
| 3 | 38.4 | 1946 |
| 4 | 37.2 | 2000 |
| 5T | 36.9 | 1945,2010 |
| 7 | 35.3 | 1973 |
| 8 | 35.2 | 1968 |
| 9 | 34.4 | 2016 |
| 10 | 33.5 | 1977 |
| 11 | 33.4 | 2021 |
| 12 | 32.8 | 1987 |
| 13 | 31.7 | 2024 |
| 14T | 31.4 | 1918,1927,1938,2007 |
| 18 | 31.0 | 1935 |
| 19 | 30.9 | 1966 |
| 20 | 30.8 | 1961 |
| 21T | 30.7 | 1985,2020 |
| 23 | 30.6 | 1995 |
| 24T | 30.3 | 1911,1999 |
| 26 | 30.0 | 1994 |
| 27 | 29.9 | 1981 |
| 28 | 29.5 | 1983 |
| 29 | 29.4 | 1963 |
| 30T | 29.1 | 1942,1990,1991 |
| 33 | 28.8 | 2004 |
| 34 | 28.7 | 1998 |
| 35T | 28.5 | 1929,1962 |
| 37 | 28.4 | 1986 |
| 38 | 28.3 | 2015 |
| 39 | 28.2 | 1953 |
| 40 | 28.0 | 2006 |
| 41T | 27.9 | 1958,2009 |
| 43T | 27.7 | 1931,1967 |
| 45 | 27.6 | 2017 |
| 46 | 27.5 | 1993 |
| 47 | 27.4 | 1988 |
| 48 | 27.1 | 1979 |
| | | |
| | | |

| Mar | Coldest | |
|------|---------|----------------|
| Rank | Mean | Year(s) |
| | | |
| 1 | 13.9 | 1923 |
| 2 | 18.2 | 1943 |
| 3 | 18.3 | 2014 |
| 4 | 18.4 | 1932 |
| 5T | 18.5 | 1926,1940 |
| 7 | 18.8 | 2002 |
| 8 | 18.9 | 1960 |
| 9 | 19.0 | 1950 |
| 10T | 19.9 | 1912,1965,1996 |
| 13 | 20.1 | 1984 |
| 14 | 20.6 | 1975 |
| 15 | 20.9 | 1937 |
| 16 | 21.3 | 1989 |
| 17 | 21.7 | 1913 |
| 18T | 21.8 | 1916,1934,1951 |
| 21T | 21.9 | 1941,2013 |
| 23T | 22.4 | 1954,1972 |
| 25T | 22.5 | 1917,2008 |
| 27T | 22.6 | 1944,1970,1971 |
| 30 | 22.9 | 1947 |
| 31 | 23.0 | 1969 |
| 32T | 23.2 | 1939,1955 |
| 34 | 23.3 | 1924 |
| 35 | 23.4 | 1933 |
| 36 | 23.5 | 1928,2005 |
| 38T | 23.6 | 1956,1980 |
| 40 | 23.9 | 1978 |
| 41 | 24.1 | 1948 |
| 42 | 24.3 | 1982 |
| 43 | 24.4 | 2022 |
| 44T | 24.5 | 1914,1952 |
| 46 | 24.7 | 2018 |
| 47T | 24.8 | 1974,1976,2011 |
| 50T | 24.9 | 1915,2003 |
| 52T | 25.0 | 1909,1964,1997 |
| 55T | 25.3 | 2001,2023 |
| | | |
| | | |

RHINELANDER MARCH TEMPERATURE RECORDS

HIGHEST MAXIMUM TEMPERATURE

| Highest | |
|---------|-----------------------------------------|
| Temp | Date(s) / Year(s) |
| 79 | 29/2010 |
| 78 | 18/2012,19/2012 |
| 77 | 27/1910,30/1910,17/2012 |
| 76 | 20/2012 |
| 75 | 31/1986 |
| 74 | 28/1910,28/1946,07/2000,08/2000,21/2012 |
| 73 | 26/2007 |
| | |
| | |

LOWEST MINIMUM TEMPERATURE

| Lowest | |
|--------|-------------------|
| Temp | Date(s) / Year(s) |
| -36 | 01/1962 |
| -34 | 11/1948 |
| -31 | 05/1917 |
| -28 | 18/1939,03/2014 |
| -27 | 07/1913,08/1943 |
| -26 | 06/1917 |
| -24 | 19/1944,07/1945 |
| | |
| | |

RHINELANDER MARCH TEMPERATURE RECORDS

LOWEST MAXIMUM TEMPERATURE

| Lowest | |
|--------|---------------------------------|
| Max | Date(s) / Year(s) |
| | |
| -1 | 02/1943 |
| 3 | 02/1989 |
| 4 | 07/1932,17/1941 |
| 5 | 09/1933,07/1943,01/2014 |
| 6 | 06/1932,02/1950,03/1989,02/2014 |
| 7 | 01/1925,08/1932,17/1939,09/2003 |
| 8 | 01/1943,01/1989,03/2002 |
| | |
| | |

HIGHEST MINIMUM TEMPERATURE

| Highest | |
|---------|---------------------------------|
| Min | Date(s) / Year(s) |
| | |
| 57 | 17/2002,18/2002,19/2002 |
| 56 | 30/1910 |
| 53 | 22/2012 |
| 51 | 20/2012,23/2012 |
| 50 | 23/1910,25/1945,25/2007,21/2012 |
| 48 | 29/1910,26/1945 |
| 47 | 31/1967,13/1995,31/2010,24/2012 |

RHINELANDER MARCH PRECIPITATION RECORDS

(1991-2020 Normal Precipitation - 1.69 Inches)

| Mar | | |
|------|---------|-----------|
| Rank | Wettest | Year(s) |
| 1 | 5.75 | 1942 |
| 2 | 4.09 | 1973 |
| 3 | 3.89 | 2004 |
| 4 | 3.67 | 2016 |
| 5 | 3.53 | 1921 |
| 6 | 3.43 | 1920 |
| 7T | 3.28 | 1977,2022 |
| 9 | 3.24 | 1998 |
| 10 | 3.21 | 2023 |
| 11 | 3.14 | 1966 |
| 12 | 3.11 | 1979 |
| 13 | 3.04 | 1991 |
| 14 | 3.03 | 1951 |
| 15 | 3.02 | 2024 |
| 16 | 2.89 | 2020 |
| 17 | 2.73 | 1938 |
| 18 | 2.70 | 2006 |
| 19 | 2.63 | 2011 |
| 20 | 2.62 | 1913 |
| 21 | 2.54 | 1976 |
| 22 | 2.48 | 1939 |
| 23 | 2.45 | 1950 |
| 24 | 2.42 | 2002 |
| 25 | 2.41 | 2003 |
| 26 | 2.39 | 1972 |
| 27 | 2.38 | 1916 |
| 28 | 2.30 | 2000 |
| 29 | 2.27 | 2007 |
| 30 | 2.21 | 1985 |
| 31 | 2.16 | 1996 |
| 32 | 2.14 | 1934 |
| 33 | 2.13 | 1944 |
| 34 | 2.07 | 1961 |
| 35 | 2.06 | 1945 |
| 36 | 2.01 | 2013 |
| 37 | 1.95 | 1943 |
| 38 | 1.88 | 1927 |
| 39 | 1.85 | 2018 |
| 40 | 1.81 | 1917 |

| Mar | | |
|------|--------|----------------|
| Rank | Driest | Year(s) |
| 1 | 0.15 | 1978 |
| 2 | 0.17 | 1937 |
| 3 | 0.18 | 1960 |
| 4 | 0.32 | 1915 |
| 5 | 0.37 | 1980 |
| 6 | 0.38 | 1910 |
| 7 | 0.40 | 1962 |
| 8T | 0.46 | 1999,2010 |
| 10 | 0.47 | 1993 |
| 11 | 0.50 | 1933 |
| 12 | 0.57 | 1930 |
| 13T | 0.58 | 1912,1941 |
| 15T | 0.60 | 1925,1969 |
| 17 | 0.61 | 1974 |
| 18 | 0.62 | 1981 |
| 19 | 0.63 | 1987 |
| 20 | 0.64 | 1931 |
| 21 | 0.65 | 1946 |
| 22 | 0.68 | 1958 |
| 23 | 0.69 | 2001 |
| 24 | 0.73 | 1990 |
| 25T | 0.75 | 1932,1947,1994 |
| 28T | 0.76 | 1909,2014 |
| 30 | 0.77 | 2015 |
| 31 | 0.79 | 1935 |
| 32 | 0.80 | 1959 |
| 33T | 0.82 | 1922,1924 |
| 35 | 0.83 | 1964 |
| 36 | 0.85 | 1929 |
| 37 | 0.86 | 1986 |
| 38 | 0.87 | 1970 |
| 39 | 0.94 | 1948 |
| 40 | 0.96 | 2012 |
| 41 | 0.97 | 1928 |
| 42 | 0.99 | 1957 |
| 43 | 1.00 | 1956 |
| 44 | 1.03 | 1982 |

RHINELANDER MARCH SNOWFALL RECORDS

(1991-2020 Normal Snowfall - 10.1 Inches)

| Mar | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| Rank | Snowiest | Year(s) |
| 1 | 30.1 | 2023 |
| 2 | 27.6 | 2011 |
| 3 | 27.4 | 1950 |
| 4 | 25.3 | 1951 |
| 5 | 23.4 | 1944 |
| 6 | 22.6 | 1934 |
| 7 | 22.0 | 1939 |
| 8 | 21.9 | 1965 |
| 9 | 20.4 | 1908 |
| 10T | 20.0 | 1923,1926 |
| 12T | 19.0 | 1955,2004 |
| 14 | 18.6 | 1943 |
| 15 | 18.2 | 1997 |
| 16 | 17.6 | 2003 |
| 17 | 17.5 | 1917 |
| 18 | 16.6 | 2007 |
| 19T | 16.5 | 1916,2018 |
| 21T | 16.2 | 2006,2013 |
| 23T | 15.5 | 1959,1961 |
| 25T | 15.0 | 1966,1998 |
| 27 | 14.4 | 1942 |
| 28 | 14.3 | 1972 |
| 29 | 14.2 | 2008 |
| 30 | 14.1 | 2024 |
| 31T | 14.0 | 1952,1976 |
| 33 | 13.7 | 1936 |
| 34 | 12.8 | 1909 |
| 35 | 12.6 | 1913 |
| 36 | 12.1 | 2002 |
| MONTHS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE MONTH. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS. | | |
| | | |
| | E22.3 | 1985 |
| | E22.2 | 1989 |
| | E14.5 | 1996 |
| | E14.4 | 1977 |

| Mar | Least | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------|
| Rank | Snowiest | Year(s) |
| 1T | 0.0 | 1973,2010 |
| 3T | T | 1919,1946 |
| 5 | 0.8 | 1949 |
| 6 | 1.0 | 1969 |
| 7 | 1.1 | 1930 |
| 8 | 1.2 | 1960 |
| 9T | 1.5 | 1922,2000 |
| 11 | 1.7 | 1947 |
| 12T | 2.0 | 1925,1948,1968,2012 |
| 16 | 2.5 | 1990 |
| 17T | 3.0 | 1914,1915 |
| 19 | 3.2 | 1935 |
| 20 | 3.3 | 1953 |
| 21 | 3.5 | 1988 |
| 22T | 4.0 | 1912,1921,1929 |
| 25 | 4.3 | 2020 |
| 26T | 4.5 | 1910,1970,2009 |
| 29 | 5.0 | 1933 |
| 30 | 5.5 | 1932 |
| 31 | 5.8 | 2017 |
| 32T | 6.0 | 1957,1971,1987 |
| 35 | 6.2 | 1937 |
| 36 | 6.4 | 2021 |
| 37T | 6.5 | 1931,1945,2015 |
| 40 | 6.7 | 1911 |
| 41T | 7.0 | 1938,1941,1962 |
| 44 | 7.3 | 1920 |
| 45T | 8.3 | 1964,1983 |
| 47 | 9.0 | 1975 |
| MONTHS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE MONTH. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS. | | |
| | | |
| | E1.0 | 1978 |
| | E1.7 | 1981 |
| | E4.5 | 1993 |
| | E4.9 | 1999 |

RHINELANDER MARCH HEATING DEGREE DAY RECORDS

(1991-2020 Normal Heating Degree Days - 1,150)

| Mar Rank | Greatest HDD | Year(s) |
|----------|--------------|-----------|
| 1 | 1,578 | 1923 |
| 2 | 1,445 | 1943 |
| 3 | 1,444 | 1932 |
| 4 | 1,439 | 2014 |
| 5 | 1,436 | 1940 |
| 6 | 1,433 | 1926 |
| 7 | 1,425 | 2002 |
| 8 | 1,421 | 1960 |
| 9 | 1,420 | 1950 |
| 10T | 1,393 | 1912,1965 |
| 12 | 1,388 | 1996 |
| 13 | 1,387 | 1984 |
| 14 | 1,370 | 1975 |
| 15 | 1,358 | 1937 |
| 16 | 1,349 | 1989 |
| 17 | 1,337 | 1913 |
| 18T | 1,332 | 1916,1934 |
| 20 | 1,331 | 1951 |
| 21 | 1,330 | 1941 |
| 22 | 1,329 | 2013 |
| 23T | 1,313 | 1917,1954 |
| 25 | 1,311 | 1972 |
| 26 | 1,310 | 2008 |
| 27 | 1,309 | 1944 |
| 28T | 1,307 | 1970,1971 |
| 30 | 1,300 | 1947 |
| 31 | 1,293 | 1969 |
| 32 | 1,291 | 1939 |
| 33 | 1,288 | 1955 |
| 34 | 1,285 | 1924 |
| 35T | 1,282 | 1928,1933 |
| 37 | 1,280 | 2005 |
| 38 | 1,277 | 1980 |
| 39 | 1,276 | 1956 |
| 40 | 1,269 | 1978 |
| 41 | 1,265 | 1948 |
| 42 | 1,256 | 1982 |
| | | |
| | | |

| Mar Rank | Least HDD | Year(s) |
|----------|-----------|-----------|
| 1 | 684 | 2012 |
| 2 | 769 | 1910 |
| 3 | 818 | 1946 |
| 4 | 854 | 2000 |
| 5 | 863 | 2010 |
| 6 | 867 | 1945 |
| 7 | 911 | 1973 |
| 8 | 914 | 1968 |
| 9 | 939 | 2016 |
| 10T | 970 | 1977,2021 |
| 12 | 992 | 1987 |
| 13 | 1,024 | 2024 |
| 14T | 1,036 | 1938,2007 |
| 16T | 1,037 | 1918,1927 |
| 18 | 1,048 | 1935 |
| 19 | 1,051 | 1966 |
| 20 | 1,052 | 1961 |
| 21 | 1,059 | 2020 |
| 22 | 1,060 | 1985 |
| 23 | 1,061 | 1995 |
| 24 | 1,068 | 1911 |
| 25 | 1,069 | 1999 |
| 26 | 1,078 | 1994 |
| 27 | 1,084 | 1981 |
| 28 | 1,090 | 1983 |
| 29 | 1,099 | 1963 |
| 30 | 1,104 | 1990 |
| 31T | 1,105 | 1942,1991 |
| 33 | 1,117 | 2004 |
| 34 | 1,119 | 1998 |
| 35 | 1,124 | 1929 |
| 36 | 1,127 | 1962 |
| 37 | 1,128 | 1986 |
| 38 | 1,130 | 2015 |
| 39 | 1,134 | 1953 |
| 40 | 1,140 | 2006 |
| 41 | 1,143 | 2009 |
| 42 | 1,144 | 1958 |
| | | |
| | | |

RHINELANDER MARCH COOLING DEGREE DAY RECORDS

(1991-2020 Normal Cooling Degree Days - 0)

| Mar | Greatest | | Mar | Least | |
|------|----------|---------|------|-------|--------------------------------|
| Rank | CDD | Year(s) | Rank | CDD | Year(s) |
| | | | | | |
| 1 | 8 | 2012 | 1 | 0 | All years except 1910 and 2012 |
| 2 | 2 | 1910 | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

RHINELANDER APRIL TEMPERATURE RECORDS

(1991-2020 Normal: High 52.4 / Low 28.9 / Mean 40.6)

| Apr Rank | Warmest Mean | Year(s) |
|----------|--------------|---------------------|
| | | |
| 1 | 51.1 | 1915 |
| 2 | 49.4 | 1955 |
| 3 | 48.5 | 2010 |
| 4 | 47.5 | 1910 |
| 5 | 47.3 | 1941 |
| 6 | 47.2 | 1987 |
| 7 | 47.1 | 1998 |
| 8 | 46.9 | 2006 |
| 9 | 46.8 | 1942 |
| 10 | 46.7 | 1948 |
| 11T | 46.2 | 1921,1925 |
| 13T | 46.1 | 1968,1977 |
| 15 | 45.9 | 1986 |
| 16 | 45.8 | 1999 |
| 17 | 45.5 | 2005 |
| 18T | 45.3 | 1931,1969 |
| 20 | 45.1 | 1991 |
| 21T | 44.9 | 1963,1985,1990 |
| 24 | 44.8 | 1952 |
| 25T | 44.5 | 1946,1958 |
| 27 | 44.4 | 1976 |
| 28 | 44.2 | 2017 |
| 29T | 44.1 | 1984,2001 |
| 31 | 43.8 | 1913 |
| 32T | 43.7 | 1930,1957,1964,1980 |
| 36 | 43.5 | 1908 |
| 37 | 43.4 | 1949 |
| 38 | 43.2 | 1960 |
| 39 | 42.7 | 1981 |
| 40T | 42.6 | 1959,1967 |
| 42 | 42.4 | 1945 |
| 43T | 42.3 | 1988,2012 |
| 45T | 42.1 | 1912,1929,2021 |
| 48 | 42.0 | 1911,2015 |
| 49 | 41.9 | 1938 |
| 50 | 41.7 | 1970 |
| 51 | 41.5 | 1935 |

| Apr Rank | Coldest Mean | Year(s) |
|----------|--------------|----------------|
| | | |
| 1 | 30.5 | 1950 |
| 2 | 31.6 | 2018 |
| 3 | 33.5 | 1928 |
| 4 | 33.7 | 1936 |
| 5 | 33.8 | 1920 |
| 6 | 33.9 | 1909 |
| 7 | 34.8 | 2014 |
| 8 | 34.9 | 1996 |
| 9 | 35.1 | 1975 |
| 10T | 35.4 | 1926,2013 |
| 12T | 35.6 | 1923,1995 |
| 14 | 35.7 | 2022 |
| 15 | 35.8 | 1939 |
| 16T | 36.4 | 1940,1972 |
| 18 | 36.5 | 2020 |
| 19 | 36.6 | 1982 |
| 20 | 36.8 | 1943 |
| 21T | 37.0 | 1917,1924 |
| 23 | 37.1 | 1979 |
| 24 | 37.6 | 1937 |
| 25 | 37.7 | 1993 |
| 26T | 37.8 | 1978,1983,2002 |
| 29 | 37.9 | 1992 |
| 30 | 38.0 | 1953 |
| 31T | 38.1 | 1933,1947,2011 |
| 34T | 38.2 | 1918,1944,2003 |
| 37T | 38.5 | 1914,1916 |
| 39T | 38.7 | 1932,1966 |
| 41 | 38.8 | 1934 |
| 42T | 39.0 | 1989,1997 |
| 44 | 39.2 | 1965 |
| 45T | 39.3 | 1961,2023 |
| 47T | 39.4 | 1956,1973 |
| 49 | 39.7 | 1951 |
| 50 | 39.8 | 1927 |
| 51T | 40.0 | 1919,1971 |
| 53T | 40.2 | 1922,2008,2016 |

RHINELANDER APRIL TEMPERATURE RECORDS

HIGHEST MAXIMUM TEMPERATURE

| Highest | |
|---------|--------------------------------------------------|
| Temp | Date(s) / Year(s) |
| | |
| 92 | 28/1952 |
| 89 | 29/1952,30/1952,22/1980,21/1987 |
| 86 | 29/1970 |
| 85 | 24/1915,30/1934,26/1962,18/1987,20/1987 |
| 84 | 23/1925,26/1935,21/1980,25/1990,16/2002, 29/2007 |
| | |
| | |

LOWEST MINIMUM TEMPERATURE

| Lowest | |
|--------|-----------------------------------------|
| Temp | Date(s) / Year(s) |
| | |
| -11 | 01/1924 |
| -4 | 06/1982,06/2003,08/2018 |
| -3 | 15/1928,01/1923,09/1923 |
| -2 | 06/1950,15/2014 |
| -1 | 04/1923,03/1954,04/2002 |
| 0 | 01/2018 |
| 1 | 10/1909,04/1995,15/2020 |
| 2 | 03/1920,08/1972,06/2003,05/2014,14/2014 |
| | |

RHINELANDER APRIL TEMPERATURE RECORDS

LOWEST MAXIMUM TEMPERATURE

| Lowest | |
|--------|---------------------------------------------------------|
| Max | Date(s) / Year(s) |
| 19 | 02/1971 |
| 20 | 08/1914,05/1995,04/2003,06/2007 |
| 22 | 12/1950 |
| 23 | 06/1939,07/2007,15/2018 |
| 24 | 06/1920,07/1920,08/1928,07/1936,02/1944,02/1954,03/1954 |
| 25 | Many occurrences |

HIGHEST MINIMUM TEMPERATURE

| Highest | |
|---------|-----------------------------------------------------------------|
| Min | Date(s) / Year(s) |
| 65 | 16/2002 |
| 62 | 26/1990 |
| 59 | 21/1985,20/1987 |
| 58 | 27/1915,27/1938,17/1958,16/1976,25/1948,24/1990 |
| 57 | 26/1921,24/1925,13/1941,10/1945,26/1962,17/1976,30/2001,22/2007 |

RHINELANDER APRIL PRECIPITATION RECORDS

(1991-2020 Normal Precipitation - 3.04 Inches)

| Apr Rank | Wettest | Year(s) |
|----------|---------|----------------|
| 1 | 6.93 | 2017 |
| 2 | 6.33 | 2002 |
| 3 | 5.13 | 1921 |
| 4 | 4.86 | 2014 |
| 5 | 4.79 | 1954 |
| 6 | 4.76 | 2022 |
| 7 | 4.74 | 2023 |
| 8 | 4.69 | 2001 |
| 9 | 4.62 | 2013 |
| 10 | 4.57 | 2003 |
| 11 | 4.48 | 2021 |
| 12 | 4.37 | 1945 |
| 13 | 4.33 | 1991 |
| 14 | 4.32 | 1967 |
| 15 | 4.09 | 1982 |
| 16 | 3.81 | 1977 |
| 17 | 3.65 | 1938 |
| 18 | 3.62 | 2008 |
| 19 | 3.59 | 1984 |
| 20 | 3.58 | 1964 |
| 21 | 3.54 | 1924 |
| 22 | 3.50 | 1947 |
| 23 | 3.49 | 1981 |
| 24 | 3.48 | 1914 |
| 25 | 3.46 | 1916 |
| 26 | 3.41 | 1974 |
| 27 | 3.38 | 1908 |
| 28 | 3.33 | 1975 |
| 29 | 3.28 | 1912 |
| 30T | 3.25 | 1973,2015 |
| 32 | 3.20 | 2011 |
| 33 | 3.12 | 1909 |
| 34 | 3.11 | 1972 |
| 35 | 3.10 | 1990 |
| 36 | 3.06 | 1960 |
| 37T | 3.05 | 1929,2009 |
| 39T | 2.91 | 1965,1994,2020 |
| 42 | 2.87 | 1992 |
| 43 | 2.85 | 1951 |

| Apr Rank | Driest | Year(s) |
|----------|--------|-----------|
| 1 | 0.33 | 1946 |
| 2T | 0.57 | 1931,2006 |
| 4 | 0.65 | 1971 |
| 5 | 0.82 | 1979 |
| 6 | 0.85 | 1989 |
| 7 | 0.87 | 1949 |
| 8 | 0.97 | 1936 |
| 9 | 0.98 | 2007 |
| 10 | 1.02 | 1987 |
| 11T | 1.04 | 1970,1997 |
| 13 | 1.16 | 1998 |
| 14 | 1.18 | 1911 |
| 15 | 1.24 | 1966 |
| 16 | 1.28 | 1988 |
| 17T | 1.30 | 1958,1969 |
| 19 | 1.31 | 1956 |
| 20T | 1.33 | 1944,1957 |
| 22 | 1.36 | 1963 |
| 23 | 1.37 | 1943 |
| 24 | 1.39 | 1983 |
| 25 | 1.45 | 1915 |
| 26 | 1.47 | 1930 |
| 27 | 1.49 | 1980 |
| 28 | 1.55 | 1935 |
| 29 | 1.57 | 1985 |
| 30 | 1.60 | 1913 |
| 31T | 1.61 | 1948,2010 |
| 33T | 1.65 | 1918,1926 |
| 35T | 1.70 | 1920,1961 |
| 37 | 1.74 | 1925 |
| 38 | 1.77 | 1927 |
| 39 | 1.82 | 1932 |
| 40 | 1.83 | 1942 |
| 41 | 1.84 | 1917 |
| 42T | 1.87 | 1937,1999 |
| 44 | 1.89 | 1941 |
| 45 | 1.93 | 2012 |
| 46 | 1.94 | 1995 |
| 47 | 1.95 | 1952 |

RHINELANDER APRIL SNOWFALL RECORDS

(1991-2020 Normal Snowfall - 11.9 Inches)

| Apr | | | Apr | Least | Z |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------------------|
| Rank | Snowiest | Year(s) | Rank | Snowiest | Year(s) |
| 1 | 28.1 | 2014 | 1T | 0.0 | 1912,1915,1930,1931,1948,1955 |
| 2 | 27.8 | 2018 | 1T | 0.0 | 1969,1976,2006 |
| 3 | 21.4 | 2023 | 10T | T | 1913,1914,1916,1918,1919,1921 |
| 4 | 21.0 | 1923 | 10T | T | 1926,1927,1938,1941,1949,1962 |
| 5 | 18.6 | 1909 | 10T | T | 1974,1975,1986,1990,2005,2012 |
| 6 | 14.8 | 2013 | 28T | 0.1 | 1920,1959,2010 |
| 7 | 14.0 | 1928 | 31T | 0.2 | 1954,1963,2004 |
| 8 | 13.9 | 2015 | 34 | 0.3 | 1968 |
| 9 | 13.8 | 2002 | 35T | 0.5 | 1987,1997 |
| 10T | 13.7 | 1945,2008 | 37 | 0.8 | 1946 |
| 12 | 13.6 | 2022 | 38T | 1.0 | 1911,1967 |
| 13 | 12.9 | 2020 | 40 | 1.5 | 2021 |
| 14 | 12.0 | 1958 | 41T | 2.0 | 1913,1929,1944,1951,1956,1960 |
| 15 | 11.9 | 2016 | 41T | 2.0 | 1971,1998,2001 |
| 16 | 11.0 | 1965 | 50 | 2.3 | 1964 |
| 17 | 10.7 | 2009 | | | |
| 18 | 9.0 | 1917 | | | |
| 19T | 8.5 | 1934,1957,2017 | | | |
| 22T | 7.5 | 1972,2011 | | | |
| 24T | 7.0 | 1924,1932,1936,1947,2003 | | | |
| 29T | 6.0 | 1933,1937,1950 | | | |
| 32 | 5.8 | 1995 | | | |
| 33 | 5.4 | 1942 | | | |
| 34T | 5.0 | 1925,1952,1974,1994 | | | |
| 38T | 4.6 | 1910,2007 | | | |
| 40T | 4.0 | 1908,1966 | | | |
| 42T | 3.5 | 1922,1996 | | | |
| 44T | 3.0 | 1939,1943 | | | |
| | | | | | |
| <p>MONTHS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE MONTH. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS.</p> | | | <p>MONTHS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE MONTH. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS.</p> | | |
| | E8.6 | 1977 | | E(Trace) | 1976,1986,1999 |
| | E8.3 | 1993 | | | |
| | E7.0 | 1982 | | | |
| | E6.8 | 1980 | | | |

RHINELANDER APRIL HEATING DEGREE DAY RECORDS

(1991-2020 Normal Heating Degree Days - 731)

| Apr Rank | Greatest HDD | Year(s) |
|----------|--------------|-----------|
| 1 | 1,028 | 1950 |
| 2 | 994 | 2018 |
| 3 | 939 | 1928 |
| 4 | 932 | 1936 |
| 5 | 930 | 1920 |
| 6 | 925 | 1909 |
| 7 | 899 | 2014 |
| 8 | 895 | 1996 |
| 9 | 891 | 1975 |
| 10 | 884 | 1926 |
| 11 | 882 | 2013 |
| 12 | 877 | 1995 |
| 13 | 876 | 1923 |
| 14 | 871 | 2022 |
| 15 | 868 | 1939 |
| 16T | 851 | 1940,1972 |
| 18 | 848 | 2020 |
| 19 | 845 | 1982 |
| 20 | 840 | 1943 |
| 21T | 834 | 1917,1924 |
| 23 | 828 | 1979 |
| 24T | 817 | 1937,2002 |
| 26T | 811 | 1983,1993 |
| 28 | 809 | 1978 |
| 29 | 808 | 1992 |
| 30 | 805 | 1953 |
| 31 | 802 | 1947 |
| 32 | 801 | 2003 |
| 33T | 799 | 1933,2011 |
| 35T | 797 | 1918,1944 |
| 37 | 787 | 1916 |
| 38 | 786 | 1914 |
| 39 | 784 | 1934 |
| 40 | 782 | 1966 |
| 41 | 780 | 1932 |
| 42 | 775 | 1997 |
| 43 | 772 | 1989 |
| 44 | 768 | 2023 |
| 45 | 766 | 1965 |

| Apr Rank | Least HDD | Year(s) |
|----------|-----------|-----------|
| 1 | 421 | 1915 |
| 2 | 460 | 1955 |
| 3 | 491 | 2010 |
| 4 | 519 | 1910 |
| 5 | 524 | 1941 |
| 6 | 532 | 1998 |
| 7 | 534 | 1987 |
| 8 | 539 | 2006 |
| 9 | 540 | 1942 |
| 10 | 549 | 1948 |
| 11 | 557 | 1921 |
| 12T | 561 | 1968,1977 |
| 14 | 564 | 1925 |
| 15 | 571 | 1999 |
| 16 | 572 | 1986 |
| 17 | 579 | 2005 |
| 18T | 585 | 1931,1969 |
| 20 | 589 | 1991 |
| 21 | 596 | 1963 |
| 22 | 603 | 1985 |
| 23 | 609 | 1946 |
| 24T | 612 | 1958,1990 |
| 26 | 613 | 1952 |
| 27T | 616 | 1976,2017 |
| 29 | 620 | 1984 |
| 30 | 627 | 2001 |
| 31 | 632 | 1964 |
| 32T | 633 | 1913,1957 |
| 34 | 634 | 1930 |
| 35 | 640 | 1980 |
| 36 | 641 | 1949 |
| 37 | 643 | 1908 |
| 38 | 647 | 1960 |
| 39 | 662 | 1981 |
| 40 | 663 | 1967 |
| 41 | 665 | 1959 |
| 42 | 670 | 2021 |

RHINELANDER APRIL COOLING DEGREE DAY RECORDS

(1991-2020 Normal Cooling Degree Days - 1)

| Apr Rank | Greatest CDD | Year(s) |
|----------|--------------|--------------------------------|
| 1 | 19 | 1990 |
| 2 | 11 | 1952 |
| 3T | 10 | 1915,2002 |
| 5T | 7 | 1985,1987 |
| 7T | 6 | 1934,1935,1948,1962,1970, 1986 |
| 13T | 5 | 1925,1976,2001 |
| 16T | 4 | 1908,1913,1980,2007 |
| 20T | 3 | 1938,1958,2003 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| Apr Rank | Least CDD | Year(s) |
|----------|-----------|------------|
| 1 | 0 | Many Years |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

RHINELANDER MAY TEMPERATURE RECORDS

(1991-2020 Normal: High 66.4 / Low 40.6 / Mean 53.5)

| May Rank | Warmest Mean | Year(s) |
|----------|--------------|----------------|
| 1 | 63.2 | 1977 |
| 2 | 62.7 | 2018 |
| 3 | 60.7 | 1998 |
| 4 | 60.4 | 1922 |
| 5 | 60.2 | 1934 |
| 6 | 60.0 | 1964 |
| 7T | 59.4 | 1911,1959 |
| 9T | 59.3 | 1962,1965 |
| 11 | 59.1 | 1955 |
| 12 | 58.9 | 1982 |
| 13 | 58.6 | 1991 |
| 14T | 58.3 | 1930,1988 |
| 16T | 57.9 | 1944,1972 |
| 18 | 57.4 | 1936 |
| 19 | 57.2 | 1975 |
| 20 | 57.1 | 1986 |
| 21T | 57.0 | 1980,1999 |
| 23 | 56.9 | 1941 |
| 24T | 56.8 | 1951,2007 |
| 26T | 56.5 | 1914,1939,1969 |
| 29T | 56.4 | 1985,2000 |
| 31T | 56.3 | 2010,2012,2013 |
| 34 | 56.2 | 1987 |
| 35 | 56.0 | 1921 |
| 36 | 55.9 | 1978 |
| 37 | 55.6 | 1992 |
| 38T | 55.4 | 2022,2023 |
| 40 | 55.2 | 1912 |
| 41T | 55.1 | 1949,1953 |
| 43 | 55.0 | 1933 |
| 44T | 54.9 | 1994,2006 |
| 46 | 54.7 | 1958 |
| 47T | 54.6 | 1957,2015 |
| 49 | 54.4 | 1937 |
| 50T | 54.3 | 1956,2001 |
| 52T | 54.2 | 1928,2016 |
| 54T | 54.1 | 1908,1926 |

| May Rank | Coldest Mean | Year(s) |
|----------|--------------|---------------------|
| 1 | 44.6 | 1924 |
| 2 | 46.9 | 1954 |
| 3 | 47.4 | 2002 |
| 4 | 48.0 | 1997 |
| 5T | 48.3 | 1917,1983 |
| 7T | 48.6 | 1927,1973 |
| 9 | 48.7 | 1925 |
| 10 | 48.9 | 1974 |
| 11T | 49.1 | 1945,1947,2008 |
| 14 | 49.3 | 1910 |
| 15 | 49.4 | 1979 |
| 16 | 49.5 | 1967 |
| 17 | 49.7 | 1971 |
| 18T | 49.8 | 1915,1929 |
| 20 | 49.9 | 1940 |
| 21T | 50.2 | 2003,2004 |
| 23 | 50.3 | 1966 |
| 24T | 50.7 | 1931,1984 |
| 26 | 50.8 | 1935 |
| 27T | 51.0 | 1916, 1996 |
| 29T | 51.1 | 1942,1990 |
| 31 | 51.2 | 1950 |
| 32 | 51.4 | 2005 |
| 33T | 51.6 | 1909,2020 |
| 35T | 51.8 | 1946,1961 |
| 37T | 51.9 | 1970,1976,2021 |
| 40T | 52.0 | 1913,1981 |
| 42 | 52.1 | 2017 |
| 43 | 52.2 | 1943 |
| 44T | 52.5 | 1919,1952 |
| 46T | 52.6 | 2009,2011 |
| 48T | 52.8 | 1920,1968 |
| 50 | 52.9 | 1948 |
| 51T | 53.0 | 1963,2014 |
| 53T | 53.1 | 1923,1938,1993,1995 |

RHINELANDER MAY TEMPERATURE RECORDS

HIGHEST MAXIMUM TEMPERATURE

| Highest | |
|---------|-----------------------------------------------------------------------------------------|
| Temp | Date(s) / Year(s) |
| | |
| 99 | 31/1934 |
| 95 | 09/1934 |
| 94 | 26/2018 |
| 93 | 06/1930,06/1934,27/2018 |
| 92 | 29/1919 |
| 91 | 28/1919,10/1930,12/2022 |
| 90 | 26/1911,27/1919,30/1939,02/1959,03/1959,28/1969,22/1975,12/1977,24/2010,28/2018,29/2018 |
| | |
| | |

LOWEST MINIMUM TEMPERATURE

| Lowest | |
|--------|-------------------------------------------------------------------------------------------------|
| Temp | Date(s) / Year(s) |
| | |
| 18 | 02/1911 |
| 19 | 03/1909,03/1926,03/2004 |
| 20 | 03/1911,09/1947,09/1966,10/1966 |
| 21 | 01/1909,02/1909,04/1909,18/1918,05/1954,03/1967,12/2020 |
| 22 | 03/1908,04/1910,09/1917,14/1920,02/1924,08/1929,04/1954,06/1983,20/2002,09/2010,04/2011,08/2021 |
| | |
| | |

RHINELANDER MAY TEMPERATURE RECORDS

LOWEST MAXIMUM TEMPERATURE

| Lowest | |
|--------|-----------------------------------------|
| Max | Date(s) / Year(s) |
| 29 | 01/1909 |
| 32 | 03/1954 04/1954 |
| 33 | 01/1940,07/1960 |
| 34 | 08/1923,04/1929,02/1940,05/1954,02/2011 |
| 35 | 03/1929,06/1954,08/1950,05/1979 |
| 36 | 02/1909,09/1960,02/1973,02/2005,08/2020 |
| 37 | 01/1950,01/1961,03/1967,10/2020 |

HIGHEST MINIMUM TEMPERATURE

| Highest | |
|---------|---------------------------------------------------------|
| Min | Date(s) / Year(s) |
| 71 | 30/1929 |
| 69 | 29/2006,24/2010 |
| 68 | 11/1922,21/1930 |
| 67 | 29/1929,16/1962,28/1969,30/2022 |
| 66 | 23/1964 |
| 65 | 27/1911,21/1921,30/1944,22/1964,23/1991,29/2018,27/2020 |
| 64 | Many occurrences – Last 20/2021 and 21/2021 |

RHINELANDER MAY PRECIPITATION RECORDS

(1991-2020 Normal Precipitation - 3.81 Inches)

| May | | |
|------|---------|------------|
| Rank | Wettest | Year(s) |
| | | |
| 1 | 7.50 | 1991 |
| 2 | 7.31 | 1912 |
| 3 | 7.30 | 1918 |
| 4 | 7.25 | 1999 |
| 5 | 6.86 | 1973 |
| 6 | 6.68 | 2006 |
| 7 | 6.57 | 1942 |
| 8 | 6.22 | 2017 |
| 9 | 5.89 | 1911 |
| 10 | 5.85 | 1938 |
| 11 | 5.62 | 1960 |
| 12 | 5.52 | 1958 |
| 13 | 5.10 | 1968 |
| 14 | 4.97 | 1990 |
| 15 | 4.90 | 1970 |
| 16 | 4.85 | 1985 |
| 17 | 4.84 | 2012 |
| 18 | 4.68 | 1913 |
| 19 | 4.66 | 1978 |
| 20 | 4.63 | 1933 |
| 21 | 4.59 | 1962 |
| 22 | 4.53 | 1993 |
| 23T | 4.52 | 2004, 2011 |
| 25 | 4.50 | 1965 |
| 26 | 4.49 | 2001 |
| 27 | 4.43 | 1998 |
| 28 | 4.39 | 1951 |
| 29 | 4.36 | 1983 |
| 30 | 4.07 | 1995 |
| 31 | 4.05 | 1971 |
| 32 | 4.01 | 1981 |
| 33 | 4.00 | 1945 |
| 34 | 3.97 | 1994 |
| 35T | 3.96 | 1943,1944 |
| 37 | 3.92 | 1979 |
| 38 | 3.91 | 1939 |
| 39 | 3.90 | 2013 |
| | | |
| | | |

| May | | |
|------|--------|-----------|
| Rank | Driest | Year(s) |
| | | |
| 1 | 0.56 | 1986 |
| 2 | 0.73 | 1948 |
| 3 | 0.77 | 1966 |
| 4 | 0.95 | 2023 |
| 5 | 0.97 | 1996 |
| 6 | 0.98 | 1917 |
| 7T | 1.07 | 1931,1984 |
| 9 | 1.19 | 1988 |
| 10 | 1.27 | 1925 |
| 11 | 1.35 | 2020 |
| 12 | 1.44 | 2010 |
| 13 | 1.52 | 1920 |
| 14 | 1.55 | 1976 |
| 15 | 1.67 | 1967 |
| 16 | 1.73 | 2005 |
| 17 | 1.75 | 2018 |
| 18 | 1.76 | 2021 |
| 19 | 1.91 | 1919 |
| 20T | 1.93 | 1921,1980 |
| 22 | 2.09 | 1923 |
| 23 | 2.11 | 1934 |
| 24T | 2.12 | 1914,1935 |
| 26 | 2.13 | 1972 |
| 27T | 2.22 | 1928,1975 |
| 29 | 2.29 | 2009 |
| 30 | 2.36 | 1932 |
| 31 | 2.43 | 1909 |
| 32 | 2.44 | 1908 |
| 33T | 2.46 | 1910,2000 |
| 35 | 2.47 | 1956 |
| 36T | 2.53 | 1989,1997 |
| 38T | 2.59 | 1946,1974 |
| 40 | 2.65 | 1922 |
| 41 | 2.66 | 1992 |
| 42 | 2.67 | 1961 |
| 43 | 2.81 | 1987 |
| 44 | 2.83 | 1947 |
| 45T | 2.86 | 1963,2002 |
| | | |
| | | |

RHINELANDER MAY SNOWFALL RECORDS

(1991-2020 Normal Snowfall - 0.5 Inches)

| May | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| Rank | Snowiest | Year(s) |
| 1 | 11.0 | 1960 |
| 2T | 6.0 | 1923,2010 |
| 4 | 5.0 | 1979 |
| 5T | 1.5 | 1909,1961 |
| 7T | 1.0 | 1917,2006 |
| 9T | 0.5 | 1946,1966 |
| 11 | 0.2 | 2011,2013 |
| 12 | 0.1 | 2005,2014 |
| MONTHS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE MONTH. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS. | | |
| | E3.5 | 1973 |
| | E1.7 | 1954 |
| | E0.5 | 1997 |

| May | Least | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| Rank | Snowiest | Year(s) |
| 1 | 0.0 | Many Years |
| 2 | T | Many Years |
| MONTHS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE MONTH. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS. | | |
| | E(Trace) | 1974 |
| | E(Trace) | 1984 |

RHINELANDER MAY HEATING DEGREE DAY RECORDS

(1991-2020 Normal Heating Degree Days - 370)

| May Rank | Greatest HDD | Year(s) |
|----------|--------------|----------------|
| 1 | 627 | 1924 |
| 2 | 556 | 1954 |
| 3 | 544 | 2002 |
| 4 | 524 | 1997 |
| 5 | 516 | 1917 |
| 6 | 515 | 1925 |
| 7 | 510 | 1983 |
| 8 | 502 | 1973 |
| 9 | 501 | 1927 |
| 10 | 500 | 1974 |
| 11 | 492 | 1929 |
| 12T | 485 | 1945,1947 |
| 14T | 483 | 1967,2008 |
| 16 | 480 | 1910 |
| 17 | 477 | 1979 |
| 18 | 472 | 1971 |
| 19 | 469 | 1915 |
| 20 | 464 | 1940 |
| 21 | 460 | 2004 |
| 22 | 454 | 1966 |
| 23 | 451 | 2003 |
| 24T | 436 | 1931,1984 |
| 26 | 435 | 1935 |
| 27 | 433 | 2020 |
| 28 | 432 | 1996 |
| 29 | 429 | 1916 |
| 30 | 428 | 1942 |
| 31 | 426 | 1950 |
| 32 | 423 | 1990 |
| 33 | 417 | 2005 |
| 34 | 415 | 2021 |
| 35 | 414 | 1919 |
| 36T | 409 | 1909,1913,1961 |
| 39 | 406 | 1970 |
| 40 | 403 | 1946 |
| 41 | 400 | 2013 |
| 42T | 397 | 1976,1981,2017 |
| | | |
| | | |

| May Rank | Least HDD | Year(s) |
|----------|-----------|---------------------|
| 1 | 135 | 1977 |
| 2 | 149 | 2018 |
| 3 | 160 | 1998 |
| 4 | 170 | 1922 |
| 5 | 188 | 1964 |
| 6 | 200 | 1965 |
| 7 | 201 | 1982 |
| 8 | 203 | 1955 |
| 9 | 215 | 1934 |
| 10 | 217 | 1959 |
| 11 | 228 | 1911 |
| 12 | 231 | 1988 |
| 13 | 237 | 1962 |
| 14T | 246 | 1930,1944,1972,1991 |
| 18 | 248 | 1936 |
| 19 | 252 | 1999 |
| 20 | 255 | 1951 |
| 21T | 263 | 1941,1986 |
| 23T | 265 | 1980,1985 |
| 25 | 273 | 2007 |
| 26 | 278 | 1975 |
| 27 | 279 | 1939 |
| 28 | 281 | 2012 |
| 29 | 282 | 1914 |
| 30 | 289 | 1969 |
| 31T | 290 | 1987,2000 |
| 33 | 297 | 2023 |
| 34 | 298 | 1992 |
| 35 | 304 | 1978 |
| 36 | 310 | 2010 |
| 37 | 312 | 1912 |
| 38 | 313 | 1933 |
| 39 | 314 | 1921 |
| 40 | 317 | 2015 |
| 41 | 319 | 1953 |
| 42T | 320 | 1949,1958 |
| 44 | 321 | 1957 |
| 45 | 323 | 2001 |
| | | |
| | | |

RHINELANDER MAY COOLING DEGREE DAY RECORDS

(1991-2020 Normal Cooling Degree Days - 13)

| May | Greatest | |
|------|----------|-------------------------------|
| Rank | CDD | Year(s) |
| | | |
| 1 | 85 | 1977 |
| 2 | 83 | 2018 |
| 3 | 72 | 1934 |
| 4 | 66 | 1962 |
| 5 | 62 | 1911 |
| 6 | 55 | 1991 |
| 7 | 50 | 1959 |
| 8 | 48 | 2010 |
| 9 | 45 | 2022 |
| 10T | 43 | 1930,1975 |
| 12T | 42 | 1921,2006 |
| 14 | 37 | 1964 |
| 15 | 35 | 1969 |
| 16T | 33 | 1922,1972,1998 |
| 19T | 32 | 1919,1988 |
| 21 | 31 | 1965 |
| 22T | 30 | 1944,1978,2000 |
| 25 | 28 | 1929 |
| 26 | 26 | 2020 |
| 27T | 25 | 1914,1939,1955,1986,1987,2007 |
| 33 | 23 | 1980 |
| 34T | 22 | 1936,1949 |
| 36T | 20 | 1982,1994 |
| 38 | 19 | 1941 |
| 39T | 16 | 1925,1953 |
| 41T | 15 | 1912,1937,2012,2016,2021 |
| 46 | 14 | 2013 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| May | Least | |
|------|-------|------------------------------------|
| Rank | CDD | Year(s) |
| | | |
| 1T | 0 | 1910,1916,1924,1927,1945,1960,1971 |
| 1T | 0 | 1973,1976,1983,1984,1990,1995,1997 |
| 1T | 0 | 2003,2005,2008 |
| 18T | 1 | 1920,1946,1968,1979,2001 |
| 23T | 2 | 1909,1915,1935,1938,1940,1947,1981 |
| 23T | 2 | 2017 |
| 31T | 3 | 1923,1931,1942,1943,1954 |
| 36T | 4 | 1917,1928,1952,1961,1996 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

RHINELANDER JUNE TEMPERATURE RECORDS

(1991-2020 Normal: High 75.5 / Low 50.3 / Mean 62.9)

| Jun | Warmest | |
|------|---------|---------------------|
| Rank | Mean | Year(s) |
| 1 | 70.9 | 1933 |
| 2 | 69.7 | 1911 |
| 3T | 68.0 | 1921,1995 |
| 5T | 67.9 | 1919,2005 |
| 7T | 67.2 | 1956,1991 |
| 9 | 66.9 | 2021 |
| 10 | 66.8 | 2018 |
| 11T | 66.6 | 1949,1966 |
| 13 | 66.5 | 1923 |
| 14T | 66.4 | 1932,1963,1971 |
| 17 | 66.2 | 1931 |
| 18 | 66.0 | 1988 |
| 19T | 65.9 | 1913,1959 |
| 21 | 65.8 | 1997 |
| 22T | 65.7 | 1910,1961 |
| 24 | 65.6 | 1976 |
| 25T | 65.5 | 1934,1987 |
| 27T | 65.2 | 1909,1994 |
| 29 | 65.1 | 2007 |
| 30 | 65.0 | 1967 |
| 31T | 64.8 | 1941,1943,1952 |
| 34 | 64.7 | 1999 |
| 35T | 64.6 | 1954,1964,1970 |
| 38 | 64.5 | 1953 |
| 39T | 64.3 | 1955,2012,2023 |
| 42T | 64.1 | 1944,1957,2019 |
| 45 | 63.8 | 2020 |
| 46T | 63.7 | 1925,2014 |
| 48 | 63.6 | 2017 |
| 49T | 63.5 | 1973,2002 |
| 51 | 63.4 | 2016 |
| 52T | 63.3 | 1920,1965,1968,1975 |
| 56 | 63.2 | 1962 |
| | | |
| | | |
| | | |
| | | |

| Jun | Coldest | |
|------|---------|----------------|
| Rank | Mean | Year(s) |
| 1 | 56.8 | 1969 |
| 2 | 57.2 | 1928 |
| 3 | 57.3 | 1982 |
| 4 | 57.4 | 1917 |
| 5 | 58.1 | 1924 |
| 6 | 58.2 | 1926 |
| 7 | 58.4 | 1916 |
| 8 | 58.5 | 1915 |
| 9 | 58.6 | 1974 |
| 10 | 59.0 | 1945 |
| 11T | 59.5 | 1951,1958,1992 |
| 14T | 59.6 | 1927,1935 |
| 16 | 59.8 | 1918 |
| 17 | 59.9 | 1985 |
| 18 | 60.0 | 2003 |
| 19T | 60.1 | 1929,1993,2004 |
| 22T | 60.3 | 1947,2013 |
| 24T | 60.4 | 1936,2015 |
| 26 | 60.5 | 1979 |
| 27T | 60.8 | 1986,2009 |
| 29 | 60.9 | 1989 |
| 30T | 61.2 | 1938,1972 |
| 32 | 61.3 | 2000 |
| 33T | 61.4 | 1940,1978 |
| 35 | 61.5 | 1980 |
| 36T | 61.6 | 1912,2011 |
| 38T | 61.7 | 1942,1977 |
| 40 | 61.8 | 1914 |
| 41 | 61.9 | 1946 |
| 42T | 62.1 | 1948,1960 |
| 44 | 62.2 | 2010 |
| 45T | 62.3 | 1950,1981,1990 |
| 48T | 62.4 | 1998,2022 |
| 50T | 62.6 | 1908,2008 |
| 52T | 62.8 | 2001,2006 |
| 54 | 62.9 | 1939 |
| | | |
| | | |
| | | |
| | | |

RHINELANDER JUNE TEMPERATURE RECORDS

HIGHEST MAXIMUM TEMPERATURE

| Highest | |
|---------|---------------------------------|
| Temp | Date(s) / Year(s) |
| 104 | 29/1931 |
| 98 | 18/1910,29/1910,10/1911,18/1995 |
| 97 | 30/1963 |
| 96 | 30/1910,29/2018 |
| 95 | Many Occurrences – Last 30/2018 |
| | |
| | |

LOWEST MINIMUM TEMPERATURE

| Lowest | |
|--------|-----------------------------------------------------------------|
| Temp | Date(s) / Year(s) |
| 27 | 01/2003 |
| 28 | 01/1927 |
| 30 | 08/1913,23/1918,04/1921,04/1945,05/1945,04/1990,05/1990,07/1995 |
| 31 | Many Occurrences– Last 01/2012 |
| | |
| | |
| | |

RHINELANDER JUNE TEMPERATURE RECORDS

LOWEST MAXIMUM TEMPERATURE

| Lowest | |
|--------|---------------------------------|
| Max | Date(s) / Year(s) |
| | |
| 43 | 02/1945 |
| 48 | 04/1917,14/1947,03/1969,14/1978 |
| 49 | 04/1969,16/1974,02/2001 |
| 50 | 11/1963,14/1989,08/2009 |
| 51 | 19/1935,03/1936,03/2002 |
| 52 | Many occurrences |
| | |

HIGHEST MINIMUM TEMPERATURE

| Highest | |
|---------|---------------------------------|
| Min | Date(s) / Year(s) |
| | |
| 76 | 20/1909 |
| 75 | 27/1991 |
| 74 | 30/1913,18/1921,28/1931,15/1994 |
| 73 | 27/1944 |
| 72 | 29/1931,30/1931,28/1991,16/1994 |
| 71 | 27/1913,29/1961,28/1971 |
| | |

RHINELANDER JUNE PRECIPITATION RECORDS

(1991-2020 Normal Precipitation - 5.06 Inches)

| Jun | | |
|------|---------|---------|
| Rank | Wettest | Year(s) |
| 1 | 11.72 | 1946 |
| 2 | 10.22 | 1981 |
| 3 | 9.89 | 1968 |
| 4 | 9.06 | 1923 |
| 5 | 8.88 | 1919 |
| 6 | 8.87 | 1953 |
| 7 | 8.84 | 1931 |
| 8 | 8.56 | 1943 |
| 9 | 8.22 | 1939 |
| 10 | 7.93 | 1929 |
| 11 | 7.65 | 1940 |
| 12 | 7.55 | 1916 |
| 13 | 7.27 | 2017 |
| 14 | 7.06 | 1990 |
| 15 | 7.02 | 2016 |
| 16 | 6.84 | 1914 |
| 17 | 6.73 | 2014 |
| 18 | 6.60 | 2010 |
| 19 | 6.54 | 1920 |
| 20 | 6.49 | 1944 |
| 21 | 6.31 | 1997 |
| 22 | 6.25 | 2018 |
| 23 | 6.05 | 1956 |
| 24 | 6.02 | 1925 |
| 25 | 5.81 | 1993 |
| 26 | 5.70 | 1967 |
| 27 | 5.49 | 2021 |
| 28 | 5.45 | 1930 |
| 29 | 5.30 | 2013 |
| 30 | 5.28 | 1949 |
| 31 | 5.27 | 1971 |
| 32 | 5.25 | 1998 |
| 33 | 5.08 | 1935 |
| 34 | 5.00 | 2000 |
| 35 | 4.93 | 1933 |
| 36 | 4.91 | 1960 |
| 37 | 4.87 | 1917 |
| 38 | 4.76 | 1969 |

| Jun | | |
|------|--------|-----------|
| Rank | Driest | Year(s) |
| 1 | 0.47 | 2006 |
| 2 | 0.53 | 1910 |
| 3 | 0.85 | 1995 |
| 4 | 1.13 | 1937 |
| 5 | 1.28 | 1912 |
| 6 | 1.54 | 2009 |
| 7 | 1.67 | 1936 |
| 8 | 1.70 | 1987 |
| 9 | 1.71 | 1976 |
| 10 | 1.82 | 1918 |
| 11 | 2.00 | 1932 |
| 12 | 2.05 | 1970 |
| 13 | 2.07 | 1921 |
| 14 | 2.13 | 1982 |
| 15 | 2.18 | 1941 |
| 16 | 2.27 | 1989 |
| 17 | 2.29 | 1973 |
| 18T | 2.32 | 1950,1988 |
| 20 | 2.39 | 1985 |
| 21 | 2.43 | 2022 |
| 22 | 2.45 | 1911 |
| 23 | 2.46 | 2003 |
| 24 | 2.47 | 1966 |
| 25T | 2.49 | 1963,2023 |
| 27 | 2.52 | 1992 |
| 28 | 2.60 | 1964 |
| 29 | 2.61 | 1955 |
| 30 | 2.67 | 1942 |
| 31 | 2.86 | 1972 |
| 32T | 2.93 | 1928,1962 |
| 34 | 2.96 | 2005 |
| 35T | 2.99 | 1959,1999 |
| 37 | 3.00 | 1948 |
| 38 | 3.01 | 1986 |
| 39 | 3.03 | 1974 |
| 40 | 3.11 | 1958 |
| 41 | 3.13 | 2004 |
| 42T | 3.19 | 1957,1979 |

RHINELANDER JUNE SNOWFALL RECORDS

(1991-2020 Normal Snowfall - 0.0 Inches)

| Jun | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| Rank | Snowiest | Year(s) |
| 1 | T | 1945 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| MONTHS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE MONTH. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS. | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| Jun | Least | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------------|
| Rank | Snowiest | Year(s) |
| 1 | 0.0 | All years except 1945 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| MONTHS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE MONTH. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS.. | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

RHINELANDER JUNE HEATING DEGREE DAY RECORDS

(1991-2020 Normal Heating Degree Days - 120)

| Jun Rank | Greatest HDD | Year(s) |
|----------|--------------|----------------|
| | | |
| 1 | 246 | 1969 |
| 2 | 232 | 1928 |
| 3 | 228 | 1982 |
| 4 | 227 | 1917 |
| 5 | 213 | 1915 |
| 6 | 209 | 1926 |
| 7 | 207 | 1924 |
| 8 | 203 | 1927 |
| 9 | 201 | 1945 |
| 10T | 195 | 1916,1974 |
| 12 | 191 | 1992 |
| 13 | 187 | 1935 |
| 14 | 185 | 2009 |
| 15 | 183 | 1958 |
| 16 | 178 | 2004 |
| 17 | 175 | 1985 |
| 18 | 174 | 2013 |
| 19 | 172 | 2003 |
| 20T | 167 | 1951,1993 |
| 22 | 162 | 1947 |
| 23 | 161 | 1929 |
| 24 | 160 | 1918 |
| 25 | 158 | 1998 |
| 26 | 154 | 1989 |
| 27T | 152 | 1936,1946,2001 |
| 30 | 150 | 1980 |
| 31 | 149 | 1978 |
| 32T | 145 | 1938,1986 |
| 34 | 142 | 1979 |
| 35 | 141 | 1912 |
| 36 | 139 | 1914 |
| 37T | 137 | 1972,2000 |
| 39T | 136 | 1942,1968 |
| 41T | 135 | 1940,2022 |
| 43 | 133 | 1975 |
| 44T | 132 | 1950,2015 |
| 46 | 131 | 2011 |
| | | |
| | | |

| Jun Rank | Least HDD | Year(s) |
|----------|-----------|----------------|
| | | |
| 1 | 29 | 2005 |
| 2T | 30 | 1911,1919 |
| 4 | 35 | 1991 |
| 5 | 38 | 1933 |
| 6 | 41 | 1967 |
| 7T | 43 | 1932,2018 |
| 9 | 50 | 1976 |
| 10 | 51 | 1997 |
| 11 | 52 | 1949 |
| 12 | 56 | 2021 |
| 13 | 60 | 1973 |
| 14 | 62 | 1956 |
| 15 | 67 | 2007 |
| 16 | 70 | 1959 |
| 17 | 71 | 1966 |
| 18 | 72 | 1923 |
| 19T | 73 | 1961,1984 |
| 21 | 74 | 1934 |
| 22 | 76 | 1953 |
| 23 | 77 | 1995 |
| 24 | 78 | 1952 |
| 25T | 79 | 1921,1955,1971 |
| 28 | 81 | 2019 |
| 29 | 82 | 1988 |
| 30 | 85 | 1994 |
| 31T | 87 | 1931,1957 |
| 33T | 88 | 1909,1965 |
| 35 | 89 | 1987 |
| 36 | 91 | 1970 |
| 37T | 92 | 1922,1963,2016 |
| 40 | 93 | 2014 |
| 41 | 95 | 1962 |
| 42 | 96 | 1981 |
| 43 | 98 | 2017 |
| 44T | 99 | 1913,2012 |
| 46T | 100 | 2020,2023 |
| 48T | 101 | 1944,1960,2002 |
| 51 | 102 | 1954 |
| | | |
| | | |

RHINELANDER JUNE COOLING DEGREE DAY RECORDS

(1991-2020 Normal Cooling Degree Days - 57)

| Jun Rank | Greatest CDD | Year(s) |
|----------|--------------|-----------|
| 1 | 221 | 1933 |
| 2T | 176 | 1911,1921 |
| 4 | 174 | 1995 |
| 5 | 157 | 1910 |
| 6 | 139 | 1963 |
| 7 | 135 | 1913 |
| 8 | 134 | 1956 |
| 9 | 131 | 1931 |
| 10 | 126 | 1966 |
| 11 | 125 | 1971 |
| 12T | 124 | 1919,1923 |
| 14 | 121 | 2005 |
| 15T | 120 | 1988,2021 |
| 17 | 111 | 1987 |
| 18 | 110 | 1949 |
| 19 | 109 | 1941 |
| 20 | 106 | 1943 |
| 21 | 105 | 1991 |
| 22T | 104 | 1964,1999 |
| 24T | 103 | 1959,2018 |
| 26 | 102 | 1909 |
| 27 | 100 | 1961 |
| 28 | 98 | 1954 |
| 29T | 97 | 1934,1994 |
| 31 | 93 | 1925 |
| 32 | 92 | 1932 |
| 33 | 91 | 1968 |
| 34 | 89 | 2001 |
| 35T | 87 | 1975,2002 |
| 37 | 86 | 1970 |
| 38T | 85 | 2012,2023 |
| 40T | 84 | 1997,1998 |
| 42T | 82 | 1920,1952 |
| 44 | 81 | 1944 |
| 45 | 76 | 2007 |
| 46 | 74 | 1976 |
| 47T | 72 | 1983,2020 |

| Jun Rank | Least CDD | Year(s) |
|----------|-----------|----------------|
| 1 | 3 | 2015 |
| 2T | 4 | 1916,1924,1928 |
| 5 | 5 | 1982 |
| 6 | 7 | 1918 |
| 7T | 9 | 1951,1969 |
| 9T | 10 | 1917,1974 |
| 11 | 13 | 1979 |
| 12 | 15 | 1926 |
| 14T | 20 | 1929,1936 |
| 15 | 21 | 1960 |
| 16 | 22 | 1981 |
| 17T | 23 | 1973,1984,1993 |
| 20 | 24 | 1915 |
| 21T | 26 | 1958,1972 |
| 23T | 28 | 1986,2003 |
| 25T | 29 | 1945,1985 |
| 27 | 30 | 1948 |
| 28 | 31 | 2000 |
| 29T | 32 | 1947,1992 |
| 31T | 34 | 1935,1940,2008 |
| 34 | 35 | 1977 |
| 35T | 37 | 2004,2011 |
| 37T | 38 | 1938,1989 |
| 39 | 39 | 1922 |
| 40 | 40 | 2013 |
| 41 | 42 | 1942 |
| 42 | 44 | 1965 |
| 43 | 45 | 1990 |
| 44T | 47 | 1912,2010 |
| 46T | 48 | 1962,1978 |
| 48T | 49 | 1927,1967 |
| 50T | 51 | 1914,1980 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

RHINELANDER JULY TEMPERATURE RECORDS

(1991-2020 Normal: High 79.7 / Low 54.4 / Mean 67.1)

| Jul | Warmest | |
|------|---------|---------------------|
| Rank | Mean | Year(s) |
| 1 | 74.0 | 1955 |
| 2 | 73.7 | 1935 |
| 3 | 73.5 | 1916 |
| 4 | 73.3 | 1936 |
| 5 | 72.9 | 1921 |
| 6 | 72.2 | 1966 |
| 7 | 72.0 | 1999 |
| 8 | 71.4 | 1983 |
| 9 | 71.1 | 1914 |
| 10T | 71.0 | 1937,1964,2006 |
| 13T | 70.7 | 1957,1988,2011 |
| 16 | 70.5 | 2012 |
| 17 | 70.4 | 1933 |
| 18 | 70.3 | 1975 |
| 19 | 70.1 | 1987 |
| 20T | 69.6 | 1931,1943,1963,1977 |
| 24 | 69.5 | 2020 |
| 25T | 69.4 | 1989,2002,2005,2010 |
| 29T | 69.3 | 1923,1976 |
| 31 | 69.2 | 1910 |
| 32 | 69.1 | 2018 |
| 33T | 69.0 | 1934,1939,1949 |
| 36T | 68.9 | 1970,1982 |
| 38T | 68.7 | 1929,2019 |
| 40 | 68.6 | 1998 |
| 41 | 68.5 | 1995 |
| 42T | 68.4 | 1961,1974 |
| 44T | 68.3 | 1932,1940,1959,1980 |
| 48 | 68.2 | 1952 |
| 49 | 68.0 | 1941 |
| 50T | 67.9 | 1969,1986,2016 |
| 53T | 67.8 | 1911,1938 |
| 55 | 67.7 | 1930 |
| 56 | 67.6 | 1968 |
| | | |
| | | |
| | | |

| Jul | Coldest | |
|------|---------|---------------------|
| Rank | Mean | Year(s) |
| 1 | 61.5 | 2009 |
| 2 | 61.7 | 1992 |
| 3 | 62.4 | 2014 |
| 4 | 63.2 | 1996 |
| 5 | 63.6 | 1971 |
| 6T | 63.7 | 1915,1920,1924 |
| 9T | 64.1 | 1950,2000 |
| 11 | 64.3 | 2004 |
| 12 | 64.4 | 1927 |
| 13 | 64.6 | 1978 |
| 14T | 64.7 | 1922,1945 |
| 16 | 64.9 | 1956 |
| 17 | 65.1 | 1972 |
| 18 | 65.2 | 1953 |
| 19T | 65.3 | 1918,1942,2003,2023 |
| 23T | 65.4 | 1985,1994 |
| 25 | 65.6 | 1913 |
| 26 | 65.7 | 1951 |
| 27 | 65.8 | 1990 |
| 28T | 65.9 | 1925,1962,1981 |
| 31 | 66.0 | 1926 |
| 32 | 66.1 | 1965 |
| 33T | 66.2 | 1967,1997,2015 |
| 36T | 66.3 | 1993,2013,2017 |
| 39T | 66.4 | 1944,1991 |
| 41T | 66.6 | 1909,1958,2001 |
| 44 | 66.8 | 1973 |
| 45T | 66.9 | 1946,2021 |
| 47T | 67.0 | 1919,1954,1984,2022 |
| 51T | 67.1 | 1912,1917,1948,2008 |
| 55 | 67.3 | 1960 |
| 56T | 67.4 | 1908,1947 |
| | | |
| | | |
| | | |

RHINELANDER JULY TEMPERATURE RECORDS

HIGHEST MAXIMUM TEMPERATURE

| Highest | |
|---------|-------------------------|
| Temp | Date(s) / Year(s) |
| 108 | 13/1936 |
| 106 | 11/1936 |
| 105 | 12/1936 |
| 102 | 14/1936 |
| 101 | 08/1936 |
| 100 | 11/1937,13/1995,15/2006 |
| 99 | 23/1934 |

LOWEST MINIMUM TEMPERATURE

| Lowest | |
|--------|-------------------------------------------------------------------------|
| Temp | Date(s) / Year(s) |
| 31 | 13/1930 |
| 32 | 30/1928 |
| 36 | 19/1912,19/2000 |
| 37 | 25/1915,04/1917,02/1924,19/1929,01/1948,05/1967,04/1972,06/2001,01/2015 |
| 38 | Many occurrences – Last 02/2001 |
| | |
| | |

RHINELANDER JULY TEMPERATURE RECORDS

LOWEST MAXIMUM TEMPERATURE

| Lowest | |
|--------|---------------------------------|
| Max | Date(s) / Year(s) |
| 53 | 02/1917 |
| 55 | 27/2013 |
| 56 | 07/2004 |
| 57 | 04/1967,19/1970 |
| 58 | 18/1971,02/1992,18/2000 |
| 59 | Many Occurrences - Last 28/2013 |
| | |

HIGHEST MINIMUM TEMPERATURE

| Highest | |
|---------|-------------------------------------------------|
| Min | Date(s) / Year(s) |
| 76 | 27/1914 |
| 75 | 02/1911 |
| 74 | 05/1914,13/1936,29/1959,01/1970,04/1999,16/2006 |
| 73 | 24/1934,18/1942,01/2002 |
| 72 | Many occurrences |
| | |

RHINELANDER JULY PRECIPITATION RECORDS

(1991-2020 Normal Precipitation - 4.15 Inches)

| Jul | | |
|------|---------|-----------|
| Rank | Wettest | Year(s) |
| 1 | 10.24 | 2000 |
| 2T | 9.31 | 1911,2020 |
| 4 | 8.88 | 1986 |
| 5 | 8.83 | 1929 |
| 6 | 8.62 | 1951 |
| 7 | 8.16 | 1927 |
| 8 | 7.88 | 1999 |
| 9 | 7.70 | 1978 |
| 10 | 7.03 | 1914 |
| 11 | 6.47 | 1913 |
| 12 | 6.36 | 1949 |
| 13 | 6.28 | 1928 |
| 14 | 5.97 | 2012 |
| 15 | 5.93 | 1938 |
| 16 | 5.75 | 1952 |
| 17 | 5.69 | 2002 |
| 18 | 5.57 | 1982 |
| 19 | 5.43 | 1996 |
| 20 | 5.40 | 1995 |
| 21 | 5.34 | 1919 |
| 22 | 5.26 | 2010 |
| 23 | 5.01 | 2019 |
| 24 | 4.99 | 1991 |
| 25 | 4.83 | 1959 |
| 26 | 4.81 | 1958 |
| 27 | 4.76 | 1940 |
| 28T | 4.69 | 1950,1990 |
| 30 | 4.68 | 1942 |
| 31 | 4.67 | 1968 |
| 32 | 4.66 | 1985 |
| 33T | 4.65 | 1980,2001 |
| 35T | 4.63 | 1935,2003 |
| 37 | 4.60 | 2007 |
| 38 | 4.58 | 1997 |
| 39 | 4.52 | 1915 |
| 40 | 4.48 | 2006 |
| 41 | 4.47 | 1961 |
| | | |
| | | |

| Jul | | |
|------|--------|---------------------|
| Rank | Driest | Year(s) |
| 1 | 0.63 | 1989 |
| 2 | 0.99 | 1917 |
| 3 | 1.04 | 1998 |
| 4 | 1.05 | 1975 |
| 5 | 1.11 | 1943 |
| 6 | 1.18 | 1981 |
| 7 | 1.39 | 1939 |
| 8 | 1.44 | 1910 |
| 9T | 1.50 | 1933,1966 |
| 11 | 1.53 | 1976 |
| 12 | 1.62 | 2017 |
| 13 | 1.79 | 2005 |
| 14 | 1.82 | 1944 |
| 15 | 1.89 | 2022 |
| 16 | 1.92 | 2009 |
| 17 | 1.95 | 1983 |
| 18 | 2.03 | 1930 |
| 19 | 2.04 | 1934 |
| 20 | 2.10 | 1963 |
| 21 | 2.13 | 1957 |
| 22 | 2.14 | 1936 |
| 23 | 2.23 | 1992 |
| 24 | 2.24 | 1960 |
| 25 | 2.29 | 1947 |
| 26 | 2.36 | 2011 |
| 27 | 2.44 | 1969 |
| 28 | 2.49 | 1946 |
| 29 | 2.55 | 1984 |
| 30 | 2.68 | 1967 |
| 31 | 2.71 | 1962 |
| 32 | 2.74 | 2013 |
| 33 | 2.77 | 1993 |
| 34 | 2.79 | 1954 |
| 35 | 2.88 | 1925 |
| 36 | 2.92 | 2023 |
| 37T | 2.97 | 1920,1924,1974,1977 |
| 41T | 2.99 | 1965,1988 |
| 43 | 3.05 | 2004 |
| 44 | 3.06 | 2015 |

RHINELANDER JULY SNOWFALL RECORDS

(1991-2020 Normal Snowfall - 0.0 Inches)

| Jun | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| Rank | Snowiest | Year(s) |
| 1 | 0.0 | All Years |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| MONTHS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE MONTH. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS. | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| Jun | Least | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| Rank | Snowiest | Year(s) |
| 1 | 0.0 | All Years |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| MONTHS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE MONTH. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS. | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

RHINELANDER JULY HEATING DEGREE DAY RECORDS

(1991-2020 Normal Heating Degree Days - 48)

| Jul Rank | Greatest HDD | Year(s) |
|----------|--------------|----------------|
| | | |
| 1 | 124 | 2014 |
| 2T | 118 | 1992,2009 |
| 4 | 87 | 1996 |
| 5T | 86 | 1915,1920 |
| 7 | 84 | 2013 |
| 8T | 83 | 1924,2000 |
| 10 | 80 | 1950 |
| 11 | 79 | 1971 |
| 12T | 77 | 1945,1972,2001 |
| 15 | 76 | 1978 |
| 16 | 75 | 1917 |
| 17 | 74 | 2004 |
| 18 | 72 | 1927 |
| 19T | 69 | 1918,1942 |
| 21 | 66 | 1981 |
| 22 | 64 | 1913 |
| 23T | 63 | 1941,1967 |
| 25T | 61 | 1925,1953 |
| 27T | 58 | 1911,1997 |
| 29T | 56 | 1951,1956 |
| 31T | 55 | 2007,2023 |
| 33 | 52 | 2003 |
| 34T | 51 | 1912,1994 |
| 36T | 50 | 1947,1991 |
| 38T | 49 | 1926,2015 |
| 40 | 48 | 1968 |
| 41 | 47 | 1990 |
| 42 | 46 | 1940 |
| 43T | 45 | 1922,1975 |
| 45 | 44 | 1908 |
| 46 | 43 | 1960 |
| 47 | 42 | 1965 |
| 48 | 41 | 1930 |
| 49T | 40 | 1948,1969 |
| 51 | 39 | 1970 |
| 52 | 38 | 1959 |
| 53T | 37 | 1952,1954 |

| Jul Rank | Least HDD | Year(s) |
|----------|-----------|--------------------------|
| | | |
| 1 | 0 | 1916 |
| 2 | 1 | 1955 |
| 3T | 3 | 1921,2010,2012 |
| 6 | 4 | 1935 |
| 7 | 6 | 1933,1936 |
| 9 | 8 | 1966 |
| 10T | 9 | 1923,1957,1982,1999,2011 |
| 15T | 10 | 1943,1976,2018 |
| 18 | 11 | 1998 |
| 19T | 12 | 1914,1988 |
| 21 | 13 | 2006 |
| 22 | 14 | 1986 |
| 23T | 15 | 1964,2020 |
| 25 | 16 | 1910 |
| 26T | 17 | 1938,1949,1989,2019 |
| 30 | 18 | 1961 |
| 31T | 20 | 1937,1973,2002 |
| 34T | 21T | 1963,2008 |
| 36 | 23 | 1934 |
| 37 | 24 | 1993 |
| 38T | 25 | 1974,1977,1983,1987 |
| 42T | 26 | 1939,2022 |
| 44T | 27 | 1929,1944,1962 |
| 47T | 28 | 1909,1919,1984 |
| 50T | 29 | 1928,1980,1995,2021 |
| 54T | 31 | 1932,1958,1979 |
| 57T | 33 | 1931,1946,2016 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

RHINELANDER JULY COOLING DEGREE DAY RECORDS

(1991-2020 Normal Cooling Degree Days - 112)

| Jul Rank | Greatest CDD | Year(s) |
|----------|--------------|----------------|
| 1 | 287 | 1955 |
| 2 | 278 | 1935 |
| 3 | 271 | 1916 |
| 4 | 269 | 1936 |
| 5 | 254 | 1921 |
| 6 | 235 | 1966 |
| 7 | 232 | 1983 |
| 8 | 231 | 1999 |
| 9 | 215 | 1975 |
| 10 | 212 | 1937 |
| 11 | 209 | 1964 |
| 12 | 208 | 1914 |
| 13 | 204 | 2006 |
| 14 | 197 | 1988 |
| 15 | 194 | 1957 |
| 16 | 193 | 2011 |
| 17 | 190 | 1987 |
| 18 | 184 | 1931 |
| 19 | 183 | 2012 |
| 20 | 180 | 1933 |
| 21 | 178 | 2005 |
| 22 | 174 | 1977 |
| 23 | 171 | 1963 |
| 24 | 167 | 1970 |
| 25 | 163 | 2002 |
| 26T | 162 | 1941,1989,2020 |
| 29 | 161 | 1943 |
| 30T | 156 | 1934,1939 |
| 32 | 153 | 1910 |
| 33 | 152 | 1911 |
| 34 | 151 | 1949 |
| 35T | 150 | 1940,1976 |
| 37 | 149 | 1929 |
| 38 | 148 | 2010 |
| 39T | 147 | 1923,1959 |
| 41T | 146 | 1917,2018 |
| 43 | 145 | 1995 |

| Jul Rank | Least CDD | Year(s) |
|----------|-----------|----------------|
| 1 | 15 | 2009 |
| 2 | 21 | 1992 |
| 3 | 39 | 1996 |
| 4 | 44 | 1922 |
| 5 | 46 | 1971 |
| 6 | 49 | 2014 |
| 7T | 51 | 1915,1924 |
| 9 | 52 | 1920 |
| 10 | 54 | 1985 |
| 11 | 56 | 1927 |
| 12 | 58 | 1950 |
| 13 | 59 | 2004 |
| 14 | 60 | 1956 |
| 15T | 62 | 1962,2000 |
| 17 | 69 | 2003 |
| 18T | 70 | 1978,1993,1994 |
| 21T | 73 | 1945,2023 |
| 23 | 74 | 1953 |
| 24 | 78 | 1944 |
| 25T | 79 | 1990,2017 |
| 27 | 82 | 1951 |
| 28T | 83 | 1909,1965 |
| 30T | 86 | 1918,1973 |
| 32T | 87 | 1958,1972 |
| 34 | 88 | 1913 |
| 35T | 89 | 1926,1942,2008 |
| 38 | 93 | 2021 |
| 39 | 95 | 2015 |
| 40T | 96 | 1919,1984 |
| 42T | 99 | 1925,2022 |
| 44 | 100 | 1981 |
| 45T | 102 | 1946,1997 |
| 47T | 105 | 1954,1991 |
| 49 | 106 | 1967 |
| 50 | 107 | 1938 |
| 51 | 109 | 1986 |
| 52 | 112 | 1948 |

RHINELANDER AUGUST TEMPERATURE RECORDS

(1991-2020 Normal: High 77.3 / Low 52.4 / Mean 64.9)

| Aug Rank | Warmest Mean | Year(s) |
|----------|--------------|-------------------------------|
| 1 | 73.0 | 1947 |
| 2T | 70.6 | 1937,1955 |
| 4 | 70.4 | 1959 |
| 5 | 70.2 | 1969 |
| 6 | 69.9 | 1916 |
| 7 | 69.5 | 1995 |
| 8 | 69.4 | 1983 |
| 9T | 69.1 | 1998,2010 |
| 11 | 68.8 | 1988 |
| 12 | 68.6 | 2018 |
| 13 | 68.3 | 1960 |
| 14 | 68.1 | 1961 |
| 15T | 67.8 | 1909,1935,1984 |
| 18 | 67.4 | 2016 |
| 19T | 67.3 | 1938,1991 |
| 21 | 67.2 | 1948 |
| 22T | 67.1 | 1944,1949 |
| 24 | 67.0 | 1968 |
| 25T | 66.8 | 1973,2003 |
| 27T | 66.7 | 1953,1993 |
| 29 | 66.6 | 1981 |
| 30T | 66.5 | 1925,1936,2021 |
| 33T | 66.4 | 1913,1957,1958,1962,1989,1996 |
| 39T | 66.4 | 2005 |
| 40 | 66.3 | 1939 |
| 41T | 66.2 | 1956,1970 |
| 43T | 66.1 | 1943,1945 |
| 45 | 66.0 | 1978 |
| 46T | 65.9 | 1932,1975,2001,2007 |
| 50T | 65.8 | 1908,1910,1930 |
| 53 | 65.7 | 1999 |
| 54T | 65.6 | 1976,2011 |
| | | |
| | | |
| | | |
| | | |
| | | |

| Aug Rank | Coldest Mean | Year(s) |
|----------|--------------|-------------------------------|
| 1 | 59.4 | 2004 |
| 2 | 59.6 | 1927 |
| 3 | 59.9 | 1915 |
| 4 | 60.4 | 1977 |
| 5T | 60.5 | 1917,1950 |
| 7 | 60.7 | 1951 |
| 8 | 61.0 | 1923 |
| 9 | 61.1 | 2017 |
| 10 | 61.5 | 1986 |
| 11 | 61.8 | 1912 |
| 12 | 62.0 | 1992 |
| 13T | 62.2 | 1919,1982 |
| 15 | 62.3 | 1924 |
| 16 | 62.5 | 2019 |
| 17 | 62.6 | 1971 |
| 18 | 62.7 | 2009 |
| 19T | 62.9 | 1920,1974 |
| 21T | 63.0 | 1931,1934,1954,1985,1994,1997 |
| 27T | 63.2 | 1952,2014 |
| 29T | 63.3 | 1946,1967 |
| 31T | 63.6 | 1926,1941,1964 |
| 34T | 63.7 | 1966,1979,2000 |
| 37T | 63.8 | 1911,1929,2015 |
| 40 | 63.9 | 2013 |
| 41T | 64.0 | 1933,1940 |
| 43T | 64.1 | 2008,2012 |
| 45 | 64.4 | 2023 |
| 46T | 64.2 | 1942,2002 |
| 48 | 64.7 | 1914 |
| 49T | 64.8 | 1963,1965,1987,1990 |
| 53T | 64.9 | 1928,2006 |
| 55T | 65.0 | 1918,1972,1980 |
| | | |
| | | |
| | | |
| | | |
| | | |

RHINELANDER TEMPERATURE RECORDS

HIGHEST MAXIMUM TEMPERATURE

| Highest | |
|---------|-----------------------------------------|
| Temp | Date(s) / Year(s) |
| | |
| 97 | 02/1964,16/1988 |
| 96 | 18/1934,04/1947,02/1988 |
| 95 | 05/1947 |
| 94 | 18/1916,20/1916,07/1937,12/1947,17/1947 |
| 93 | Many Occurrences |
| | |
| | |

LOWEST MINIMUM TEMPERATURE

| Lowest | |
|--------|---------------------------------|
| Temp | Date(s) / Year(s) |
| | |
| 28 | 30/1915 |
| 30 | 27/1915 |
| 31 | 30/1917 |
| 33 | 29/1934,31/2009 |
| 34 | 13/2013 |
| 35 | Many Occurrences – Last 20/2004 |
| | |

RHINELANDER AUGUST TEMPERATURE RECORDS

LOWEST MAXIMUM TEMPERATURE

| Lowest | |
|--------|-----------------------------------------|
| Max | Date(s) / Year(s) |
| | |
| 50 | 24/1917 |
| 52 | 11/2004 |
| 53 | 03/1915 |
| 54 | 04/1915,29/2009,24/2015 |
| 56 | 26/1940,12/1964,30/1965,23/1966,19/1990 |
| 57 | Many Occurrences – Last 03/2017 |
| | |

HIGHEST MINIMUM TEMPERATURE

| Highest | |
|---------|---------------------------------|
| Min | Date(s) / Year(s) |
| | |
| 74 | 12/1947 |
| 73 | 05/1947 |
| 72 | 06/1947,24/1948,04/1955,03/2005 |
| 71 | Many Occurrences – Last 30/2010 |
| | |
| | |
| | |

RHINELANDER AUGUST PRECIPITATION RECORDS

(1991-2020 Normal Precipitation - 3.59 Inches)

| Aug Rank | Wettest | Year(s) |
|----------|---------|----------------|
| 1 | 9.15 | 1978 |
| 2 | 8.89 | 1959 |
| 3 | 8.58 | 1980 |
| 4 | 8.51 | 1936 |
| 5 | 8.32 | 1912 |
| 6T | 7.91 | 1918,1926,1990 |
| 9 | 7.42 | 1973 |
| 10 | 7.01 | 1977 |
| 11 | 6.99 | 1941 |
| 12 | 6.86 | 1966 |
| 13 | 6.69 | 1972 |
| 14 | 6.33 | 1974 |
| 15 | 6.27 | 1924 |
| 16 | 5.91 | 1914 |
| 17 | 5.87 | 1964 |
| 18 | 5.84 | 1935 |
| 19 | 5.80 | 1960 |
| 20 | 5.74 | 1995 |
| 21 | 5.67 | 2016 |
| 22 | 5.55 | 1956 |
| 23 | 5.47 | 2013 |
| 24 | 4.89 | 1955 |
| 25 | 4.88 | 1952 |
| 26 | 4.85 | 1943 |
| 27 | 4.83 | 1951 |
| 28 | 4.80 | 1985 |
| 29 | 4.76 | 1994 |
| 30T | 4.66 | 1957,2021 |
| 32 | 4.63 | 2014 |
| 33 | 4.56 | 1958 |
| 34 | 4.54 | 1979 |
| 35 | 4.53 | 1938 |
| 36 | 4.49 | 1940 |
| 37 | 4.48 | 2017 |
| 38 | 4.43 | 2022 |
| 39 | 4.41 | 1928 |
| 40 | 4.34 | 1932 |
| | | |
| | | |

| Aug Rank | Driest | Year(s) |
|----------|--------|-----------|
| 1 | 0.69 | 1970 |
| 2T | 0.82 | 1969,1981 |
| 4 | 0.99 | 1927 |
| 5 | 1.31 | 2003 |
| 6 | 1.35 | 1908 |
| 7 | 1.41 | 1933 |
| 8 | 1.42 | 1922 |
| 9 | 1.47 | 2008 |
| 10 | 1.49 | 2012 |
| 11 | 1.56 | 1954 |
| 12 | 1.58 | 1949 |
| 13 | 1.65 | 1987 |
| 14 | 1.82 | 1998 |
| 15T | 1.83 | 1913,1920 |
| 17 | 1.84 | 2023 |
| 18 | 1.88 | 1944 |
| 19T | 1.94 | 1939,1968 |
| 21 | 2.00 | 1948 |
| 22 | 2.10 | 1953 |
| 23T | 2.13 | 1916,2001 |
| 25 | 2.32 | 1991 |
| 26 | 2.34 | 2005 |
| 27 | 2.37 | 1942 |
| 28 | 2.38 | 1937 |
| 29 | 2.40 | 2018 |
| 30T | 2.48 | 1946,2007 |
| 32 | 2.64 | 2011 |
| 33 | 2.71 | 1929 |
| 34T | 2.79 | 1986,1999 |
| 36 | 2.82 | 1965 |
| 37 | 2.83 | 1919 |
| 38 | 2.84 | 2020 |
| 39 | 2.86 | 1982 |
| 40 | 2.88 | 1923 |
| 41 | 3.02 | 1925 |
| 42 | 3.07 | 1950 |
| 43 | 3.10 | 1930 |
| 44T | 3.12 | 1962,1983 |
| | | |
| | | |

RHINELANDER AUGUST SNOWFALL RECORDS

1991-2020 Normal Snowfall - 0.0 Inches)

| Jun | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| Rank | Snowiest | Year(s) |
| 1 | 0.0 | All Years |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| MONTHS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE MONTH. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS. | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| Jun | Least | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| Rank | Snowiest | Year(s) |
| 1 | 0.0 | All Years |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| MONTHS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE MONTH. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS.. | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

RHINELANDER AUGUST HEATING DEGREE DAY RECORDS

(1991-2020 Normal Heating Degree Days - 77)

| Aug Rank | Greatest HDD | Year(s) |
|----------|--------------|---------------------|
| 1 | 196 | 2004 |
| 2 | 175 | 1915 |
| 3 | 163 | 1927 |
| 4 | 159 | 1977 |
| 5 | 158 | 1917 |
| 6 | 157 | 1950 |
| 7T | 150 | 1934,1951 |
| 9 | 141 | 1923 |
| 10 | 135 | 1924 |
| 11 | 133 | 1982 |
| 12 | 132 | 1992 |
| 13 | 130 | 2017 |
| 14 | 128 | 2009 |
| 15T | 125 | 1912,1964,1986 |
| 18 | 119 | 1940 |
| 19T | 109 | 1931,2019 |
| 21T | 106 | 1946,1971,1997,2013 |
| 25T | 105 | 1919,1966 |
| 27 | 103 | 1994 |
| 28 | 102 | 1967 |
| 29 | 96 | 1941 |
| 30 | 95 | 1920 |
| 31 | 94 | 1985 |
| 32 | 92 | 1979 |
| 33 | 91 | 1922 |
| 34 | 90 | 1954 |
| 35 | 89 | 1952 |
| 36 | 88 | 2015 |
| 37 | 87 | 1968 |
| 38 | 86 | 1974 |
| 39 | 84 | 1976 |
| 40T | 83 | 1911,1965,1987 |
| 43T | 81 | 1914,1928 |
| 45 | 80 | 1942 |
| 46 | 79 | 2012 |
| 47T | 77 | 1963,1972,2000,2023 |
| 50T | 76 | 1916,2014 |

| Aug Rank | Least HDD | Year(s) |
|----------|-----------|--------------------------|
| 1 | 8 | 1998 |
| 2 | 9 | 1969 |
| 3 | 11 | 1959 |
| 4 | 12 | 1995 |
| 5 | 15 | 1983 |
| 6 | 16 | 1961 |
| 7 | 22 | 1960 |
| 8T | 25 | 1937,1996 |
| 10 | 26 | 1955 |
| 11T | 28 | 2010,2016 |
| 13 | 29 | 1947 |
| 14 | 31 | 2011 |
| 15T | 33 | 1981,1984,2018,2021 |
| 19 | 38 | 1909 |
| 20T | 40 | 1999,2022 |
| 22 | 42 | 1989 |
| 23T | 43 | 1938,1948 |
| 25T | 44 | 1925,1945,2006 |
| 28 | 46 | 1962 |
| 29T | 47 | 1991,2003 |
| 31 | 48 | 1949 |
| 32T | 49 | 1913,1918,1953,1970,2005 |
| 37 | 50 | 1939 |
| 38 | 51 | 1956 |
| 39T | 52 | 1973,1978 |
| 41T | 53 | 1943,1990,1993 |
| 44 | 54 | 1932 |
| 45T | 55 | 1957,1988 |
| 47 | 56 | 1921 |
| 48 | 57 | 2002 |
| 49 | 58 | 1910 |
| 50 | 59 | 1929 |
| 51T | 62 | 1930,1933,1980 |
| 54 | 63 | 1975 |
| 55T | 66 | 1936,2007 |

RHINELANDER AUGUST COOLING DEGREE DAY RECORDS

(1991-2020 Normal Cooling Degree Days - 72)

| Aug Rank | Greatest CDD | Year(s) |
|----------|--------------|---------------------|
| 1 | 281 | 1947 |
| 2T | 206 | 1937,1955 |
| 4 | 187 | 1959 |
| 5 | 180 | 1988 |
| 6 | 175 | 1969 |
| 7 | 169 | 1935 |
| 8 | 161 | 1983 |
| 9 | 160 | 2010 |
| 10 | 156 | 1995 |
| 11 | 155 | 1968 |
| 12 | 154 | 2018 |
| 13 | 140 | 1916 |
| 14T | 138 | 1944,1998 |
| 16 | 132 | 1909 |
| 17 | 131 | 1960 |
| 18T | 125 | 1984,1991 |
| 20T | 121 | 1958,1961 |
| 22T | 120 | 1936,1948 |
| 24 | 119 | 1938 |
| 25 | 117 | 1949 |
| 26 | 115 | 1973 |
| 27 | 113 | 1993 |
| 28T | 111 | 1976,2016 |
| 30T | 109 | 2001,2003 |
| 32 | 108 | 1957 |
| 33 | 106 | 1953 |
| 34 | 103 | 1908 |
| 35 | 102 | 2007 |
| 36 | 100 | 1922 |
| 37 | 99 | 1925 |
| 38 | 98 | 2005 |
| 39 | 97 | 1913 |
| 40T | 96 | 1939,1956,1962,1975 |
| 44 | 95 | 1934 |
| 45T | 94 | 1943,1989 |
| 47 | 93 | 1940 |
| 48T | 92 | 1930,1970,1981,2020 |

| Aug Rank | Least CDD | Year(s) |
|----------|-----------|----------------|
| 1 | 3 | 1927 |
| 2 | 18 | 2017 |
| 3 | 22 | 1915 |
| 4T | 23 | 1917,1923,1977 |
| 7T | 24 | 1919,1951 |
| 9 | 25 | 1986 |
| 10 | 26 | 1974 |
| 11 | 27 | 1950 |
| 12 | 29 | 2014 |
| 13T | 30 | 1929,2004 |
| 15 | 32 | 1912 |
| 16T | 35 | 1933,1954 |
| 18 | 38 | 1920 |
| 19T | 39 | 1926,2019 |
| 21T | 40 | 1971,1985 |
| 23T | 41 | 1952,2002 |
| 25 | 44 | 2000 |
| 26 | 47 | 1992 |
| 27 | 49 | 2006 |
| 28 | 50 | 1994 |
| 29 | 51 | 1997 |
| 30T | 52 | 1911,1990 |
| 32T | 53 | 1982,2008 |
| 34 | 54 | 1918 |
| 35 | 55 | 2011 |
| 36T | 56 | 1931,1979 |
| 38 | 57 | 1967 |
| 39T | 58 | 1924,2022 |
| 41 | 59 | 2015 |
| 42 | 60 | 2012 |
| 43 | 61 | 1946 |
| 44 | 62 | 1941 |
| 45 | 63 | 1942 |
| 46T | 64 | 1921,2009 |
| 48 | 66 | 1980 |
| 49 | 67 | 2023 |
| 50 | 69 | 1999 |

RHINELANDER SEPTEMBER TEMPERATURE RECORDS

(1991-2020 Normal: High 69.0 / Low 44.7 / Mean 56.9)

| Sep | Warmest | |
|------|---------|--------------------------|
| Rank | Mean | Year(s) |
| 1 | 64.5 | 1908 |
| 2 | 63.3 | 1998 |
| 3 | 62.2 | 2015 |
| 4 | 62.0 | 1931 |
| 5 | 61.2 | 1948 |
| 6 | 61.0 | 2004 |
| 7T | 60.9 | 1933,2023 |
| 9T | 60.8 | 2005,2018 |
| 11 | 60.6 | 1936 |
| 12 | 60.1 | 1921 |
| 13 | 59.9 | 2016 |
| 14 | 59.8 | 1959 |
| 15T | 59.7 | 1994,2007,2017 |
| 18 | 59.5 | 2009 |
| 19 | 59.4 | 1963 |
| 20 | 59.3 | 1958 |
| 21T | 59.2 | 1922,1960 |
| 23T | 59.1 | 1940,2019 |
| 25T | 59.0 | 1947,1961,1978 |
| 28 | 58.9 | 1968 |
| 29 | 58.8 | 1969 |
| 30T | 58.5 | 1941,1990 |
| 32T | 58.4 | 1912,1920,1997 |
| 35T | 58.3 | 1914,1955,2008 |
| 38T | 58.0 | 1925,1939,1979,2002,2021 |
| 43T | 57.9 | 1927,1983 |
| 45T | 57.8 | 1923,1966,1971 |
| 48 | 57.6 | 1999 |
| 49 | 57.5 | 1987 |
| 50T | 57.4 | 1909,1944,1967 |
| 53T | 57.3 | 1915,1952,1988,2022 |
| 57 | 57.0 | 1937 |
| 58 | 56.9 | 1913 |
| 59 | 56.8 | 1946 |
| | | |
| | | |
| | | |

| Sep | Coldest | |
|------|---------|---------------------|
| Rank | Mean | Year(s) |
| 1 | 49.0 | 1974 |
| 2 | 49.7 | 1918 |
| 3 | 51.5 | 1993 |
| 4 | 52.2 | 1926 |
| 5T | 52.3 | 1924,1928 |
| 7 | 52.4 | 1975 |
| 8T | 52.7 | 1943,1965 |
| 10T | 53.3 | 1951,2010 |
| 12 | 53.5 | 1984 |
| 13 | 53.6 | 1981 |
| 14 | 53.7 | 1942 |
| 15 | 53.8 | 2006 |
| 16 | 53.9 | 2012 |
| 17T | 54.2 | 1954,1985,2001 |
| 20T | 54.3 | 2000,2014,2020 |
| 23T | 54.4 | 1930,1980 |
| 25 | 54.5 | 1972 |
| 26T | 54.6 | 1916,1949 |
| 28T | 54.9 | 1956,1986,1991,2011 |
| 32T | 55.0 | 1962,1995 |
| 34 | 55.1 | 1982 |
| 35 | 55.2 | 1973 |
| 36 | 55.3 | 1976 |
| 37T | 55.4 | 1934,1992 |
| 39T | 55.5 | 1932,1938 |
| 41 | 55.6 | 1929 |
| 42 | 55.7 | 1935 |
| 43T | 56.0 | 1917,1977 |
| 45 | 56.1 | 1957 |
| 46 | 56.2 | 1910 |
| 47 | 56.3 | 1953 |
| 48 | 56.4 | 1945 |
| 49 | 56.5 | 2003 |
| | | |
| | | |
| | | |

RHINELANDER SEPTEMBER TEMPERATURE RECORDS

HIGHEST MAXIMUM TEMPERATURE

| Highest | |
|---------|-----------------------------------------|
| Temp | Date(s) / Year(s) |
| 98 | 10/1908 |
| 95 | 07/1976 |
| 94 | 04/2023 |
| 93 | 10/1931,11/1998 |
| 92 | 22/1908,05/1912,02/1929,11/1931,03/2023 |
| 91 | 21/1908,23/1908,09/1912,01/1913,09/1931 |
| 90 | Many Occurrences – Last 15/2018 |
| | |
| | |

LOWEST MINIMUM TEMPERATURE

| Lowest | |
|--------|-----------------------------------------|
| Temp | Date(s) / Year(s) |
| 21 | 30/1918 |
| 23 | 26/1926,24/2000,30/2009,28/2022 |
| 24 | 28/1942,29/1945,25/1947,24/1976,15/2007 |
| 25 | 10/1917,25/1926,23/1974,25/1996,29/2003 |
| 26 | Many Occurrences – Last 29/2004 |
| | |
| | |

RHINELANDER SEPTEMBER TEMPERATURE RECORDS

LOWEST MAXIMUM TEMPERATURE

| Lowest | |
|--------|-----------------------------------------|
| Max | Date(s) / Year(s) |
| | |
| 37 | 16/1916 |
| 39 | 21/1913,27/1942 |
| 40 | 24/1928 |
| 41 | 19/1918,30/1919,26/1927,27/1930,24/1942 |
| 42 | 30/1908,29/1916,29/1930,26/1942 |
| 43 | Many Occurrences – Last 30/2003 |
| | |

HIGHEST MINIMUM TEMPERATURE

| Highest | |
|---------|-----------------------------------------------------------------|
| Min | Date(s) / Year(s) |
| | |
| 76 | 09/1912 |
| 72 | 06/1912,07/1960 |
| 71 | 15/1939,05/2023 |
| 70 | 14/1939,03/2023 |
| 69 | 07/1913,13/1931,19/1940,06/1960,04/1973,06/2007,16/2017,01/2018 |
| 68 | Many Occurrences – Last 12/2005 |
| | |

RHINELANDER SEPTEMBER PRECIPITATION RECORDS

(1991-2020 Normal Precipitation - 3.90 Inches)

| Sep | | |
|------|---------|-----------|
| Rank | Wettest | Year(s) |
| | | |
| 1 | 8.90 | 1934 |
| 2 | 8.54 | 1942 |
| 3 | 8.51 | 1994 |
| 4 | 8.38 | 1970 |
| 5 | 7.79 | 1916 |
| 6 | 7.73 | 1986 |
| 7 | 7.56 | 2010 |
| 8 | 7.47 | 1968 |
| 9 | 7.32 | 1959 |
| 10 | 7.26 | 1928 |
| 11 | 6.71 | 1992 |
| 12 | 6.43 | 1990 |
| 13 | 6.42 | 1985 |
| 14T | 6.38 | 2001,2014 |
| 16 | 6.12 | 1941 |
| 17 | 6.10 | 1982 |
| 18 | 6.03 | 2002 |
| 19 | 6.02 | 1954 |
| 20 | 5.71 | 1971 |
| 21 | 5.70 | 1978 |
| 22 | 5.62 | 2016 |
| 23 | 5.59 | 2019 |
| 24 | 5.50 | 1931 |
| 25 | 5.41 | 1977 |
| 26 | 5.22 | 1926 |
| 27 | 5.17 | 1913 |
| 28 | 5.04 | 2018 |
| 29 | 5.03 | 1980 |
| 30 | 4.96 | 1972 |
| 31 | 4.73 | 1965 |
| 32 | 4.72 | 1983 |
| 33 | 4.59 | 1935 |
| 34 | 4.58 | 1912 |
| 35 | 4.52 | 1949 |
| 36 | 4.49 | 1908 |
| 37 | 4.45 | 1911 |
| 38 | 4.44 | 1975 |
| | | |
| | | |

| Sep | | |
|------|--------|-----------|
| Rank | Driest | Year(s) |
| | | |
| 1 | 0.40 | 1976 |
| 2 | 0.57 | 1989 |
| 3 | 0.64 | 2009 |
| 4 | 0.70 | 1952 |
| 5 | 0.84 | 1979 |
| 6 | 1.41 | 1953 |
| 7 | 1.42 | 2022 |
| 8T | 1.49 | 1932,1940 |
| 10 | 1.52 | 1950 |
| 11T | 1.61 | 1920,1956 |
| 13 | 1.65 | 2012 |
| 14 | 1.74 | 1943 |
| 15 | 1.78 | 1999 |
| 16 | 1.80 | 1939 |
| 17 | 1.81 | 1947 |
| 18T | 1.87 | 1917,1998 |
| 20 | 1.95 | 2017 |
| 21 | 2.02 | 1923 |
| 22 | 2.10 | 2002 |
| 23 | 2.12 | 2013 |
| 24 | 2.19 | 1945 |
| 25 | 2.24 | 1981 |
| 26 | 2.35 | 1955 |
| 27 | 2.40 | 1969 |
| 28 | 2.47 | 1933 |
| 29 | 2.49 | 1910 |
| 30 | 2.54 | 1918 |
| 31 | 2.55 | 1936 |
| 32 | 2.58 | 1995 |
| 33 | 2.59 | 1987 |
| 34T | 2.60 | 1996,2011 |
| 36 | 2.61 | 2021 |
| 37 | 2.63 | 1966 |
| 38 | 2.64 | 2006 |
| 39 | 2.65 | 1924 |
| 40 | 2.70 | 1914 |
| 41 | 2.76 | 2015 |
| 42 | 2.84 | 2003 |
| | | |
| | | |

RHINELANDER SEPTEMBER SNOWFALL RECORDS

(1991-2020 Normal Snowfall - 0.0 Inches)

| Sep | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------------|
| Rank | Snowiest | Year(s) |
| 1T | 0.5 | 1913,1942,1985 |
| 5T | T | 1908,1912,1916,1927,1928 |
| 5T | T | 1945,1947,1953,1993,1995 |
| 5T | T | 2003,2011,2014 |
| | | |
| | | |
| | | |
| | | |
| MONTHS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE MONTH. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS. | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| Sep | Least | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------------|
| Rank | Snowiest | Year(s) |
| 1 | 0.0 | MANY YEARS |
| | | |
| | | |
| | | |
| | | |
| | | |
| MONTHS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE MONTH. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS. | | |
| | | |
| | | |
| | | |
| | | |
| | | |

RHINELANDER SEPTEMBER HEATING DEGREE DAY RECORDS

(1991-2020 Normal Heating Degree Days - 270)

| Sep Rank | Greatest HDD | Year(s) |
|----------|--------------|----------------|
| 1 | 474 | 1974 |
| 2 | 456 | 1918 |
| 3 | 398 | 1993 |
| 4T | 376 | 1924,1926 |
| 6 | 374 | 1943 |
| 7T | 373 | 1928,1975 |
| 9 | 367 | 1965 |
| 10 | 350 | 1985 |
| 11 | 348 | 2012 |
| 12 | 347 | 2010 |
| 13 | 345 | 1951 |
| 14 | 344 | 1942 |
| 15 | 337 | 2006 |
| 16T | 336 | 1981,1984 |
| 18 | 326 | 2001 |
| 19T | 324 | 1973,2000 |
| 21T | 321 | 1916,1930 |
| 23 | 319 | 1954 |
| 24 | 318 | 1991 |
| 25 | 317 | 2020 |
| 26T | 314 | 1976,2011,2014 |
| 29T | 313 | 1980,1995 |
| 31 | 311 | 1972 |
| 32 | 310 | 1982 |
| 33 | 307 | 1986 |
| 34T | 306 | 1949,1962 |
| 36 | 301 | 1956 |
| 37 | 299 | 1945 |
| 38 | 293 | 1913 |
| 39 | 292 | 2003 |
| 40 | 290 | 1935 |
| 41 | 289 | 1929 |
| 42T | 285 | 1934,1937 |
| 44 | 284 | 1953 |
| 45T | 282 | 1938,1957,1992 |
| 48 | 280 | 1932 |
| 49T | 273 | 1917,1996 |
| | | |
| | | |

| Sep Rank | Least HDD | Year(s) |
|----------|-----------|-----------|
| 1 | 119 | 1998 |
| 2 | 136 | 1908 |
| 3 | 144 | 2015 |
| 4 | 149 | 2004 |
| 5 | 155 | 1933 |
| 6T | 160 | 1948,2016 |
| 8 | 165 | 1921 |
| 9 | 167 | 2009 |
| 10 | 168 | 1931 |
| 11 | 173 | 2023 |
| 12T | 175 | 1936,1994 |
| 14 | 176 | 1963 |
| 15 | 184 | 2005 |
| 16 | 187 | 1958 |
| 17 | 191 | 1968 |
| 18 | 194 | 2019 |
| 19 | 195 | 1959 |
| 20 | 199 | 1997 |
| 21 | 201 | 2018 |
| 22 | 206 | 2021 |
| 23 | 207 | 2017 |
| 24 | 211 | 2007 |
| 25 | 215 | 1990 |
| 26 | 216 | 1941 |
| 27T | 217 | 1920,1940 |
| 29 | 219 | 2008 |
| 30 | 221 | 1922 |
| 31 | 222 | 1955 |
| 32 | 223 | 1979 |
| 33 | 227 | 1923 |
| 34T | 228 | 1914,1969 |
| 36 | 229 | 1925 |
| 37T | 234 | 1967,1987 |
| 39T | 235 | 1944,2002 |
| 41 | 238 | 1909 |
| 42T | 239 | 1961,1978 |
| 44 | 240 | 1988 |
| 45 | 241 | 1960 |
| | | |
| | | |

RHINELANDER SEPTEMBER COOLING DEGREE DAY RECORDS

(1991-2020 Normal Cooling Degree Days - 25)

| Sep Rank | Greatest CDD | Year(s) |
|----------|--------------|--------------------------|
| 1 | 126 | 1908 |
| 2 | 84 | 1931 |
| 3 | 80 | 2018 |
| 4 | 75 | 1998 |
| 5T | 73 | 1947,1960 |
| 7 | 71 | 2015 |
| 8 | 68 | 1912 |
| 9 | 66 | 1978 |
| 10 | 65 | 1961 |
| 11 | 63 | 2005 |
| 12 | 61 | 1939 |
| 13 | 58 | 2007 |
| 14 | 57 | 1927 |
| 15 | 56 | 2023 |
| 16T | 55 | 1913,1922 |
| 18T | 53 | 1948,2017 |
| 20 | 52 | 1937 |
| 21 | 50 | 1945 |
| 22 | 49 | 1983 |
| 23 | 48 | 1936 |
| 24 | 47 | 1940 |
| 25 | 46 | 1969 |
| 26T | 44 | 1959,1971 |
| 28T | 43 | 1952,1999 |
| 30 | 42 | 2003 |
| 31 | 39 | 2004 |
| 32 | 37 | 1933 |
| 33T | 34 | 1985,2002 |
| 35T | 33 | 1914,1966,1973 |
| 38 | 31 | 1941 |
| 39 | 30 | 1953 |
| 40T | 29 | 1970,1976,1990,1996,2022 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| Sep Rank | Least CDD | Year(s) |
|----------|-----------|-------------------------------|
| 1T | 0 | 1928,1972,1974,1984 |
| 5T | 1 | 1924,1926,1932,1949,1951,1977 |
| 5T | 1 | 1981,1993,2010,2014 |
| 15T | 2 | 1918,1954,1975,1980,1992 |
| 20T | 4 | 1934,1938,1965,2020 |
| 24T | 5 | 1910,1950,2021 |
| 27 | 6 | 2006 |
| 28 | 7 | 1956 |
| 29T | 8 | 1911,1917,1997,2000,2009 |
| 34T | 10 | 1962,2001 |
| 36T | 11 | 1930,1943,1963,1986 |
| 40 | 12 | 1987 |
| 41T | 13 | 1944,1946,2016 |
| 44T | 14 | 1942,1967,1989 |
| 47T | 15 | 1916,1929,1964 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

RHINELANDER OCTOBER TEMPERATURE RECORDS

(1991-2020 Normal: High 54.8 / Low 33.8 / Mean 44.3)

| Oct | Warmest | |
|------|---------|---------------------|
| Rank | Mean | Year(s) |
| 1 | 56.9 | 1963 |
| 2 | 56.8 | 1947 |
| 3 | 53.2 | 1956 |
| 4 | 52.6 | 1920 |
| 5 | 51.8 | 1914 |
| 6 | 51.7 | 1971 |
| 7 | 51.1 | 1924 |
| 8 | 50.9 | 1953 |
| 9 | 50.8 | 2021 |
| 10 | 50.2 | 2007 |
| 11 | 50.1 | 1973 |
| 12T | 49.9 | 1931,1968 |
| 14 | 49.8 | 1950 |
| 15T | 49.3 | 1938,1949,1961 |
| 18 | 49.2 | 1946 |
| 19 | 48.9 | 1962 |
| 20T | 48.8 | 1910,1958,1975 |
| 23T | 48.6 | 1908,1998 |
| 25T | 48.5 | 1955,1994 |
| 27 | 48.4 | 2011 |
| 28 | 48.3 | 1934 |
| 29 | 48.2 | 1984 |
| 30 | 48.1 | 2016 |
| 31T | 48.0 | 1912,2005 |
| 33 | 47.8 | 1965 |
| 34 | 47.7 | 2017 |
| 35 | 47.4 | 1940 |
| 36T | 47.0 | 1960,1970 |
| 38T | 46.9 | 1915,1942 |
| 40 | 46.8 | 1989 |
| 41 | 46.7 | 1935 |
| 42 | 46.6 | 2000 |
| 43T | 46.5 | 1944,1982,1997,2010 |
| 47 | 46.4 | 1957 |
| 48 | 46.3 | 1943 |
| 49 | 46.2 | 1948 |
| 50 | 46.1 | 1927 |
| | | |
| | | |

| Oct | Coldest | |
|------|---------|----------------|
| Rank | Mean | Year(s) |
| 1 | 34.5 | 1925 |
| 2 | 35.3 | 1917 |
| 3 | 37.2 | 2020 |
| 4 | 37.3 | 2002 |
| 5 | 38.7 | 1987 |
| 6 | 39.5 | 1988 |
| 7 | 39.7 | 1952 |
| 8 | 39.8 | 1980 |
| 9 | 39.9 | 2006 |
| 10 | 40.0 | 2009 |
| 11 | 40.1 | 1976 |
| 12T | 40.7 | 1936,1981 |
| 14T | 40.8 | 1919,1937,1972 |
| 17T | 41.0 | 1926,1932 |
| 19 | 41.6 | 2019 |
| 20 | 41.7 | 1933 |
| 21 | 42.0 | 1979 |
| 22T | 42.2 | 1923,1969,1993 |
| 25 | 42.4 | 2018 |
| 26 | 42.5 | 2012 |
| 27 | 42.6 | 2014 |
| 28 | 42.7 | 1959 |
| 29 | 42.8 | 2001 |
| 30T | 42.9 | 1974,1986 |
| 32T | 43.0 | 1909,1929 |
| 34 | 43.1 | 1991 |
| 35T | 43.2 | 1985,2003 |
| 37 | 43.3 | 1951 |
| 38 | 43.4 | 1911 |
| 39 | 43.5 | 1990 |
| 40 | 43.6 | 1930 |
| 41 | 43.7 | 1992 |
| 42T | 43.8 | 1916,2013 |
| 44 | 44.2 | 1983 |
| 45 | 44.3 | 1996 |
| 46 | 44.5 | 2008 |
| 47T | 44.6 | 1918,1954 |
| | | |
| | | |

RHINELANDER OCTOBER TEMPERATURE RECORDS

HIGHEST MAXIMUM TEMPERATURE

| Highest | |
|---------|---------------------------------------------------------|
| Temp | Date(s) / Year(s) |
| 92 | 01/1976 |
| 86 | 02/1953 |
| 85 | 21/1947,02/1992,01/2023 |
| 84 | 04/1922,15/1947,06/1963 |
| 83 | 07/1916,05/1922,20/1947,15/1963,02/1967,07/2007,02/2023 |
| 82 | 05/1912,02/1922,08/2010,01/2021 |

LOWEST MINIMUM TEMPERATURE

| Lowest | |
|--------|---------------------------------|
| Temp | Date(s) / Year(s) |
| 2 | 30/1925 |
| 8 | 29/1925 |
| 9 | 25/1933,27/2020 |
| 10 | 29/1928 |
| 11 | 31/1925,23/1936,27/1976,30/1988 |
| 12 | 31/1926,30/1928,28/1933,23/1969 |
| 13 | 19/1972,31/1996,26/2020,31/2023 |

RHINELANDER OCTOBER TEMPERATURE RECORDS

LOWEST MAXIMUM TEMPERATURE

| Lowest | |
|--------|-----------------------------------------|
| Max | Date(s) / Year(s) |
| | |
| 20 | 29/1925 |
| 24 | 28/1925 |
| 25 | 27/1925 |
| 26 | 21/1913,30/1917,30/1923,19/1930 |
| 28 | 29/1917,31/1917,17/1930,18/1930,26/1942 |
| 28 | 31/1996,31/2019 |
| 29 | 31/2017 |
| 30 | Many Occurrences – Last 26/2020 |
| | |

HIGHEST MINIMUM TEMPERATURE

| Highest | |
|---------|-------------------|
| Min | Date(s) / Year(s) |
| | |
| 70 | 03/2005 |
| 68 | 07/2007 |
| 67 | 06/2007 |
| 66 | 15/1968 |
| 65 | 16/1968 |
| 64 | 14/1968,08/2011 |
| 63 | 04/2005 |

RHINELANDER OCTOBER PRECIPITATION RECORDS

(1991-2020 Normal Precipitation - 3.22 Inches)

| Oct | | |
|------|---------|----------------|
| Rank | Wettest | Year(s) |
| 1 | 8.87 | 1911 |
| 2 | 5.94 | 1941 |
| 3 | 5.90 | 1979 |
| 4 | 5.64 | 2016 |
| 5 | 5.44 | 1995 |
| 6 | 5.33 | 2018 |
| 7 | 5.15 | 2007 |
| 8 | 4.87 | 1928 |
| 9 | 4.75 | 2009 |
| 10 | 4.65 | 1984 |
| 11T | 4.31 | 1985,2005,2017 |
| 14 | 4.27 | 1969 |
| 15 | 4.23 | 1996 |
| 16 | 4.21 | 2002 |
| 17 | 4.15 | 2013 |
| 18 | 4.13 | 2004 |
| 19 | 3.91 | 1997 |
| 20 | 3.81 | 1983 |
| 21 | 3.76 | 1913 |
| 22 | 3.74 | 1927 |
| 23 | 3.72 | 1990 |
| 24 | 3.71 | 1959 |
| 25 | 3.66 | 1954 |
| 26T | 3.58 | 1955,2015 |
| 28 | 3.56 | 1917 |
| 29 | 3.47 | 2012 |
| 30T | 3.45 | 1951,1982 |
| 32T | 3.44 | 1970, 2014 |
| 34 | 3.41 | 1931 |
| 35 | 3.35 | 1919 |
| 36 | 3.32 | 1926 |
| 37 | 3.29 | 1966 |
| 38 | 3.27 | 1967 |
| 39 | 3.25 | 1935 |
| 40 | 3.21 | 2023 |
| 41 | 3.18 | 1937 |
| 42 | 3.17 | 1961 |
| 43 | 3.14 | 1971 |

| Oct | | |
|------|--------|----------------|
| Rank | Driest | Year(s) |
| 1 | 0.23 | 1952 |
| 2 | 0.29 | 1953 |
| 3 | 0.43 | 1976 |
| 4 | 0.44 | 1964 |
| 5 | 0.58 | 1956 |
| 6 | 0.70 | 1944 |
| 7 | 0.73 | 2000 |
| 8T | 0.74 | 1924,1963 |
| 10 | 0.76 | 1923 |
| 11 | 0.84 | 1929 |
| 12 | 0.92 | 1932 |
| 13 | 0.93 | 1957 |
| 14 | 0.95 | 1908 |
| 15 | 0.97 | 1948 |
| 16 | 1.06 | 1914 |
| 17 | 1.15 | 1909 |
| 18T | 1.18 | 1921,1974,2021 |
| 21 | 1.25 | 1975 |
| 22 | 1.28 | 2022 |
| 23 | 1.30 | 2011 |
| 24 | 1.42 | 1978 |
| 25 | 1.43 | 2003 |
| 26 | 1.45 | 1989 |
| 27 | 1.47 | 1947 |
| 28 | 1.54 | 1945 |
| 29 | 1.55 | 1962 |
| 30 | 1.57 | 1998 |
| 31 | 1.58 | 1922 |
| 32 | 1.60 | 2008 |
| 33 | 1.62 | 1980 |
| 34 | 1.66 | 1939 |
| 35T | 1.68 | 1925,1965 |
| 37 | 1.77 | 1994 |
| 38 | 1.79 | 1987 |
| 39 | 1.83 | 1988 |
| 40 | 1.93 | 1930 |
| 41 | 1.94 | 1999 |
| 42 | 1.95 | 2010 |

RHINELANDER OCTOBER SNOWFALL RECORDS

(1991-2020 Normal Snowfall - 1.9 Inches)

| Oct Rank | Snowiest | Year(s) |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-------------------------------|
| 1 | 10.6 | 2020 |
| 2 | 9.3 | 2002 |
| 3 | 8.0 | 1925 |
| 4 | 6.0 | 1938 |
| 5 | 4.5 | 1909 |
| 6 | 4.2 | 1932 |
| 7T | 4.0 | 1917,2003 |
| 9 | 3.6 | 2006 |
| 10 | 3.1 | 2009 |
| 11 | 3.0 | 2001 |
| 12 | 2.7 | 2014 |
| 13 | 2.4 | 2022 |
| 14 | 2.3 | 2023 |
| 15 | 2.2 | 2013 |
| 16T | 2.0 | 1919,1979,2000,2008 |
| 20 | 1.8 | 1933 |
| 21 | 1.6 | 2018 |
| 22T | 1.5 | 1910,1942 |
| 24 | 1.3 | 1939 |
| 25T | 1.0 | 1935,1946,1982,2015,2017,2019 |
| 31 | 0.9 | 1969 |
| 32T | 0.5 | 1913,1936,1986 |
| MONTHS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE MONTH. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS. | | |
| | E2.5 | 1995 |
| | E2.4 | 1990 |
| | E2.3 | 1980,1988 |
| | E2.1 | 1987 |
| | E2.0 | 1992 |

| Oct Rank | Least Snowiest | Year(s) |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------|
| 1T | 0.0 | 1908,1912,1918,1924,1927,1928 |
| 1T | 0.0 | 1931,1940,1944,1947,1948,1953 |
| 1T | 0.0 | 1954,1956,1957,1958,1961,1963 |
| 1T | 0.0 | 1968,1970,1971,1974,1985,1998 |
| 1T | 0.0 | 2005,2016 |
| 25T | T | Many Years – Last 2021 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| MONTHS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE MONTH. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS. | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

RHINELANDER OCTOBER HEATING DEGREE DAY RECORDS

(1991-2020 Normal Heating Degree Days - 643)

| Oct Rank | Greatest HDD | Year(s) |
|----------|--------------|-----------|
| 1 | 937 | 1925 |
| 2 | 917 | 1917 |
| 3 | 854 | 2002 |
| 4 | 853 | 2020 |
| 5 | 808 | 1987 |
| 6 | 788 | 1988 |
| 7 | 778 | 1952 |
| 8 | 774 | 1980 |
| 9 | 772 | 2006 |
| 10 | 769 | 2009 |
| 11 | 764 | 1976 |
| 12 | 745 | 1936 |
| 13 | 743 | 1937 |
| 14 | 742 | 1981 |
| 15 | 741 | 1972 |
| 16 | 740 | 1919 |
| 17 | 738 | 1932 |
| 18 | 733 | 1926 |
| 19 | 718 | 2019 |
| 20 | 713 | 1933 |
| 21T | 707 | 1923,1979 |
| 23 | 702 | 1969 |
| 24 | 699 | 1993 |
| 25 | 697 | 2018 |
| 26 | 691 | 2012 |
| 27T | 685 | 1959,2014 |
| 29T | 681 | 1986,2001 |
| 31 | 678 | 1974 |
| 32T | 675 | 1909,1929 |
| 34 | 673 | 1991 |
| 35 | 669 | 1985 |
| 36 | 668 | 2003 |
| 37 | 665 | 1951 |
| 38 | 664 | 1930 |
| 39 | 661 | 1911 |
| 40 | 660 | 1990 |
| 41 | 653 | 1992 |

| Oct Rank | Least HDD | Year(s) |
|----------|-----------|----------------|
| 1 | 260 | 1963 |
| 2 | 269 | 1947 |
| 3 | 362 | 1956 |
| 4 | 380 | 1920 |
| 5 | 401 | 1914 |
| 6 | 408 | 1971 |
| 7 | 425 | 1924 |
| 8 | 439 | 1953 |
| 9 | 454 | 1973 |
| 10 | 461 | 1931 |
| 11 | 467 | 1950 |
| 12 | 472 | 2007 |
| 13 | 479 | 1949 |
| 14 | 481 | 1938 |
| 15 | 484 | 1961 |
| 16T | 485 | 1946,1968 |
| 18 | 493 | 1958 |
| 19 | 494 | 1975 |
| 20 | 496 | 1962 |
| 21 | 501 | 1910 |
| 22T | 502 | 1908,1998 |
| 24 | 505 | 1994 |
| 25 | 506 | 1955 |
| 26T | 512 | 1934,1984 |
| 28 | 517 | 2016 |
| 29T | 518 | 1912,2011 |
| 31 | 528 | 2017 |
| 32 | 533 | 1965 |
| 33 | 536 | 2005 |
| 34 | 541 | 1940 |
| 35 | 550 | 1970 |
| 36T | 552 | 1915,1942,1960 |
| 39 | 559 | 1989 |
| 40 | 562 | 1935 |
| 41 | 563 | 2000 |
| 42 | 566 | 2010 |
| 43T | 567 | 1944,1982 |

RHINELANDER OCTOBER COOLING DEGREE DAY RECORDS

(1991-2020 Normal Cooling Degree Days - 2)

| Oct Rank | Greatest CDD | Year(s) |
|----------|--------------|-------------------------------|
| 1 | 23 | 1968 |
| 2T | 19 | 1947,2007,2023 |
| 5T | 15 | 1922,1963,2005 |
| 8 | 10 | 2011 |
| 9 | 8 | 1930 |
| 10T | 7 | 1953,1962 |
| 12 | 6 | 1956 |
| 13T | 5 | 1910,1965,1995 |
| 16 | 4 | 1997 |
| 17T | 3 | 1908,1920,1934,1967,1971,1989 |
| 23T | 2 | 1913,1916,1931,1938,1946,1949 |
| 23T | 2 | 1955 |
| | | |
| | | |
| | | |

| Oct Rank | Least CDD | Year(s) |
|----------|-----------|------------|
| 1 | 0 | Many Years |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

RHINELANDER NOVEMBER TEMPERATURE RECORDS

(1991-2020 Normal: High 39.3 / Low 22.6 / Mean 30.9)

| Nov | Warmest | |
|------|---------|----------------|
| Rank | Mean | Year(s) |
| | | |
| 1 | 39.9 | 2016 |
| 2 | 39.4 | 2001 |
| 3 | 38.6 | 1999 |
| 4 | 38.2 | 2009 |
| 5 | 37.4 | 1963 |
| 6 | 37.0 | 1909 |
| 7T | 36.8 | 1913,1931 |
| 9 | 36.7 | 1944 |
| 10 | 36.5 | 2015 |
| 11 | 36.3 | 1975 |
| 12 | 36.1 | 1930 |
| 13 | 36.0 | 2020 |
| 14 | 35.8 | 1953 |
| 15 | 35.6 | 1998 |
| 16 | 35.3 | 1964 |
| 17 | 35.2 | 1990 |
| 18T | 34.6 | 1934,1994 |
| 20T | 34.4 | 1960,1981 |
| 22 | 34.3 | 1954 |
| 23T | 34.2 | 1922,2011 |
| 25 | 34.0 | 2006 |
| 26 | 33.9 | 1939 |
| 27 | 33.7 | 2004 |
| 28 | 33.3 | 1941 |
| 29T | 33.2 | 1958,1962 |
| 31 | 33.1 | 1912 |
| 32T | 33.0 | 1917,1918,1948 |
| 35T | 32.8 | 1952,1987 |
| 37 | 32.7 | 1923 |
| 38 | 32.6 | 1908 |
| 39T | 32.5 | 1915,1974 |
| 41 | 32.3 | 1968 |
| 42 | 32.2 | 2022 |
| 43T | 32.1 | 1928,1946 |
| 45T | 31.9 | 1988,2023 |
| 47T | 31.8 | 1971,2010 |
| 49T | 31.7 | 1914,1956,2005 |
| 52T | 31.5 | 1965,2012 |
| | | |

| Nov | Coldest | |
|------|---------|---------------------|
| Rank | Mean | Year(s) |
| | | |
| 1 | 20.6 | 2014 |
| 2 | 20.9 | 1995 |
| 3 | 22.5 | 1985 |
| 4 | 22.9 | 1959 |
| 5 | 23.2 | 1976 |
| 6T | 23.9 | 1921,1926 |
| 8 | 24.0 | 1951 |
| 9 | 24.4 | 1911 |
| 10 | 24.7 | 1986 |
| 11 | 25.2 | 1932 |
| 12T | 25.3 | 1929,1996 |
| 14 | 25.5 | 1950 |
| 15 | 25.6 | 1991 |
| 16T | 25.7 | 1910,1989,2018,2019 |
| 20 | 25.8 | 1919 |
| 21 | 25.9 | 1933 |
| 22 | 26.1 | 1955 |
| 23 | 26.2 | 1936 |
| 24 | 26.6 | 1925 |
| 25 | 26.8 | 1993 |
| 26 | 27.1 | 1943 |
| 27T | 27.2 | 1947,2002 |
| 29T | 27.3 | 1927,2013 |
| 31T | 27.5 | 1940,1992 |
| 33 | 27.7 | 1920 |
| 34 | 27.9 | 1967 |
| 35 | 28.3 | 1916 |
| 36T | 28.4 | 1935,1997 |
| 38T | 28.6 | 1937,1984 |
| 40 | 28.9 | 1979 |
| 41T | 29.1 | 1972,1978 |
| 43 | 29.2 | 1924 |
| 44T | 29.4 | 1969,1982,2000,2007 |
| 48 | 29.6 | 2003 |
| 49 | 29.7 | 1970 |
| 50 | 29.8 | 1942 |
| 51 | 30.1 | 2008 |
| | | |
| | | |

RHINELANDER NOVEMBER TEMPERATURE RECORDS

HIGHEST MAXIMUM TEMPERATURE

| Highest Temp | Date(s) / Year(s) |
|--------------|--------------------------------------------------|
| 74 | 01/1933 |
| 73 | 05/1975,04/2020,06/2020 |
| 72 | 01/1944,02/2022 |
| 71 | 09/1999,07/2020 |
| 70 | 19/1930,03/1978,01/1990,04/2008,03/2015,03//2020 |
| 69 | 08/1931,03/1964,08/1999,08/2020,01/2022 |
| 68 | Many Occurrences – Last 03/2023 |

LOWEST MINIMUM TEMPERATURE

| Lowest Temp | Date(s) / Year(s) |
|-------------|---------------------------------|
| -16 | 30/1976 |
| -15 | 29/1976 |
| -14 | 28/1976 |
| -13 | 29/1929,30/1929 |
| -12 | 30/1978,29/1995 |
| -11 | 28/1929,24/1950,28/1985,27/2014 |
| -10 | 20/1921,28/1955 |
| | |
| | |

RHINELANDER NOVEMBER TEMPERATURE RECORDS

LOWEST MAXIMUM TEMPERATURE

| Lowest | |
|--------|-----------------------------------------|
| Max | Date(s) / Year(s) |
| 0 | 29/1929 |
| 5 | 28/1976 |
| 8 | 17/1959 |
| 9 | 30/1976 |
| 10 | 21/1929,29/1958,18/2014 |
| 11 | 30/1958,30/1978,30/2007,17/2014,20/2014 |
| 12 | 21/1921,23/1970 |
| 13 | Many Occurrences – Last 24/2005 |

HIGHEST MINIMUM TEMPERATURE

| Highest | |
|---------|-----------------------------------------|
| Min | Date(s) / Year(s) |
| 56 | 04/2008 |
| 55 | 02/1956 |
| 54 | 03/1938,02/1944,07/2020 |
| 53 | 04/1956,05/2008,08/2020,03/2022 |
| 52 | 03/1956,05/1956,07/1975 |
| 51 | 16/1942,06/1975 |
| 50 | 02/1938,04/1938,18/1953,04/1964,01/2001 |
| 49 | 16/1930,01/1974,08/1977,14/2001 |

RHINELANDER NOVEMBER PRECIPITATION RECORDS

(1991-2020 Normal Precipitation - 2.03 Inches)

| Nov | | |
|------|---------|-----------|
| Rank | Wettest | Year(s) |
| | | |
| 1 | 5.71 | 1934 |
| 2 | 5.32 | 1909 |
| 3 | 4.87 | 1991 |
| 4 | 4.59 | 1931 |
| 5 | 4.39 | 1915 |
| 6 | 4.21 | 1975 |
| 7 | 4.09 | 1977 |
| 8 | 3.81 | 1983 |
| 9 | 3.70 | 1985 |
| 10 | 3.61 | 2022 |
| 11 | 3.60 | 1948 |
| 12 | 3.55 | 1965 |
| 13 | 3.49 | 1992 |
| 14 | 3.32 | 2014 |
| 15 | 3.30 | 1945 |
| 16T | 3.25 | 1940,1956 |
| 18 | 3.13 | 1919 |
| 19 | 3.02 | 1964 |
| 20 | 2.95 | 1970 |
| 21 | 2.90 | 2005 |
| 22T | 2.76 | 1972,2001 |
| 24 | 2.72 | 1974 |
| 25T | 2.66 | 1961,1996 |
| 27 | 2.63 | 1938 |
| 28 | 2.60 | 2020 |
| 29 | 2.59 | 1926 |
| 30T | 2.48 | 1918,1946 |
| 32 | 2.45 | 1987 |
| 33T | 2.44 | 1922,1982 |
| 35 | 2.40 | 2015 |
| 36 | 2.38 | 2019 |
| 37 | 2.37 | 1947 |
| 38 | 2.34 | 1943 |
| 39 | 2.32 | 2000 |
| 40 | 2.30 | 2018 |
| 41 | 2.26 | 1957 |
| 42 | 2.21 | 1927 |
| 43 | 2.10 | 2013 |
| | | |

| Nov | | |
|------|--------|----------------|
| Rank | Driest | Year(s) |
| | | |
| 1 | 0.12 | 1939 |
| 2 | 0.27 | 1981 |
| 3 | 0.28 | 1976 |
| 4 | 0.37 | 1917 |
| 5 | 0.43 | 2002 |
| 6 | 0.44 | 2009 |
| 7 | 0.48 | 1923 |
| 8 | 0.52 | 1968 |
| 9 | 0.53 | 1984 |
| 10 | 0.57 | 1928 |
| 11T | 0.58 | 1959,2023 |
| 13 | 0.61 | 1935 |
| 14 | 0.62 | 2007 |
| 15 | 0.66 | 1989 |
| 16T | 0.72 | 1963,1967 |
| 18T | 0.73 | 1936,1997 |
| 20T | 0.74 | 1962,1980 |
| 22 | 0.85 | 1912 |
| 23T | 0.87 | 1921,1986 |
| 25 | 0.90 | 1954 |
| 26 | 0.94 | 1924 |
| 27 | 0.95 | 1920 |
| 28T | 1.08 | 1914,1933 |
| 30 | 1.10 | 1953 |
| 31 | 1.11 | 1910 |
| 32 | 1.19 | 1925 |
| 33 | 1.21 | 2017 |
| 34T | 1.23 | 1913,1941 |
| 36T | 1.28 | 1951,1966 |
| 38 | 1.29 | 1973 |
| 39T | 1.30 | 1988,2008 |
| 41T | 1.33 | 1929,1949,1960 |
| 44 | 1.35 | 1990 |
| 45 | 1.37 | 1908 |
| 46T | 1.40 | 1955,2004 |
| 48 | 1.41 | 2012 |
| 49 | 1.43 | 1932 |
| | | |

RHINELANDER NOVEMBER SNOWFALL RECORDS

(1991-2020 Normal Snowfall - 9.9 Inches)

| Nov | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|----------------|
| Rank | Snowiest | Year(s) |
| 1 | 32.4 | 2014 |
| 2 | 21.5 | 1957 |
| 3 | 19.0 | 1911 |
| 4 | 17.5 | 1919 |
| 5 | 17.1 | 2019 |
| 6 | 15.2 | 2018 |
| 7T | 14.4 | 1948,1955 |
| 9 | 14.3 | 2011 |
| 10 | 13.5 | 2006 |
| 11 | 12.7 | 2017 |
| 12 | 12.5 | 1956 |
| 13 | 12.0 | 1934 |
| 14 | 11.6 | 1909 |
| 15 | 11.3 | 2022 |
| 16 | 11.1 | 1910 |
| 17T | 11.0 | 1926,1949,1970 |
| 20 | 10.9 | 2005 |
| 21 | 10.6 | 1933 |
| 22T | 10.5 | 1965,1967 |
| 24 | 10.4 | 2021 |
| 25 | 10.3 | 2000 |
| 26 | 10.2 | 1940 |
| 27 | 10.0 | 1938 |
| 28 | 9.5 | 1947 |
| 29 | 9.3 | 1961 |
| 30T | 8.4 | 1946,1971 |
| 32 | 8.0 | 1959 |
| 33 | 7.6 | 2013 |
| 34 | 7.5 | 1962 |
| MONTHS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE MONTH. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS. | | |
| | E30.4 | 1985 |
| | E23.6 | 1991 |
| | E15.1 | 1979 |
| | E14.1 | 1993 |
| | E11.8 | 1978 |
| | E11.1 | 1983,1992 |

| Nov | Least | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------------|
| Rank | Snowiest | Year(s) |
| 1 | 0.0 | 1939 |
| 2 | 0.5 | 1941 |
| 3T | 1.0 | 1925,1930,1958,1960,1972 |
| 8T | 1.5 | 1913,1923,1924 |
| 11 | 1.6 | 2009 |
| 12 | 1.8 | 1951 |
| 13T | 2.0 | 1908,1917,1922,1952 |
| 17 | 2.2 | 2002 |
| 18 | 2.3 | 2020 |
| 19 | 2.6 | 1967 |
| 20 | 2.7 | 2003 |
| 21 | 3.0 | 1936 |
| 22 | 3.1 | 2015 |
| 23 | 3.2 | 2023 |
| 24T | 3.6 | 1974,1996 |
| 26T | 4.0 | 1932,1964 |
| 28 | 4.1 | 1927 |
| 29 | 4.2 | 1928 |
| 30 | 4.5 | 1998 |
| 31 | 4.6 | 2007 |
| 32T | 4.8 | 1935,1944,1987 |
| 35 | 4.9 | 1950 |
| 36T | 5.0 | 1920,1945 |
| 38 | 5.1 | 2004 |
| 39 | 5.4 | 1929 |
| 40T | 5.5 | 1916,1942,2012 |
| 43 | 6.0 | 1937 |
| 44T | 6.5 | 1914,1915,1918,1969 |
| MONTHS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE MONTH. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS. | | |
| | E0.5 | 1999 |
| | E1.3 | 1980 |
| | E2.3 | 1953,1973 |
| | E2.5 | 1981 |
| | E2.7 | 1984 |
| | E3.2 | 1988 |

RHINELANDER NOVEMBER HEATING DEGREE DAY RECORDS

(1991-2020 Normal Heating Degree Days - 1,022)

| Nov Rank | Greatest HDD | Year(s) |
|----------|--------------|----------------|
| 1 | 1,322 | 2014 |
| 2 | 1,316 | 1995 |
| 3 | 1,271 | 1985 |
| 4 | 1,256 | 1959 |
| 5 | 1,247 | 1976 |
| 6 | 1,228 | 1921 |
| 7 | 1,226 | 1926 |
| 8 | 1,221 | 1951 |
| 9 | 1,213 | 1911 |
| 10 | 1,201 | 1986 |
| 11 | 1,188 | 1932 |
| 12 | 1,186 | 1996 |
| 13 | 1,184 | 1929 |
| 14 | 1,177 | 1950 |
| 15 | 1,176 | 1991 |
| 16 | 1,173 | 2018 |
| 17 | 1,172 | 1910 |
| 18T | 1,169 | 1919,1989,2019 |
| 21 | 1,166 | 1933 |
| 22 | 1,160 | 1955 |
| 23 | 1,157 | 1936 |
| 24 | 1,144 | 1925 |
| 25 | 1,137 | 1993 |
| 26 | 1,133 | 1943 |
| 27 | 1,128 | 1947 |
| 28T | 1,125 | 1927,2002,2013 |
| 31 | 1,118 | 1992 |
| 32 | 1,117 | 1940 |
| 33 | 1,113 | 1920 |
| 34 | 1,105 | 1967 |
| 35 | 1,096 | 1916 |
| 36T | 1,092 | 1935,1997 |
| 38T | 1,084 | 1937,1984 |
| 40 | 1,078 | 1979 |
| 41 | 1,073 | 1972 |
| 42 | 1,072 | 2017 |
| 43 | 1,070 | 1978 |

| Nov Rank | Least HDD | Year(s) |
|----------|-----------|-----------|
| 1 | 744 | 2016 |
| 2 | 760 | 2001 |
| 3 | 784 | 1999 |
| 4 | 797 | 2009 |
| 5 | 821 | 1963 |
| 6 | 832 | 1909 |
| 7 | 838 | 1913 |
| 8T | 839 | 1931,1944 |
| 10 | 848 | 2015 |
| 11 | 854 | 1975 |
| 12 | 859 | 1930 |
| 13 | 864 | 2020 |
| 14 | 868 | 1953 |
| 15 | 878 | 1998 |
| 16 | 882 | 1964 |
| 17 | 888 | 1990 |
| 18 | 906 | 1934 |
| 19 | 907 | 1994 |
| 20 | 911 | 1981 |
| 21 | 912 | 1960 |
| 22 | 914 | 1954 |
| 23 | 917 | 1922 |
| 24 | 919 | 2011 |
| 25 | 923 | 2006 |
| 26 | 927 | 1939 |
| 27 | 933 | 2004 |
| 28 | 946 | 1941 |
| 29 | 947 | 1958 |
| 30 | 948 | 1962 |
| 31 | 949 | 1912 |
| 32 | 950 | 1918 |
| 33 | 953 | 1948 |
| 34 | 955 | 1917 |
| 35T | 960 | 1952,1987 |
| 37T | 963 | 1908,1923 |
| 39T | 969 | 1915,1974 |
| 41T | 976 | 1968,2022 |

RHINELANDER NOVEMBER COOLING DEGREE DAY RECORDS

(1991-2020 Normal Cooling Degree Days - 0)

| Nov | Greatest | |
|------|----------|-----------|
| Rank | CDD | Year(s) |
| | | |
| 1 | 0 | All Years |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| Nov | LEAST | |
|------|-------|-----------|
| Rank | CDD | Year(s) |
| | | |
| 1 | 0 | All Years |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

RHINELANDER DECEMBER TEMPERATURE RECORDS

(1991-2020 Normal: High 27.3 / Low 10.5 / Mean 18.9)

| Dec | Warmest | |
|------|---------|----------------|
| Rank | Mean | Year(s) |
| 1 | 29.6 | 2023 |
| 2 | 29.0 | 2015 |
| 3 | 28.3 | 1913 |
| 4 | 26.5 | 1939 |
| 5 | 26.1 | 1959 |
| 6 | 25.6 | 1931 |
| 7 | 25.2 | 1997 |
| 8T | 24.9 | 1911,1941 |
| 10 | 24.7 | 1923 |
| 11 | 24.5 | 1965 |
| 12 | 24.3 | 2018 |
| 13T | 24.0 | 1918,1994 |
| 15 | 23.8 | 2006 |
| 16T | 23.6 | 1998,2001 |
| 18 | 23.2 | 1952 |
| 19 | 22.8 | 1987 |
| 20 | 22.6 | 1982 |
| 21 | 22.5 | 2012 |
| 22 | 22.0 | 1979 |
| 23 | 21.8 | 1974 |
| 24 | 21.7 | 1912 |
| 25 | 21.6 | 2021 |
| 26 | 21.5 | 2011 |
| 27 | 21.3 | 2003 |
| 28 | 21.0 | 2002 |
| 29 | 20.9 | 1956 |
| 30 | 20.7 | 1928 |
| 31T | 20.6 | 1930,1999 |
| 33T | 20.5 | 1953,2021 |
| 35T | 20.2 | 1943,1957 |
| 37T | 20.0 | 1920,1954,1993 |
| 40 | 19.6 | 2019 |
| 41T | 19.5 | 1915,1940 |
| 43 | 19.4 | 1936 |
| 44 | 19.3 | 1967 |
| 45T | 18.8 | 1991,1992 |
| 47 | 18.7 | 1946 |
| 48T | 18.5 | 1947,2014 |

| Dec | Coldest | |
|------|---------|---------------------|
| Rank | Mean | Year(s) |
| 1 | 3.2 | 1983 |
| 2 | 4.1 | 1985 |
| 3 | 5.0 | 1924 |
| 4 | 5.2 | 1919 |
| 5 | 5.4 | 1989 |
| 6 | 5.9 | 2000 |
| 7 | 6.6 | 1976 |
| 8T | 7.5 | 1927,2013 |
| 10 | 8.0 | 1917 |
| 11 | 10.1 | 1933 |
| 12 | 10.5 | 1958 |
| 13T | 10.8 | 1916,2008 |
| 15 | 11.4 | 1922 |
| 16 | 11.5 | 1950 |
| 17 | 11.7 | 1926,1963 |
| 19 | 11.9 | 1972 |
| 20 | 12.2 | 1914 |
| 21 | 12.6 | 1978 |
| 22 | 13.0 | 2017 |
| 23 | 13.2 | 1932 |
| 24 | 13.3 | 1995 |
| 25 | 13.4 | 1980 |
| 26 | 13.6 | 1955 |
| 27 | 13.7 | 1937 |
| 28T | 13.8 | 1925,1964 |
| 30 | 13.9 | 1945 |
| 31 | 14.0 | 1942 |
| 32 | 14.4 | 1951 |
| 33 | 14.7 | 1977 |
| 34 | 15.2 | 2007 |
| 35 | 15.3 | 1973 |
| 36 | 15.6 | 2009 |
| 37 | 15.8 | 1934 |
| 38T | 15.9 | 1910,1921,1981 |
| 41T | 16.0 | 1970,1984 |
| 43 | 16.1 | 1960 |
| 44T | 16.3 | 1909,1944,1975,1990 |

RHINELANDER DECEMBER TEMPERATURE RECORDS

HIGHEST MAXIMUM TEMPERATURE

| Highest Temp | Date(s) / Year(s) |
|--------------|---------------------------------|
| 62 | 02/1998 |
| 61 | 08/1939,03/1998 |
| 60 | 02/1982 |
| 57 | 05/1998,05/2001 |
| 56 | 04/1916,03/1962,04/2017 |
| 55 | 01/1962,01/1998,04/1998,03/2012 |
| 54 | 13/1913,09/1946,04/1962,15/2021 |
| 53 | 12/1913,09/1939 |

LOWEST MINIMUM TEMPERATURE

| Lowest Temp | Date(s) / Year(s) |
|-------------|-----------------------------------------|
| -34 | 27/1924,18/1983 |
| -32 | 19/1983,20/1983 |
| -31 | 25/1933 |
| -29 | 30/1917,24/2004 |
| -28 | 29/1917,15/1919,16/1919,28/1924 |
| -27 | 15/1926,27/1933,31/1967,31/1973,29/1976 |
| -27 | 30/1976,23/1983 |
| -26 | Many Occurrences – Last 23/1989 |

RHINELANDER DECEMBER TEMPERATURE RECORDS

LOWEST MAXIMUM TEMPERATURE

| Lowest | |
|--------|-----------------------------------------|
| Max | Date(s) / Year(s) |
| -11 | 23/1983 |
| -10 | 26/1933,18/1983 |
| -9 | 15/1926,20/1989 |
| -8 | 28/1917,15/1919,16/1919,08/1927,27/1933 |
| -7 | 28/1924,14/1926,28/1933,22/1983 |
| -6 | 17/1922,20/1924,21/1989 |
| -5 | 29/1924,26/2017 |
| -4 | 30/1938,24/1983 |

HIGHEST MINIMUM TEMPERATURE

| Highest | |
|---------|---------------------------------|
| Min | Date(s) / Year(s) |
| 47 | 03/1962 |
| 45 | 25/2023 |
| 44 | 02/1962 |
| 42 | 04/1941 |
| 40 | 02/1982,04/2017 |
| 39 | 05/1960 |
| 38 | 02/1913,22/1941,24/2023 |
| 37 | 26/1936,03/1951,05/1998,15/2021 |
| 36 | 02/1951,10/2015 |

RHINELANDER DECEMBER PRECIPITATION RECORDS

(1991-2020 Normal Precipitation - 1.57 Inches)

| Dec | | |
|------|---------|----------------|
| Rank | Wettest | Year(s) |
| | | |
| 1 | 3.96 | 2015 |
| 2 | 3.50 | 2019 |
| 3 | 2.74 | 1968 |
| 4 | 2.62 | 1972 |
| 5 | 2.60 | 1982 |
| 6 | 2.57 | 2006 |
| 7 | 2.41 | 2021 |
| 8 | 2.40 | 1959 |
| 9 | 2.34 | 2022 |
| 10 | 2.33 | 1984 |
| 11 | 2.29 | 2007 |
| 12 | 2.27 | 1971 |
| 13 | 2.21 | 1932 |
| 14 | 2.17 | 2004 |
| 15 | 2.10 | 2009 |
| 16 | 2.07 | 2016 |
| 17 | 2.06 | 2008 |
| 18 | 2.04 | 1927 |
| 19 | 2.03 | 1996 |
| 20T | 2.02 | 1912,2014 |
| 22 | 2.00 | 1969 |
| 23 | 1.97 | 1911 |
| 24 | 1.95 | 1950 |
| 25 | 1.93 | 2001 |
| 26 | 1.91 | 1939 |
| 27T | 1.90 | 1940,1970 |
| 29 | 1.86 | 1945 |
| 30 | 1.85 | 1977 |
| 31 | 1.80 | 1992 |
| 32 | 1.76 | 1920 |
| 33 | 1.73 | 2017 |
| 34 | 1.69 | 1953 |
| 35 | 1.67 | 1938 |
| 36T | 1.66 | 1987,2013 |
| 38 | 1.65 | 1964 |
| 39T | 1.62 | 1942,2010,2011 |
| 42 | 1.55 | 1973 |
| 43 | 1.46 | 1918 |
| 44 | 1.44 | 1978 |

| Dec | | |
|------|--------|----------------|
| Rank | Driest | Year(s) |
| | | |
| 1T | 0.03 | 1913,1943 |
| 3 | 0.14 | 1930 |
| 4 | 0.18 | 1928 |
| 5 | 0.21 | 1919 |
| 6 | 0.23 | 1914 |
| 7 | 0.33 | 1958 |
| 8 | 0.35 | 1994 |
| 9 | 0.37 | 1929 |
| 10 | 0.39 | 1967 |
| 11 | 0.40 | 1960 |
| 12 | 0.41 | 1957 |
| 13 | 0.42 | 1954 |
| 14 | 0.43 | 1935 |
| 15T | 0.45 | 1956,1976 |
| 17 | 0.46 | 1944 |
| 18 | 0.47 | 1986 |
| 19 | 0.52 | 1910 |
| 20 | 0.53 | 1948 |
| 21 | 0.57 | 1922 |
| 22T | 0.59 | 1979,1993,1997 |
| 25 | 0.61 | 1989 |
| 26 | 0.63 | 1916 |
| 27 | 0.64 | 1937 |
| 28 | 0.65 | 2002 |
| 29 | 0.66 | 1962 |
| 30 | 0.71 | 1917 |
| 31 | 0.74 | 1925 |
| 32T | 0.76 | 1999,2023 |
| 34 | 0.77 | 1990 |
| 35 | 0.78 | 2021 |
| 36 | 0.79 | 1974 |
| 37T | 0.80 | 1908,1923 |
| 39 | 0.82 | 1963 |
| 40 | 0.84 | 1998 |
| 41 | 0.85 | 1924 |
| 42 | 0.88 | 2012 |
| 43 | 0.91 | 1941 |
| | | |
| | | |

RHINELANDER DECEMBER SNOWFALL RECORDS

(1991-2020 Normal Snowfall - 17.7 INCHES)

| Dec | | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| Rank | Snowiest | Year(s) |
| 1 | 46.0 | 1968 |
| 2 | 32.3 | 2021 |
| 3 | 31.7 | 1927 |
| 4 | 31.0 | 1996 |
| 5 | 29.0 | 1950 |
| 6 | 27.2 | 2008 |
| 7 | 27.0 | 1938 |
| 8 | 26.6 | 2010 |
| 9 | 25.5 | 2019 |
| 10 | 23.5 | 2007 |
| 11 | 23.1 | 2013 |
| 12 | 23.0 | 2009 |
| 13 | 22.5 | 1959 |
| 14 | 21.5 | 1972 |
| 15 | 21.0 | 2022 |
| 16 | 19.6 | 2016 |
| 17T | 19.4 | 1911,1969 |
| 19T | 19.0 | 1961,2014 |
| 21 | 18.5 | 2000 |
| 22 | 18.2 | 2004 |
| 23 | 17.3 | 1964 |
| 24 | 16.8 | 1945 |
| 25 | 16.4 | 1973 |
| 26 | 16.3 | 2005 |
| 27 | 15.7 | 1908 |
| 28 | 15.4 | 1921 |
| 29 | 15.3 | 1946 |
| 30 | 15.0 | 1940 |
| 31 | 14.7 | 1934 |
| 32T | 14.6 | 1933,1942 |
| 34 | 14.5 | 1966 |
| 35 | 14.1 | 2006 |
| | | |
| MONTHS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE MONTH. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS. | | |
| | E25.4 | 1984 |
| | E23.1 | 1977 |
| | E19.1 | 1995 |

| Dec | Least | |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------------|
| Rank | Snowiest | Year(s) |
| 1 | T | 1913 |
| 2 | 0.5 | 1943 |
| 3 | 1.0 | 1960 |
| 4 | 1.5 | 1919 |
| 5 | 1.9 | 2002 |
| 6 | 2.0 | 1928 |
| 7 | 2.4 | 1914 |
| 8 | 2.5 | 1957 |
| 9 | 3.0 | 1930 |
| 10 | 3.3 | 1948 |
| 11 | 3.8 | 2001 |
| 12 | 4.1 | 1956 |
| 13 | 4.7 | 1954 |
| 14 | 4.8 | 2023 |
| 15T | 5.0 | 1916,1923,1925,1965,1994 |
| 20T | 5.4 | 1944,1958 |
| 22 | 5.5 | 1935 |
| 23 | 5.7 | 1941 |
| 24T | 6.0 | 1922,1931,1949,1975,1976 |
| 29 | 6.4 | 1912 |
| 30T | 7.0 | 1924,1988 |
| 32 | 7.1 | 1967 |
| 33T | 7.4 | 1917,1997 |
| 35 | 7.5 | 1915 |
| 36 | 8.0 | 1929 |
| 37 | 8.4 | 2021 |
| 38T | 8.5 | 1932,1998 |
| 40T | 9.0 | 1970,1982 |
| 42 | 9.2 | 2018 |
| 43 | 9.7 | 1947 |
| 44T | 10.0 | 1936,1974 |
| | | |
| | | |
| MONTHS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE MONTH. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS. | | |
| | E4.9 | 1979 |
| | E5.2 | 1993 |
| | E7.2 | 1999 |

RHINELANDER DECEMBER HEATING DEGREE DAY RECORDS

(1991-2020 Normal Heating Degree Days - 1,429)

| Dec Rank | Greatest HDD | Year(s) |
|----------|--------------|-----------|
| 1 | 1,914 | 1983 |
| 2 | 1,889 | 1985 |
| 3 | 1,858 | 1924 |
| 4 | 1,856 | 1919 |
| 5 | 1,842 | 1989 |
| 6 | 1,831 | 2000 |
| 7 | 1,807 | 1976 |
| 8 | 1,779 | 1927 |
| 9 | 1,771 | 2013 |
| 10 | 1,765 | 1917 |
| 11 | 1,698 | 1933 |
| 12 | 1,683 | 1958 |
| 13 | 1,678 | 1916 |
| 14 | 1,674 | 2008 |
| 15 | 1,659 | 1922 |
| 16 | 1,651 | 1950 |
| 17 | 1,648 | 1926 |
| 18 | 1,646 | 1963 |
| 19 | 1,641 | 1972 |
| 20 | 1,632 | 1914 |
| 21 | 1,620 | 1978 |
| 22 | 1,604 | 2017 |
| 23 | 1,603 | 1932 |
| 24 | 1,599 | 1995 |
| 25 | 1,596 | 1980 |
| 26 | 1,587 | 1955 |
| 27 | 1,586 | 1937 |
| 28 | 1,580 | 1964 |
| 29 | 1,579 | 1925 |
| 30 | 1,578 | 1945 |
| 31 | 1,574 | 1942 |
| 32 | 1,563 | 1951 |
| 33 | 1,552 | 1977 |
| 34 | 1,537 | 2007 |
| 35 | 1,535 | 1973 |
| 36 | 1,526 | 2009 |
| 37T | 1,517 | 1934,1981 |

| Dec Rank | Least HDD | Year(s) |
|----------|-----------|-----------|
| 1 | 1,090 | 2023 |
| 2 | 1,109 | 2015 |
| 3 | 1,131 | 1913 |
| 4 | 1,182 | 1939 |
| 5 | 1,200 | 1959 |
| 6 | 1,211 | 1931 |
| 7 | 1,230 | 1997 |
| 8 | 1,237 | 1911 |
| 9 | 1,238 | 1923 |
| 10 | 1,240 | 1941 |
| 11 | 1,248 | 1965 |
| 12 | 1,254 | 2018 |
| 13 | 1,263 | 1994 |
| 14 | 1,264 | 1918 |
| 15 | 1,271 | 2006 |
| 16 | 1,275 | 2001 |
| 17 | 1,276 | 1998 |
| 18 | 1,289 | 1952 |
| 19 | 1,303 | 1987 |
| 20 | 1,305 | 1982 |
| 21 | 1,310 | 2012 |
| 22 | 1,326 | 1979 |
| 23 | 1,334 | 1974 |
| 24T | 1,338 | 1912,2021 |
| 26 | 1,340 | 2011 |
| 27 | 1,348 | 2003 |
| 28 | 1,355 | 2002 |
| 29 | 1,361 | 1956 |
| 30 | 1,369 | 1930 |
| 31 | 1,370 | 1999 |
| 32 | 1,371 | 1928 |
| 33 | 1,372 | 1953 |
| 34 | 1,373 | 2021 |
| 35 | 1,383 | 1943 |
| 36 | 1,384 | 1957 |
| 37 | 1,388 | 1920 |
| 38T | 1,391 | 1954,1993 |
| 40 | 1,399 | 2019 |

RHINELANDER YEARLY TEMPERATURE RECORDS

HIGHEST MAXIMUM TEMPERATURE

| Highest | |
|---------|----------------------------------|
| Temp | Date(s) / Year(s) |
| 108 | 07/13/1936 |
| 106 | 07/11/1936 |
| 105 | 07/12/1936 |
| 104 | 06/29/1931 |
| 102 | 07/14/1936 |
| 101 | 07/08/1936 |
| 100 | 07/11/1937,07/13/1995,07/15/2006 |
| 99 | 05/31/1934,07/23/1934 |

LOWEST MINIMUM TEMPERATURE

| Lowest | |
|--------|-------------------------------------------------------------------|
| Temp | Date(s) / Year(s) |
| -42 | 02/03/1996 |
| -41 | 01/28/1915,02/16/1936 |
| -40 | 01/06/1912,02/09/1951,01/16/1982 |
| -39 | 01/15/1972 |
| -38 | 01/07/1912,01/12/1912,01/24/1935,01/17/1982,02/01/1996 |
| -37 | 01/12/1909,01/24/1922,01/25/1922,01/09/1977,02/19/1929,02/01/1938 |

RHINELANDER YEARLY TEMPERATURE RECORDS

LOWEST MAXIMUM TEMPERATURE

| Lowest | |
|--------|----------------------------------|
| Max | Date(s) / Year(s) |
| -19 | 01/18/1984 |
| -18 | 01/01/1920 |
| -17 | 01/06/2014 |
| -16 | 01/23/1963,02/17/1936 |
| -15 | 01/07/1912,01/13/1929,02/02/1996 |
| -14 | 01/06/1912,01/11/1912,01/25/1972 |
| -13 | 01/10/1912,01/12/1912,01/19/1985 |
| -12 | 01/29/1951,01/14/1972 |
| | |

HIGHEST MINIMUM TEMPERATURE

| Highest | |
|---------|----------------------------------------------------------------------------------------------------|
| Min | Date(s) / Year(s) |
| 76 | 06/20/1909,07/27/1914,09/09/1912 |
| 75 | 07/02/1911,06/27/1991 |
| 74 | 06/30/1913,07/05/1914,06/18/1921,06/28/1931,07/13/1936,08/12/1947,07/29/1959,07/01/1970,06/15/1994 |
| 74 | 07/04/1999,07/16/2006 |
| 73 | 07/24/1934,07/18/1942,06/27/1944,08/05/1947,07/01/2002 |
| | |

RHINELANDER YEARLY PRECIPITATION RECORDS

(1991-2020 Normal Precipitation - 34.49 Inches)

| Year | | |
|------|---------|-----------|
| Rank | Wettest | Year(s) |
| 1 | 43.15 | 2019 |
| 2 | 42.86 | 2016 |
| 3 | 42.42 | 1911 |
| 4T | 41.62 | 1990,2014 |
| 6 | 41.51 | 1938 |
| 7 | 40.71 | 1991 |
| 8 | 40.36 | 1951 |
| 9 | 40.29 | 2017 |
| 10 | 39.92 | 1978 |
| 11 | 39.79 | 1916 |
| 12 | 39.59 | 1968 |
| 13 | 39.51 | 1942 |
| 14 | 39.01 | 1977 |
| 15 | 38.89 | 2002 |
| 16 | 38.05 | 1973 |
| 17 | 37.73 | 1959 |
| 18 | 37.54 | 2000 |
| 19 | 36.98 | 1985 |
| 20 | 36.87 | 2013 |
| 21 | 36.66 | 1926 |
| 22 | 36.42 | 2001 |
| 23 | 36.18 | 1971 |
| 24 | 35.83 | 1934 |
| 25 | 35.68 | 1972 |
| 26 | 35.54 | 1940 |
| 27 | 35.49 | 2020 |
| 28 | 35.07 | 1912 |
| 29 | 35.05 | 1982 |
| 30 | 34.84 | 1929 |
| 31 | 34.79 | 1931 |
| 32 | 34.69 | 1994 |
| 33 | 34.64 | 1941 |
| 34 | 34.63 | 1918 |
| 35 | 34.50 | 1945 |
| 36 | 34.49 | 1919 |
| 37 | 34.34 | 2018 |
| 38T | 34.19 | 1928,2004 |
| 40 | 34.07 | 1946 |

| Year | | |
|------|--------|---------|
| Rank | Driest | Year(s) |
| 1 | 16.90 | 1989 |
| 2 | 17.63 | 1976 |
| 3 | 18.16 | 1910 |
| 4 | 20.18 | 1963 |
| 5 | 21.01 | 1987 |
| 6 | 22.13 | 1917 |
| 7 | 22.45 | 1948 |
| 8 | 22.73 | 1988 |
| 9 | 22.83 | 1957 |
| 10 | 23.51 | 2009 |
| 11 | 24.38 | 1962 |
| 12 | 24.59 | 1925 |
| 13 | 24.79 | 1932 |
| 14 | 24.97 | 1947 |
| 15 | 24.98 | 1930 |
| 16 | 25.36 | 1933 |
| 17 | 25.61 | 1966 |
| 18 | 25.88 | 1944 |
| 19 | 25.94 | 1908 |
| 20 | 26.21 | 1998 |
| 21 | 26.50 | 2008 |
| 22 | 26.64 | 1969 |
| 23 | 26.73 | 1937 |
| 24 | 26.86 | 1922 |
| 25 | 26.94 | 1956 |
| 26 | 27.17 | 1952 |
| 27 | 27.24 | 2023 |
| 28 | 27.53 | 2003 |
| 29 | 27.55 | 1920 |
| 30 | 27.81 | 2011 |
| 31 | 28.06 | 1923 |
| 32 | 28.17 | 1974 |
| 33 | 28.40 | 1924 |
| 34 | 28.58 | 1981 |
| 35 | 28.64 | 1936 |
| 36 | 28.68 | 1958 |
| 37 | 28.93 | 1955 |
| 38 | 29.06 | 1953 |

RHINELANDER YEARLY HEATING DEGREE DAY RECORDS

(1991-2020 Normal Heating Degree Days - 8,831)

| Year | Greatest | |
|------|----------|-----------|
| Rank | HDD | Year(s) |
| 1 | 10,684 | 1917 |
| 2 | 10,379 | 2014 |
| 3 | 10,324 | 1924 |
| 4 | 10,056 | 1926 |
| 5 | 10,016 | 1972 |
| 6 | 9,980 | 1950 |
| 7 | 9,929 | 1929 |
| 8 | 9,838 | 1996 |
| 9 | 9,774 | 1936 |
| 10 | 9,766 | 1916 |
| 11 | 9,753 | 2013 |
| 12 | 9,681 | 1951 |
| 13 | 9,672 | 1985 |
| 14 | 9,639 | 1937 |
| 15 | 9,609 | 1927 |
| 16 | 9,557 | 1979 |
| 17 | 9,538 | 1923 |
| 18 | 9,502 | 1912 |
| 19 | 9,500 | 1976 |
| 20 | 9,471 | 1943 |
| 21 | 9,468 | 1978 |
| 22 | 9,457 | 1974 |
| 23 | 9,445 | 2008 |
| 24 | 9,429 | 1925 |
| 25 | 9,424 | 1920 |
| 26 | 9,406 | 1932 |
| 27 | 9,400 | 2003 |
| 28 | 9,369 | 1940 |
| 29T | 9,357 | 1928,1933 |
| 31 | 9,354 | 1970 |
| 32 | 9,343 | 1982 |
| 33T | 9,290 | 1918,1919 |
| 35 | 9,287 | 1980 |
| 36 | 9,279 | 2022 |
| 37T | 9,244 | 1971,2019 |
| 39 | 9,214 | 1993 |
| 40 | 9,192 | 1988 |
| 41 | 9,156 | 1995 |

| Year | Least | |
|------|-------|-----------|
| Rank | HDD | Year(s) |
| 1 | 7,177 | 1998 |
| 2 | 7,538 | 2018 |
| 3 | 7,613 | 1931 |
| 4 | 7,872 | 2012 |
| 5 | 7,899 | 2016 |
| 6 | 7,920 | 1999 |
| 7 | 8,005 | 1987 |
| 8 | 8,035 | 2010 |
| 9 | 8,043 | 2023 |
| 10 | 8,207 | 2006 |
| 11 | 8,238 | 1946 |
| 12 | 8,261 | 1953 |
| 13 | 8,280 | 2021 |
| 14 | 8,294 | 1990 |
| 15 | 8,304 | 1944 |
| 16 | 8,327 | 1908 |
| 17 | 8,336 | 1941 |
| 18 | 8,339 | 2017 |
| 19 | 8,352 | 1968 |
| 20 | 8,369 | 1961 |
| 21 | 8,377 | 1964 |
| 22 | 8,383 | 1911 |
| 23 | 8,451 | 1921 |
| 24 | 8,471 | 2001 |
| 25T | 8,478 | 1949,2015 |
| 27 | 8,490 | 2005 |
| 28 | 8,497 | 1910 |
| 29 | 8,520 | 1915 |
| 30 | 8,537 | 1956 |
| 31 | 8,540 | 1958 |
| 32 | 8,550 | 1930 |
| 33 | 8,567 | 1973 |
| 34 | 8,576 | 2007 |
| 35 | 8,594 | 1955 |
| 36 | 8,595 | 1938 |
| 37 | 8,610 | 1952 |
| 38 | 8,630 | 1913 |
| 39 | 8,661 | 1963 |
| 40T | 8,662 | 1957,1991 |

RHINELANDER YEARLY COOLING DEGREE DAY RECORDS

(1991-2020 Normal Cooling Degree Days - 282)

| Year | Greatest | |
|------|----------|-----------|
| Rank | CDD | Year(s) |
| | | |
| 1 | 611 | 1955 |
| 2 | 566 | 2018 |
| 3 | 558 | 1921 |
| 4 | 551 | 1937 |
| 5 | 545 | 1988 |
| 6 | 537 | 1947 |
| 7 | 531 | 1959 |
| 8 | 514 | 1983 |
| 9T | 508 | 1935,1995 |
| 11 | 484 | 1933 |
| 12 | 479 | 1936 |
| 13 | 475 | 2005 |
| 14 | 473 | 1966 |
| 15 | 460 | 1931 |
| 16 | 459 | 1998 |
| 17 | 456 | 1999 |
| 18 | 453 | 1964 |
| 19 | 450 | 1911 |
| 20 | 444 | 1975 |
| 21 | 437 | 1908 |
| 22 | 433 | 1934 |
| 23 | 432 | 1916 |
| 24 | 429 | 1987 |
| 25T | 423 | 1961,1968 |
| 27 | 421 | 2007 |
| 28 | 420 | 1963 |
| 29 | 413 | 1910 |
| 30 | 412 | 1991 |
| 31 | 409 | 1939 |
| 32 | 404 | 2010 |
| 33 | 403 | 1949 |
| 34 | 401 | 1969 |
| 35 | 395 | 1914 |
| 36 | 394 | 1957 |
| 37 | 391 | 1913 |
| 38 | 389 | 1970 |
| 39 | 383 | 1941 |

| Year | Least | |
|------|-------|----------------|
| Rank | CDD | Year(s) |
| | | |
| 1 | 114 | 1924 |
| 2 | 115 | 1992 |
| 3 | 123 | 1951 |
| 4 | 128 | 1915 |
| 5 | 148 | 2014 |
| 6 | 149 | 1926 |
| 7 | 156 | 1918 |
| 8 | 157 | 1950 |
| 9 | 161 | 2009 |
| 10 | 165 | 1927 |
| 11 | 169 | 1985 |
| 12 | 170 | 2004 |
| 13 | 175 | 2000 |
| 14 | 179 | 1974 |
| 15 | 191 | 1917 |
| 16T | 201 | 1920,1979,2008 |
| 19 | 204 | 1986 |
| 20 | 206 | 1996 |
| 21 | 209 | 1928 |
| 22 | 212 | 1942 |
| 23 | 215 | 2017 |
| 24 | 217 | 1981 |
| 25 | 219 | 1993 |
| 26 | 224 | 1990 |
| 27 | 230 | 1972 |
| 28 | 233 | 2015 |
| 29T | 236 | 1945,1982 |
| 31 | 240 | 1967 |
| 32 | 242 | 1929 |
| 33 | 243 | 1954 |
| 34 | 244 | 1984 |
| 35T | 249 | 1946,1997 |
| 37 | 251 | 2003 |
| 38 | 252 | 1965 |
| 39T | 258 | 1971,1973 |
| 41 | 260 | 1994 |
| 42 | 264 | 1958 |

RHINELANDER SEASONAL HEATING DEGREE DAY RECORDS

(1991-2020 Normal Heating Degree Days - 8,831)

July 1 - June 30

| Season | Greatest | | Year | Least | |
|--------|----------|-----------------|------|-------|-----------------|
| Rank | HDD | Year(s) | Rank | HDD | Year(s) |
| | | | | | |
| 1 | 10,431 | 2013-14 | 1 | 7,575 | 2011-12 |
| 2 | 10,363 | 1916-17 | 2 | 7,634 | 1998-99 |
| 3 | 10,307 | 1919-20 | 3 | 7,638 | 1997-98 |
| 4 | 10,024 | 1995-96 | 4 | 7,774 | 2016-17 |
| 5 | 10,016 | 1917-18 | 5 | 7,794 | 2015-16 |
| 6 | 9,945 | 1925-26 | 6 | 7,909 | 1999-00 |
| 7 | 9,896 | 1927-28 | 7 | 7,917 | 1963-64 |
| 8 | 9,808 | 1922-23 | 8 | 8,107 | 2009-10 |
| 9 | 9,776 | 1978-79 | 9 | 8,108 | 1930-31 |
| 10 | 9,768 | 1911-12 | 10 | 8,122 | 2005-06 |
| 11 | 9,735 | 1935-36 | 11 | 8,175 | 1920-21 |
| 12 | 9,730 | 1926-27 | 12 | 8,286 | 1909-10 |
| 13 | 9,670 | 1923-24 | 13 | 8,289 | 1994-95 |
| 14 | 9,639 | 1928-29 | 14 | 8,318 | 1941-42 |
| 15 | 9,614 | 1942-43 | 15 | 8,333 | 1931-32 |
| 16 | 9,605 | 2014-15 | 16 | 8,342 | 1990-91 |
| 17 | 9,583 | 2002-03 | 17 | 8,368 | 1986-87 |
| 18 | 9,582 | 1985-86 | 18 | 8,380 | 1948-49 |
| 19 | 9,565 | 1981-82 | 19 | 8,385 | 1960-61 |
| 20 | 9,517 | 1949-50 | 20 | 8,399 | 1910-11 |
| 21 | 9,459 | 1950-51 | 21 | 8,437 | 1914-15 |
| 22 | 9,452 | 1936-37 | 22 | 8,453 | 1957-58 |
| 23 | 9,451 | 1932-33 | 23 | 8,463 | 1956-57 |
| 24 | 9,442 | 1977-78 | 24 | 8,468 | 1954-55 |
| 25 | 9,412 | 1970-71 | 25 | 8,484 | 1913-14 |
| 26 | 9,405 | 1971-72 | 26 | 8,534 | 2006-07 |
| 27 | 9,402 | 1993-94 | 27 | 8,545 | 1918-19 |
| 28 | 9,381 | 1969-70 | 28 | 8,548 | 1982-83 |
| 29T | 9,374 | 1915-16,1924-25 | 29 | 8,569 | 1968-69 |
| 31 | 9,353 | 1983-84 | 30T | 8,576 | 1944-45,1953-54 |
| 32 | 9,304 | 1973-74 | 32 | 8,587 | 1943-44 |
| 33 | 9,299 | 1976-77 | 33 | 8,607 | 1975-76 |
| 34T | 9,287 | 1996-97,2008-09 | 34 | 8,608 | 1952-53 |
| 36 | 9,243 | 1992-93 | 35 | 8,611 | 1945-46 |
| 37 | 9,233 | 1974-75 | 36 | 8,617 | 1967-68 |
| 38 | 9,219 | 2000-01 | 37 | 8,625 | 1940-41 |
| | | | | | |

RHINELANDER WINTER TEMPERATURE RECORDS

(Dec 1 - Feb 28/29 1991-2020 Normal: High 25.6 / Low 6.6 / Mean 16.1)

| Winter Rank | Warmest Mean | Year(s) |
|-------------|--------------|---------------------------------|
| | | |
| 1 | 25.5 | 2023-24 |
| 2 | 24.5 | 1997-98 |
| 3 | 22.3 | 2001-02 |
| 4 | 21.5 | 1930-31 |
| 5 | 21.2 | 2015-16 |
| 6 | 21.1 | 1982-83 |
| 7 | 20.8 | 1943-44 |
| 8 | 20.4 | 2011-12 |
| 9 | 20.3 | 2016-17 |
| 10T | 19.7 | 1931-32,1959-60 |
| 12T | 19.2 | 1918-19,1998-99 |
| 14 | 19.1 | 2022-23 |
| 15 | 19.0 | 1986-87 |
| 16T | 18.7 | 1952-53,1999-00 |
| 18T | 18.6 | 1920-21,1991-92 |
| 20 | 18.4 | 1953-54 |
| 21T | 18.3 | 1913-14,1994-95 |
| 23 | 18.2 | 2005-06 |
| 24 | 18.1 | 1941-42 |
| 25 | 17.9 | 1939-40 |
| 26 | 17.4 | 1957-58 |
| 27 | 17.1 | 2012-13 |
| 28 | 16.9 | 1960-61 |
| 29T | 16.7 | 1908-09,1974-75,2009-10 |
| 32T | 16.4 | 1946-47,1963-64,2006-07 |
| 35T | 16.3 | 1910-11,1914-15,1940-41,1968-69 |
| 39T | 16.2 | 1948-49,1951-52 |
| 41T | 16.0 | 1965-66,2004-05 |
| 43 | 15.9 | 1975-76 |
| 44 | 15.7 | 2020-21 |
| 45 | 15.6 | 1992-93 |
| 46T | 15.5 | 1966-67,1996-97 |
| 48T | 15.4 | 1954-55,2003-04 |
| 50 | 15.3 | 1979-80 |
| 51 | 15.1 | 1956-57 |
| 52 | 15.0 | 1990-91 |
| 53 | 14.9 | 1967-68 |
| 54 | 14.8 | 1989-90 |

| Winter Rank | Coldest Mean | Year(s) |
|-------------|--------------|--------------------------|
| | | |
| 1 | 4.7 | 2013-14 |
| 2 | 5.7 | 1916-17 |
| 3 | 6.1 | 1919-20 |
| 4 | 6.3 | 1917-18 |
| 5 | 7.7 | 1935-36 |
| 6 | 8.1 | 1928-29 |
| 7 | 8.2 | 1978-79 |
| 8 | 8.6 | 1976-77 |
| 9 | 8.8 | 1985-86 |
| 10 | 8.9 | 1922-23 |
| 11 | 9.4 | 1962-63 |
| 12T | 9.8 | 1958-59,1971-72 |
| 14 | 10.0 | 1981-82 |
| 15 | 10.3 | 1911-12 |
| 16 | 10.5 | 1924-25 |
| 17 | 10.7 | 1993-94 |
| 18T | 10.8 | 1921-22,1995-96 |
| 20 | 10.9 | 2014-15 |
| 21T | 11.0 | 1927-28,2008-09 |
| 23 | 11.1 | 1970-71 |
| 24 | 11.2 | 1969-70 |
| 25 | 11.3 | 1950-51 |
| 26 | 11.4 | 1983-84 |
| 27 | 11.7 | 2000-01 |
| 28 | 11.8 | 1984-85 |
| 29T | 11.9 | 1926-27,1973-74 |
| 31 | 12.0 | 1964-65 |
| 32 | 12.1 | 1932-33 |
| 33T | 12.3 | 1942-43,1977-78, 2021-22 |
| 36 | 12.4 | 1987-88 |
| 37 | 12.7 | 1961-62 |
| 38 | 12.8 | 1947-48 |
| 39T | 13.0 | 1925-26,1936-37 |
| 41T | 13.2 | 1949-50,2002-03,2007-08 |
| 44 | 13.3 | 1933-34 |
| 45T | 13.5 | 1923-24,1929-30 |
| 47T | 13.7 | 1937-38,1944-45,2017-18 |
| | | |
| | | |

RHINELANDER WINTER TEMPERATURE RECORDS

(Dec 1 to Feb 28/29)

HIGHEST MAXIMUM TEMPERATURE

| Highest | |
|---------|-----------------------------------------------------------------------------------------|
| Temp | Date(s) / Year(s) |
| 65 | 02/27/2024 |
| 62 | 12/02/1998 |
| 61 | 12/08/1939,12/03/1998 |
| 60 | 02/16/1931,12/02/1982 |
| 59 | 02/24/1976,02/29/2001 |
| 58 | 02/20/1930,02/23/1930,02/24/1931,02/19/2017 |
| 57 | 02/19/1930,12/05/1998,12/05/2001 |
| 56 | 12/04/1916,02/22/1930,02/26/1958,12/03/1962,02/22/2000,02/26/2000,02/21/2017,12/04/2017 |

LOWEST MINIMUM TEMPERATURE

| Lowest | |
|--------|-------------------------------------------------------------------|
| Temp | Date(s) / Year(s) |
| -42 | 02/03/1996 |
| -41 | 01/28/1915,02/16/1936 |
| -40 | 01/06/1912,02/09/1951,01/16/1982 |
| -39 | 01/15/1972 |
| -38 | 01/07/1912,01/12/1912,01/24/1955,01/17/1982,02/01/1996 |
| -37 | 01/12/1909,01/24/1922,01/25/1922,02/19/1929,02/01/1938,01/09/1977 |

RHINELANDER WINTER TEMPERATURE RECORDS

(Dec 1 to Feb 28/29)

LOWEST MAXIMUM TEMPERATURE

| Lowest | |
|--------|----------------------------------|
| Max | Date(s) / Year(s) |
| -19 | 01/18/1994 |
| -18 | 01/01/1920 |
| -17 | 01/06/2014 |
| -16 | 02/17/1936,01/23/1963 |
| -15 | 01/07/1912,01/13/1929,02/02/1996 |
| -14 | 01/06/1912,01/11/1912,01/25/1972 |
| -13 | 01/10/1912,01/12/1912,01/19/1985 |

HIGHEST MINIMUM TEMPERATURE

| Highest | |
|---------|----------------------------------------------------------------|
| Min | Date(s) / Year(s) |
| 47 | 12/03/1962 |
| 45 | 12/25/2023 |
| 44 | 12/02/1962 |
| 42 | 12/04/1941,01/26/1944 |
| 40 | 12/02/1982,12/04/2017 |
| 39 | 12/05/1960,02/29/2000 |
| 38 | 12/02/1913,02/22/1930,12/22/1941,02/21/2017,12/24/2023 |
| 37 | 12/26/1926,12/03/1951,02/19/1994,12/05/1998,02/20/2017,15/2021 |

RHINELANDER WINTER PRECIPITATION RECORDS

(Dec 1 - Feb 28/29 1991-2020 Normal Precipitation - 4.00 Inches)

| Winter Rank | Wettest | Winter(s) |
|-------------|---------|-----------------|
| 1 | 7.94 | 2004-05 |
| 2 | 7.22 | 1970-71 |
| 3 | 7.19 | 1938-39 |
| 4 | 6.44 | 1936-37 |
| 5 | 5.69 | 2015-16 |
| 6 | 5.67 | 2022-23 |
| 7 | 5.65 | 1968-69 |
| 8 | 5.56 | 1934-35 |
| 9 | 5.44 | 2016-17 |
| 10 | 5.40 | 2011-12 |
| 11 | 5.30 | 1949-50 |
| 12 | 5.29 | 1996-97 |
| 13 | 4.98 | 1939-40 |
| 14 | 4.97 | 1931-32 |
| 15 | 4.96 | 1932-33 |
| 16 | 4.90 | 1982-83 |
| 17 | 4.88 | 1921-22 |
| 18 | 4.73 | 1945-46 |
| 19 | 4.66 | 1978-79 |
| 20T | 4.60 | 1998-99,2007-08 |
| 22 | 4.57 | 1950-51 |
| 23 | 4.56 | 2003-04 |
| 24 | 4.52 | 1971-72 |
| 25 | 4.48 | 1937-38 |
| 26 | 4.44 | 1995-96 |
| 27 | 4.42 | 2001-02 |
| 28 | 4.41 | 1966-67 |
| 29 | 4.27 | 2013-14 |
| 30 | 4.26 | 1972-73 |
| 31 | 4.22 | 1999-00 |
| 32 | 4.16 | 2006-07 |
| 33 | 4.11 | 1952-53 |
| 34 | 4.04 | 1974-75 |
| 35 | 4.02 | 2017-18 |
| 36T | 3.92 | 1927-28,2021-22 |
| 38 | 3.90 | 1915-16 |

| Winter Rank | Driest | Winter(s) |
|-------------|--------|-----------------|
| 1 | 0.93 | 1957-58 |
| 2 | 1.14 | 1930-31 |
| 3 | 1.18 | 1958-59 |
| 4 | 1.25 | 1994-95 |
| 5 | 1.36 | 1986-87 |
| 6 | 1.42 | 1962-63 |
| 7 | 1.46 | 1956-57 |
| 8 | 1.47 | 1976-77 |
| 9 | 1.50 | 1989-90 |
| 10 | 1.57 | 1967-68 |
| 11 | 1.68 | 1943-44 |
| 12 | 1.72 | 1954-55 |
| 13 | 1.74 | 1913-14 |
| 14 | 1.76 | 1963-64 |
| 15 | 1.80 | 1907-08 |
| 16 | 1.88 | 1960-61 |
| 17T | 1.90 | 1916-17,1929-30 |
| 19 | 1.93 | 1955-56 |
| 20 | 2.02 | 2023-24 |
| 21 | 2.05 | 1908-09 |
| 22 | 2.07 | 1933-34 |
| 23 | 2.10 | 2002-03 |
| 24 | 2.15 | 1923-24 |
| 25 | 2.21 | 1946-47 |
| 26 | 2.24 | 1922-23 |
| 27 | 2.25 | 1941-42 |
| 28 | 2.27 | 1928-29 |
| 29 | 2.29 | 1909-10 |
| 30 | 2.32 | 1924-25 |
| 31 | 2.35 | 1910-11 |
| 32 | 2.38 | 1985-86 |
| 33 | 2.40 | 1919-20 |
| 34 | 2.43 | 1993-94 |
| 35 | 2.44 | 1990-91 |
| 36 | 2.48 | 1926-27 |
| 37 | 2.50 | 1911-12 |

RHINELANDER WINTER HEATING DEGREE DAY RECORDS

(Dec 1 - Feb 28/29 1991-2020 Normal Heating Degree Days – 4,400)

| Winter Rank | Greatest HDD | Year(s) | Winter Rank | Least HDD | Year(s) |
|-------------|--------------|------------------|-------------|-----------|-----------------|
| | | | | | |
| 1 | 5,395 | 2013-14 | | | |
| 2 | 5,362 | 1919-20 | 1 | 3,644 | 1997-98 |
| 3 | 5,329 | 1916-17 | 2 | 3,824 | 2001-02 |
| 4 | 5,291 | 1917-18 | 3 | 3,901 | 1930-31 |
| 5 | 5,195 | 1935-36 | 4 | 3,939 | 1982-83 |
| 6 | 5,108 | 1928-29 | 5 | 3,966 | 2015-16 |
| 7 | 5,105 | 1978-79 | 6 | 3,985 | 2016-17 |
| 8 | 5,088 | 1976-77 | 7T | 3,992 | 1918-19,1943-44 |
| 9 | 5,056 | 1985-86 | 9 | 4,044 | 2011-12 |
| 10 | 5,021 | 1922-23 | 10 | 4,086 | 1931-32 |
| 11 | 5,013 | 1971-72 | 11 | 4,100 | 1959-60 |
| 12 | 4,995 | 1962-63 | 12 | 4,108 | 2022-23 |
| 13 | 4,971 | 1911-12 | 13 | 4,117 | 1998-99 |
| 14 | 4,963 | 1958-59 | 14 | 4,135 | 1986-87 |
| 15 | 4,947 | 1981-82 | 15 | 4,143 | 1952-53 |
| 16 | 4,929 | 1995-96 | 16 | 4,153 | 1920-21 |
| 17 | 4,912 | 1924-25 | 17 | 4,160 | 1913-14 |
| 18 | 4,907 | 1927-28 | 18 | 4,173 | 1994-95 |
| 19 | 4,886 | 1983-84 | 19 | 4,184 | 2005-06 |
| 20 | 4,877 | 1993-94 | 20 | 4,194 | 1941-42 |
| 21 | 4,866 | 2008-09 | 21 | 4,197 | 1953-54 |
| 22 | 4,857 | 1921-22 | 22T | 4,206 | 1991-92,1999-00 |
| 23 | 4,846 | 1970-71 | 24 | 4,221 | 1939-40 |
| 24 | 4,835 | 1969-70 | 25 | 4,256 | 1957-58 |
| 25 | 4,829 | 1950-51 | 26 | 4,280 | 2012-13 |
| 26 | 4,820 | 2014-15 | 27 | 4,321 | 1960-61 |
| 27 | 4,813 | 1977-78 | 28 | 4,329 | 1974-75 |
| 28T | 4,782 | 1926-27, 2000-01 | 29 | 4,334 | 1908-09 |
| 30 | 4,777 | 1987-88 | 30 | 4,338 | 2006-07 |
| 31 | 4,773 | 1984-85 | 31 | 4,340 | 2009-10 |
| 32 | 4,759 | 1973-74 | 32 | 4,356 | 1946-47 |
| 33 | 4,755 | 1964-65 | 33 | 4,362 | 1940-41 |
| 34 | 4,746 | 1947-48 | 34 | 4,369 | 1968-69 |
| 35 | 4,734 | 1942-43 | 35 | 4,374 | 1948-49 |
| 36 | 4,728 | 1932-33 | 36 | 4,380 | 1910-11 |
| 37 | 4,707 | 2021-22 | 37 | 4,386 | 1914-15 |
| 38 | 4,700 | 1961-62 | 38 | 4,392 | 2020-21 |
| | | | 39 | 4,398 | 1965-66 |
| | | | 40 | 4,403 | 1963-64 |

RHINELANDER SPRING TEMPERATURE RECORDS

(Mar 1 - May 31 1991-2020 Normal: High 52.5 / Low 28.9 / Mean 40.7)

| Spring Rank | Warmest Mean | Year(s) |
|-------------|--------------|---------------------|
| 1 | 47.6 | 1977 |
| 2 | 47.2 | 2010 |
| 3 | 47.1 | 2012 |
| 4 | 45.6 | 1910 |
| 5 | 45.5 | 1998 |
| 6T | 45.4 | 1911,1987 |
| 8T | 44.9 | 1946,2000 |
| 10 | 44.7 | 1968 |
| 11 | 44.4 | 1999 |
| 12 | 44.3 | 1991 |
| 13 | 44.0 | 1985 |
| 14 | 43.9 | 1955 |
| 15 | 43.8 | 1986 |
| 16 | 43.2 | 2006 |
| 17T | 43.0 | 1921,1959 |
| 19T | 42.9 | 1962,1964,2007,2016 |
| 23 | 42.8 | 1945 |
| 24 | 42.7 | 1988 |
| 25T | 42.6 | 1930,1935 |
| 27 | 42.5 | 2021 |
| 28T | 42.4 | 1942,1963 |
| 30 | 42.3 | 1958 |
| 31T | 42.1 | 1922,1941 |
| 33 | 41.9 | 1915 |
| 34T | 41.8 | 1957,1994 |
| 36T | 41.7 | 1990,2015 |
| 38 | 41.6 | 1969 |
| 39 | 41.5 | 1981 |
| 40 | 41.4 | 1980 |
| 41T | 41.3 | 1908,1949,2001,2017 |
| 45T | 41.2 | 1931,1936,1948 |
| 48T | 41.1 | 1918,1973 |
| 50T | 40.6 | 1925,1952,1961 |
| 53T | 40.4 | 1953,1976,2009 |

| Spring Rank | Coldest Mean | Year(s) |
|-------------|--------------|--------------------------|
| 1 | 33.6 | 1950 |
| 2 | 34.2 | 1923 |
| 3 | 34.7 | 2002 |
| 4 | 34.9 | 1940 |
| 5 | 35.0 | 1924 |
| 6 | 35.3 | 1996 |
| 7 | 35.4 | 2014 |
| 8 | 35.7 | 1943 |
| 9 | 35.9 | 1917 |
| 10 | 36.0 | 1926 |
| 11 | 36.5 | 2013 |
| 12 | 36.7 | 1947 |
| 13T | 36.8 | 1909,1932,1937 |
| 16 | 36.9 | 1954 |
| 17T | 37.1 | 1916,1928 |
| 19T | 37.3 | 1997,2008 |
| 21T | 37.4 | 1920,1971 |
| 23 | 37.6 | 1975 |
| 24T | 37.8 | 1979,2003 |
| 26 | 38.0 | 1974 |
| 27 | 38.3 | 1984 |
| 28T | 38.5 | 1983,2011,2022 |
| 31 | 38.6 | 1960 |
| 32 | 38.7 | 1970 |
| 33T | 38.8 | 1933,1938 |
| 35 | 38.9 | 1972 |
| 36T | 39.1 | 1912,1956 |
| 38T | 39.2 | 1913,1978 |
| 40T | 39.4 | 1919,1951,1993 |
| 43 | 39.5 | 1965 |
| 44T | 39.6 | 1944,2020 |
| 46 | 39.7 | 2018 |
| 47T | 39.8 | 1914,1995 |
| 49T | 39.9 | 1927,1966,1967,1982,1992 |

RHINELANDER SPRING TEMPERATURE RECORDS

(Mar 1 to May 31)

HIGHEST MAXIMUM TEMPERATURE

| Highest | |
|---------|-----------------------------------------------------------------------------------------------------|
| Temp | Date(s) / Year(s) |
| 99 | 05/31/1934 |
| 95 | 05/09/1934 |
| 94 | 05/26/2018 |
| 93 | 05/06/1930,05/06/1934,04/28/1952,05/27/2018 |
| 92 | 05/29/1919 |
| 91 | 05/28/1919,05/10/1930,12/2022 |
| 90 | 05/26/1911,05/27/1919,05/30/1939,05/02/1959, 05/03/1959,05/28/1969,05/22/1975,05/12/1977,05/24/2010 |
| 90 | 05/28/2018,05/29/2018 |
| | |
| | |
| | |

LOWEST MINIMUM TEMPERATURE

| Lowest | |
|--------|-----------------------|
| Temp | Date(s) / Year(s) |
| -36 | 03/01/1962 |
| -34 | 03/11/1948 |
| -31 | 03/05/1917 |
| -28 | 03/18/1939,03/03/2014 |
| -27 | 03/07/1913,03/08/1943 |
| -26 | 03/06/1917 |
| -24 | 03/19/1944,03/07/1945 |
| | |
| | |

RHINELANDER SPRING TEMPERATURE RECORDS

(Mar 1 to May 31)

LOWEST MAXIMUM TEMPERATURE

| Lowest | |
|--------|---------------------------------------------|
| Max | Date(s) / Year(s) |
| -1 | 03/02/1943 |
| 3 | 03/02/1989 |
| 4 | 03/07/1932,03/17/1941 |
| 5 | 03/09/1933,03/07/1943,03/01/2014 |
| 6 | 03/06/1932,03/02/1950,03/03/1989,03/02/2014 |
| 7 | 03/01/1925,03/08/1932,03/17/1939,03/09/2003 |
| 8 | 03/01/1943,03/01/1989,03/03/2002 |

HIGHEST MINIMUM TEMPERATURE

| Highest | |
|---------|--------------------------------------------------------------------------------------|
| Min | Date(s) / Year(s) |
| 71 | 05/30/1929 |
| 69 | 05/29/2006,05/24/2010 |
| 68 | 05/11/1922,05/21/1930 |
| 67 | 05/29/1929,05/16/1962,05/28/1969,30/2022 |
| 66 | 05/23/1964 |
| 65 | 05/27/1911,05/21/1921,05/30/1937,05/30/1944,05/22/1964,05/23/1991,05/29/2018,27/2020 |

RHINELANDER SPRING PRECIPITATION RECORDS

(Mar 1 - May 31 1991-2020 Normal Precipitation - 8.54 Inches)

| Spring | | |
|--------|---------|-----------|
| Rank | Wettest | Year(s) |
| | | |
| 1 | 14.87 | 1991 |
| 2 | 14.36 | 2017 |
| 3 | 14.20 | 1973 |
| 4 | 14.15 | 1942 |
| 5 | 12.23 | 1938 |
| 6 | 11.87 | 2022 |
| 7 | 11.61 | 2002 |
| 8 | 11.17 | 1912 |
| 9 | 10.61 | 2004 |
| 10 | 10.59 | 1921 |
| 11 | 10.53 | 2013 |
| 12 | 10.43 | 1945 |
| 13 | 10.35 | 2011 |
| 14 | 10.27 | 1951 |
| 15 | 10.21 | 2003 |
| 16 | 10.19 | 1918 |
| 17 | 9.96 | 1977 |
| 18 | 9.95 | 2006 |
| 19 | 9.87 | 2001 |
| 20 | 9.58 | 1999 |
| 21 | 9.40 | 1916 |
| 22 | 9.35 | 2016 |
| 23 | 9.12 | 1954 |
| 24 | 9.05 | 1965 |
| 25 | 9.00 | 1939 |
| 26T | 8.90 | 1913,2023 |
| 28 | 8.86 | 1960 |
| 29 | 8.84 | 1968 |
| 30 | 8.83 | 1998 |
| 31 | 8.80 | 1990 |
| 32 | 8.67 | 1950 |
| 33 | 8.63 | 1985 |
| 34 | 8.53 | 1911 |
| 35 | 8.50 | 2014 |
| 36 | 8.40 | 2008 |
| 37 | 8.27 | 1982 |
| 38 | 8.12 | 1981 |
| 39 | 8.00 | 1924 |
| | | |

| Spring | | |
|--------|--------|-----------|
| Rank | Driest | Year(s) |
| | | |
| 1 | 2.28 | 1931 |
| 2 | 3.28 | 1948 |
| 3 | 3.51 | 2010 |
| 4 | 3.57 | 1946 |
| 5 | 3.61 | 1925 |
| 6 | 3.70 | 1986 |
| 7 | 3.79 | 1980 |
| 8 | 3.97 | 1988 |
| 9T | 4.46 | 1935,1987 |
| 11 | 4.63 | 1917 |
| 12 | 4.78 | 1956 |
| 13 | 4.79 | 1989 |
| 14 | 4.93 | 1932 |
| 15 | 5.15 | 1966 |
| 16 | 5.16 | 1930 |
| 17 | 5.22 | 1949 |
| 18 | 5.29 | 1996 |
| 19 | 5.31 | 1963 |
| 20 | 5.35 | 1997 |
| 21 | 5.36 | 1957 |
| 22 | 5.42 | 2005 |
| 23 | 5.48 | 1969 |
| 24 | 5.56 | 1915 |
| 25 | 5.64 | 1922 |
| 26 | 5.66 | 1910 |
| 27 | 5.67 | 1937 |
| 28 | 5.69 | 1941 |
| 29 | 5.74 | 1971 |
| 30 | 5.81 | 1928 |
| 31 | 5.87 | 1919 |
| 32 | 5.92 | 1984 |
| 33 | 6.16 | 1959 |
| 34 | 6.18 | 2018 |
| 35 | 6.26 | 1923 |
| 36 | 6.31 | 1909 |
| 37 | 6.42 | 1936 |
| 38 | 6.43 | 1926 |
| | | |
| | | |

RHINELANDER SPRING SNOWFALL RECORDS

(Mar 1 - May 31 1991-2020 Normal Snowfall - 22.5 Inches)

| Spring | Snowiest | Year(s) | Spring | Least | Year(s) |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------------------|
| Rank | | | Rank | Snowiest | |
| 1 | 51.5 | 2023 | 1 | T | 1919 |
| 2 | 47.0 | 1923 | 2 | 0.8 | 1949 |
| 3 | 44.3 | 2018 | 3 | 1.0 | 1969 |
| 4 | 37.8 | 2014 | 4 | 1.1 | 1930 |
| 5 | 35.3 | 2011 | 5 | 1.3 | 1946 |
| 6 | 33.4 | 1950 | 6T | 2.0 | 1948,2012 |
| 7T | 32.9 | 1909,1966 | 8 | 2.3 | 1968 |
| 9 | 31.1 | 1934 | 9 | 2.5 | 1990 |
| 10 | 27.9 | 2008 | 10T | 3.0 | 1914,1915 |
| 11 | 27.5 | 1917 | 12T | 4.0 | 1912,1921 |
| 12 | 27.3 | 1951 | 14 | 4.5 | 2000 |
| 13 | 25.9 | 2002 | 15 | 5.0 | 1922 |
| 14 | 25.4 | 1944 | 16 | 5.2 | 2021 |
| 15 | 25.0 | 1939 | 17 | 6.0 | 1929 |
| 16 | 24.6 | 2003 | 18T | 6.1 | 1935,2010 |
| 17T | 24.4 | 1908,2022 | 20T | 6.5 | 1931,1987 |
| 19 | 24.0 | 1928 | 22T | 7.0 | 1925,1938,1941,1962 |
| 20 | 22.0 | 1958 | 26T | 7.4 | 1920,1970 |
| 21 | 21.8 | 1972 | 28 | 7.7 | 1911 |
| 22 | 21.6 | 1943 | 29 | 8.0 | 1971 |
| 23T | 21.2 | 2007,2016 | 30 | 8.7 | 1947 |
| 25 | 20.7 | 1936 | | | |
| 26 | 20.4 | 2015 | | | |
| 27 | 20.2 | 1945 | | | |
| | | | | | |
| SEASONS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE SEASON. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS | | | SEASONS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE SEASON. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS | | |
| | E25.6 | 1985 | | | |
| | E23.0 | 1977 | | E1.0 | 1978 |
| | E22.7 | 1989 | | E2.2 | 1981 |

RHINELANDER SPRING HEATING DEGREE DAY RECORDS

(Mar 1 - May 31 1991-2020 Normal Heating Degree Days - 2,251)

| Spring Rank | Greatest HDD | Year(s) |
|-------------|--------------|---------|
| 1 | 2,874 | 1950 |
| 2 | 2,819 | 1923 |
| 3 | 2,786 | 2002 |
| 4 | 2,751 | 1940 |
| 5 | 2,746 | 1924 |
| 6 | 2,715 | 1996 |
| 7 | 2,709 | 2014 |
| 8 | 2,680 | 1943 |
| 9 | 2,663 | 1917 |
| 10 | 2,658 | 1926 |
| 11 | 2,611 | 2013 |
| 12 | 2,594 | 1932 |
| 13 | 2,587 | 1947 |
| 14 | 2,576 | 1954 |
| 15 | 2,566 | 1909 |
| 16 | 2,552 | 1928 |
| 17 | 2,548 | 1916 |
| 18 | 2,539 | 1975 |
| 19 | 2,533 | 1997 |
| 20 | 2,532 | 2008 |
| 21 | 2,524 | 1971 |
| 22 | 2,514 | 1937 |
| 23 | 2,512 | 1920 |
| 24 | 2,490 | 2003 |
| 25 | 2,473 | 1979 |
| 26 | 2,472 | 1974 |
| 27 | 2,453 | 2022 |
| 28 | 2,443 | 1984 |
| 29 | 2,438 | 1939 |
| 30 | 2,424 | 2011 |
| 31 | 2,413 | 1970 |
| 32 | 2,411 | 1983 |
| 33 | 2,410 | 1960 |
| 34 | 2,408 | 1972 |
| 35 | 2,394 | 1933 |
| 36 | 2,386 | 1912 |
| 37 | 2,383 | 2018 |
| 38 | 2,382 | 1978 |

| Spring Rank | Least HDD | Year(s) |
|-------------|-----------|---------|
| 1 | 1,641 | 2012 |
| 2 | 1,664 | 2010 |
| 3 | 1,666 | 1977 |
| 4 | 1,768 | 1910 |
| 5 | 1,811 | 1998 |
| 6 | 1,816 | 1987 |
| 7 | 1,830 | 1946 |
| 8 | 1,845 | 1968 |
| 9 | 1,856 | 2000 |
| 10 | 1,892 | 1999 |
| 11 | 1,928 | 1985 |
| 12 | 1,940 | 1991 |
| 13 | 1,951 | 1955 |
| 14 | 1,963 | 1986 |
| 15 | 1,980 | 1911 |
| 16 | 2,018 | 2016 |
| 17 | 2,025 | 1945 |
| 18 | 2,029 | 2006 |
| 19 | 2,040 | 2007 |
| 20 | 2,049 | 1964 |
| 21 | 2,052 | 1921 |
| 22 | 2,059 | 1959 |
| 23 | 2,062 | 1988 |
| 24 | 2,064 | 2021 |
| 25 | 2,066 | 1963 |
| 26 | 2,073 | 1942 |
| 27 | 2,076 | 1958 |
| 28 | 2,082 | 1962 |
| 29 | 2,090 | 1938 |
| 30 | 2,093 | 1930 |
| 31 | 2,117 | 1941 |
| 32 | 2,118 | 1922 |
| 33 | 2,123 | 1915 |
| 34 | 2,129 | 1994 |
| 35 | 2,131 | 1957 |
| 36 | 2,132 | 2015 |
| 37 | 2,139 | 1990 |

RHINELANDER SUMMER TEMPERATURE RECORDS

(Jun 1 to Aug 31)

HIGHEST MAXIMUM TEMPERATURE

| Highest | |
|---------|----------------------------------|
| Temp | Date(s) / Year(s) |
| 108 | 07/13/1936 |
| 106 | 07/11/1936 |
| 105 | 07/12/1936 |
| 104 | 06/29/1931 |
| 102 | 07/14/1936 |
| 101 | 07/08/1936 |
| 100 | 07/11/1937,07/13/1995,07/15/2006 |
| | |
| | |

LOWEST MINIMUM TEMPERATURE

| Lowest | |
|--------|----------------------------------------------------------------------------------------------------------------|
| Temp | Date(s) / Year(s) |
| 25 | 06/06/1913 |
| 27 | 06/01/2003 |
| 28 | 08/30/1915,06/01/1927 |
| 30 | 06/08/1913,08/27/1915,06/23/1918,06/04/1921,06/07/1924,06/04/1945,06/05/1945,06/04/1990,06/05/1990 |
| 30 | 06/07/1995 |
| 31 | 08/21/1895,06/01/1908,06/15/1908,06/07/1912,06/09/1913,08/30/1917,06/12/1927,06/15/1927,07/13/1930,06/10/1972, |
| 31 | 06/06/2009,06/01/2012 |
| 32 | 06/15/1924,06/16/1924,06/19/1926,06/03/1928,07/30/1928,06/03/1945,06/01/1946,06/02/1946,06/08/1949,06/03/1982, |
| 32 | 06/01/1986,06/03/2000,06/04/2009,06/03/2013 |

RHINELANDER SUMMER TEMPERATURE RECORDS

(Jun 1 to Aug 31)

LOWEST MAXIMUM TEMPERATURE

| Lowest | |
|--------|---------------------------------------------|
| Max | Date(s) / Year(s) |
| | |
| 43 | 06/02/1945 |
| 48 | 06/04/1917,06/14/1947,06/03/1969,06/14/1978 |
| 49 | 06/04/1969,06/16/1974,06/02/2001 |
| 50 | 08/14/1947,06/11/1963,06/14/1989,06/08/2009 |
| 51 | 06/19/1935,06/03/1936,06/03/2002 |
| | |
| | |

HIGHEST MINIMUM TEMPERATURE

| Highest | |
|---------|----------------------------------------------------------------------------------------------------|
| Min | Date(s) / Year(s) |
| | |
| 76 | 06/20/1919,07/27/1914 |
| 75 | 07/02/1911,06/27/1991 |
| 74 | 06/30/1913,07/05/1914,06/18/1921,06/28/1931,07/13/1936,08/12/1947,07/29/1959,07/01/1970,06/15/1994 |
| 74 | 07/04/1999,07/16/2006 |
| 73 | 07/24/1934,07/18/1942,06/27/1944,08/05/1947,07/01/2002 |
| | |
| | |

RHINELANDER SUMMER PRECIPITATION RECORDS

(Jun 1 - Aug 31 1991-2020 Normal Precipitation - 13.02 Inches)

| Summer Rank | Wettest | Year(s) |
|-------------|---------|-----------|
| 1 | 21.33 | 1978 |
| 2 | 19.78 | 1914 |
| 3 | 19.66 | 1990 |
| 4 | 19.47 | 1929 |
| 5 | 18.48 | 2000 |
| 6 | 17.81 | 1980 |
| 7 | 17.37 | 1951 |
| 8 | 17.05 | 1919 |
| 9 | 16.98 | 1931 |
| 10 | 16.90 | 1940 |
| 11 | 16.71 | 1959 |
| 12 | 16.69 | 1946 |
| 13 | 16.60 | 2020 |
| 14 | 16.51 | 2016 |
| 15 | 16.50 | 1968 |
| 16 | 16.17 | 2010 |
| 17 | 16.07 | 1923 |
| 18 | 16.00 | 1926 |
| 19 | 15.55 | 1935 |
| 20 | 15.48 | 1956 |
| 21 | 15.35 | 2014 |
| 22 | 15.05 | 1911 |
| 23 | 14.92 | 1938 |
| 24 | 14.77 | 1953 |
| 25T | 14.68 | 1986,1997 |
| 27 | 14.52 | 1943 |
| 28 | 14.50 | 1952 |
| 29 | 14.19 | 1977 |
| 30 | 14.12 | 1973 |
| 31 | 14.10 | 2021 |
| 32 | 14.08 | 1916 |
| 33 | 13.87 | 1924 |
| 34 | 13.69 | 1912 |
| 35 | 13.66 | 1999 |
| 36 | 13.62 | 1928 |
| 37 | 13.53 | 1941 |
| 38 | 13.51 | 2013 |
| | | |
| | | |

| Summer Rank | Driest | Year(s) |
|-------------|--------|-----------|
| 1 | 5.37 | 1910 |
| 2 | 6.37 | 1970 |
| 3 | 6.67 | 1976 |
| 4 | 7.09 | 2005 |
| 5 | 7.15 | 1989 |
| 6 | 7.16 | 1937 |
| 7 | 7.17 | 1987 |
| 8 | 7.25 | 2023 |
| 9 | 7.31 | 2009 |
| 10 | 7.84 | 1933 |
| 11 | 7.92 | 1992 |
| 12T | 8.02 | 1963,1969 |
| 14 | 8.11 | 1998 |
| 15 | 8.39 | 1954 |
| 16 | 8.40 | 2003 |
| 17 | 8.73 | 2008 |
| 18 | 8.75 | 2022 |
| 19 | 8.76 | 1962 |
| 20 | 8.79 | 2011 |
| 21 | 8.83 | 2006 |
| 22 | 8.93 | 1983 |
| 23 | 9.06 | 1965 |
| 24 | 9.08 | 1922 |
| 25 | 9.23 | 1908 |
| 26 | 9.34 | 2004 |
| 27 | 9.38 | 1948 |
| 28 | 9.42 | 1988 |
| 29 | 9.44 | 1975 |
| 30T | 9.72 | 1914,1942 |
| 32 | 9.76 | 1934 |
| 33 | 9.79 | 1921 |
| 34 | 9.87 | 1932 |
| 35 | 9.98 | 1957 |
| 36T | 10.05 | 1950,2015 |
| 38 | 10.19 | 1944 |
| 39 | 10.39 | 1984 |
| 40 | 10.44 | 1947 |
| 41 | 10.56 | 1982 |
| | | |
| | | |

RHINELANDER SUMMER SNOWFALL RECORDS

(Jun 1 - Aug 31 1991-2020 Normal Snowfall - 0.0 Inches)

| Summer | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|---------|
| Rank | Snowiest | Year(s) |
| 1 | T | 1945 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| SEASONS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE SEASON. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

| Summer | Least | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------------|
| Rank | Snowiest | Year(s) |
| 1 | 0.0 | All Years Except 1945 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| SEASONS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE SEASON. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS | | |
| | | |
| | | |
| | | |
| | | |
| | | |

RHINELANDER SUMMER HEATING DEGREE DAY RECORDS

(Jun 1 - Aug 31 1991-2020 Normal Heating Degree Days - 246)

| Summer Rank | Greatest HDD | Year(s) |
|-------------|--------------|----------------|
| 1 | 474 | 1915 |
| 2 | 460 | 1917 |
| 3 | 448 | 2004 |
| 4 | 441 | 1992 |
| 5 | 438 | 1927 |
| 6 | 431 | 2009 |
| 7 | 425 | 1924 |
| 8 | 373 | 1951 |
| 9 | 370 | 1982 |
| 10 | 369 | 1950 |
| 11 | 364 | 2013 |
| 12 | 342 | 1928 |
| 13 | 331 | 1926 |
| 14 | 322 | 1945 |
| 15 | 317 | 1912 |
| 16 | 310 | 1977 |
| 17 | 308 | 1920 |
| 18 | 306 | 1974 |
| 19 | 304 | 2001 |
| 20 | 303 | 1985 |
| 21 | 300 | 1940 |
| 22 | 297 | 2000 |
| 23 | 295 | 1969 |
| 24 | 293 | 2014 |
| 25T | 291 | 1946,1972 |
| 27 | 285 | 1942 |
| 28 | 284 | 1986 |
| 29 | 282 | 1958 |
| 30 | 278 | 1918 |
| 31 | 277 | 1978 |
| 32T | 271 | 1916,1968,2003 |
| 35 | 269 | 2015 |
| 36T | 265 | 1935,1941,1979 |
| 39T | 264 | 1971,2017 |
| 41 | 250 | 1964 |
| 42T | 247 | 1929,1934 |
| 44 | 245 | 1908 |

| Summer Rank | Least HDD | Year(s) |
|-------------|-----------|-----------|
| 1 | 86 | 2018 |
| 2 | 103 | 1930 |
| 3T | 106 | 1933,1955 |
| 5 | 107 | 1961 |
| 6 | 114 | 2005 |
| 7 | 117 | 1949 |
| 8T | 118 | 1995,2021 |
| 10 | 119 | 1959 |
| 11 | 128 | 1932 |
| 12T | 132 | 1973,1991 |
| 14 | 134 | 1984 |
| 15 | 138 | 1921 |
| 16 | 144 | 1976 |
| 17 | 149 | 1988 |
| 18 | 151 | 1957 |
| 19 | 153 | 2016 |
| 20 | 154 | 1909 |
| 21 | 155 | 2010 |
| 22 | 156 | 1999 |
| 23 | 160 | 1983 |
| 24 | 161 | 1937 |
| 25 | 163 | 1919 |
| 26 | 166 | 1960 |
| 27 | 168 | 1962 |
| 28T | 169 | 1943,1956 |
| 30 | 170 | 2006 |
| 31T | 171 | 1911,2011 |
| 33 | 177 | 1998 |
| 34 | 179 | 1970 |
| 35 | 181 | 2012 |
| 36 | 184 | 1966 |
| 37T | 186 | 1953,2020 |
| 39 | 188 | 2007 |
| 40T | 190 | 1948,1963 |
| 42 | 195 | 1981 |
| 43 | 196 | 1944 |
| 44 | 197 | 1987 |

RHINELANDER SUMMER COOLING DEGREE DAY RECORDS

(Jun 1 - Aug 31 1991-2020 Normal cooling Degree Days - 246)

| Summer Rank | Greatest CDD | Year(s) |
|-------------|--------------|-----------|
| 1 | 556 | 1955 |
| 2 | 497 | 1988 |
| 3 | 494 | 1921 |
| 4 | 484 | 1937 |
| 5 | 481 | 1935 |
| 6 | 475 | 1995 |
| 7 | 465 | 1983 |
| 8 | 443 | 1947 |
| 9 | 437 | 1959 |
| 10 | 436 | 1933 |
| 11 | 432 | 1966 |
| 12 | 415 | 1916 |
| 13 | 409 | 1936 |
| 14 | 404 | 1999 |
| 15 | 403 | 2018 |
| 16T | 401 | 1910,1964 |
| 18 | 398 | 1975 |
| 19 | 397 | 2005 |
| 20 | 389 | 1963 |
| 21 | 385 | 1987 |
| 22 | 382 | 1968 |
| 23 | 380 | 1911 |
| 24 | 378 | 1949 |
| 25 | 371 | 1931 |
| 26 | 367 | 1957 |
| 27 | 361 | 1943 |
| 28 | 355 | 2010 |
| 29 | 353 | 1961 |
| 30 | 351 | 1998 |
| 31 | 348 | 1934 |
| 32 | 345 | 1970 |
| 33 | 336 | 1914 |
| 34T | 335 | 1976,1991 |
| 36 | 333 | 1941 |
| 37T | 328 | 2001,2012 |
| 39 | 326 | 2020 |
| 40 | 323 | 1932 |
| | | |
| | | |

| Summer Rank | Least CDD | Year(s) |
|-------------|-----------|----------------|
| 1 | 97 | 1915 |
| 2 | 100 | 1992 |
| 3 | 108 | 1927 |
| 4 | 113 | 1924 |
| 5 | 115 | 1951 |
| 6 | 123 | 1985 |
| 7 | 126 | 2004 |
| 8 | 137 | 2000 |
| 9 | 140 | 2014 |
| 10 | 143 | 1926 |
| 11 | 145 | 1950 |
| 12 | 146 | 2009 |
| 13 | 147 | 1918 |
| 14 | 157 | 2015 |
| 15 | 160 | 2017 |
| 16 | 162 | 1986 |
| 17 | 172 | 1920 |
| 18 | 173 | 1996 |
| 19 | 174 | 1974 |
| 20T | 176 | 1990,2008 |
| 22 | 179 | 1917 |
| 23 | 182 | 1979 |
| 24 | 183 | 1922 |
| 25 | 185 | 1945 |
| 26 | 194 | 1942 |
| 27T | 197 | 1972,1982 |
| 29 | 199 | 1929 |
| 30 | 203 | 1912 |
| 31 | 204 | 1928 |
| 32T | 206 | 1962,1993,2003 |
| 35 | 208 | 1978 |
| 36 | 211 | 1971 |
| 37T | 212 | 1965,1967 |
| 39 | 214 | 1981 |
| 40 | 217 | 1994 |
| 41 | 222 | 2022 |
| 42 | 224 | 1973 |
| 43T | 225 | 1930,2023 |
| | | |
| | | |

RHINELANDER FALL TEMPERATURE RECORDS

(Sep 1 - Nov 30 1991-2020 Normal: High 54.4 / Low 33.7 / Mean 44.0)

| Fall Rank | Warmest Mean | Year(s) | Fall Rank | Coldest Mean | Year(s) |
|-----------|--------------|--------------------------|-----------|--------------|---------------------|
| 1 | 51.3 | 1963 | 1 | 39.0 | 1926 |
| 2 | 49.6 | 1931 | 2 | 39.2 | 2014 |
| 3 | 49.3 | 2016 | 3 | 39.5 | 1976 |
| 4 | 49.2 | 1998 | 4 | 39.7 | 1925 |
| 5T | 48.5 | 1908,1991 | 5 | 39.9 | 1985 |
| 7 | 48.2 | 2015 | 6T | 40.2 | 1951,1993 |
| 8T | 47.7 | 1947,1953 | 8T | 40.5 | 1932,1995 |
| 10 | 47.6 | 1994 | 10T | 40.9 | 1986,2002 |
| 11 | 47.3 | 1914 | 12 | 41.1 | 1919 |
| 12T | 47.1 | 1958,1971 | 13 | 41.3 | 1929 |
| 14T | 47.0 | 1968,1999 | 14 | 41.4 | 1917 |
| 16T | 46.9 | 1944,1960 | 15T | 41.5 | 1911,1972,1974 |
| 18T | 46.8 | 1948,2005 | 18 | 41.8 | 1959 |
| 20 | 46.7 | 2004 | 19 | 41.9 | 1980 |
| 21 | 46.6 | 1956 | 20 | 42.0 | 1943 |
| 22T | 46.5 | 1912,1961,2007 | 21T | 42.1 | 1937,1996,2019 |
| 25 | 46.4 | 2021 | 24T | 42.2 | 1916,1992 |
| 26T | 46.2 | 1913,1920,1922 | 26 | 42.4 | 1918 |
| 29 | 46.1 | 1934 | 27T | 42.5 | 1936,2013 |
| 30 | 46.0 | 1946 | 29T | 42.6 | 2009,2012 |
| 31T | 45.9 | 1975,2009,2023 | 31 | 42.7 | 2020 |
| 34T | 45.8 | 1909,1939,1941,1964,2011 | 32T | 42.9 | 1933,1979,1981,1988 |
| 39T | 45.7 | 1962,1990 | 36T | 43.0 | 1987,2018 |
| 41 | 45.6 | 1915 | 38T | 43.1 | 1989,2003 |
| 42T | 45.5 | 2001,2017 | 40T | 43.2 | 1928,1952 |
| 44T | 45.2 | 1938,1973 | 42 | 43.3 | 1921 |
| 46T | 45.0 | 1949,2022 | 43T | 43.4 | 1969,2000 |
| 48 | 44.8 | 1966 | 45T | 43.5 | 1942,1984 |
| 49T | 44.7 | 1930,1940 | 47T | 43.6 | 1910,1935 |
| 51 | 44.5 | 1997 | 49T | 43.7 | 1945,1967,1982 |
| 52T | 44.4 | 1954,1957,1970 | 52T | 43.8 | 1927,1977,2010 |
| 55T | 44.3 | 1955,1978,1983,2008 | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

RHINELANDER FALL TEMPERATURE RECORDS

(Sep 1 to Nov 30)

HIGHEST MAXIMUM TEMPERATURE

| Highest | |
|---------|-------------------------------------------------------------------|
| Temp | Date(s) / Year(s) |
| | |
| 98 | 09/10/1908 |
| 95 | 09/07/1976 |
| 94 | 09/04/2023 |
| 93 | 09/10/1931,09/11/1998 |
| 92 | 09/22/1908,09/05/1912,09/02/1929,09/11/1931,10/01/1976,09/03/2023 |
| 91 | 09/21/1908,09/23/1908,09/09/1912,09/01/1913,09/09/1931,09/11/2005 |
| | |

LOWEST MINIMUM TEMPERATURE

| Lowest | |
|--------|----------------------------------|
| Temp | Date(s) / Year(s) |
| | |
| -16 | 11/30/1976 |
| -15 | 11/29/1976 |
| -14 | 11/28/1976 |
| -13 | 11/29/1929,11/30/1929 |
| -12 | 11/30/1978,11/29/1995 |
| -11 | 11/28/1929,11/24/1950,11/28/1985 |
| -10 | 11/20/1921,11/28/1955 |
| | |
| | |

RHINELANDER FALL TEMPERATURE RECORDS

(Sep 1 to Nov 30)

LOWEST MAXIMUM TEMPERATURE

| Lowest | |
|--------|----------------------------------|
| Max | Date(s) / Year(s) |
| 0 | 11/29/1929 |
| 5 | 11/28/1976 |
| 8 | 11/17/1959 |
| 9 | 11/30/1976 |
| 10 | 11/21/1929,11/29/1958 |
| 11 | 11/30/1958,11/30/1978,11/30/2007 |
| 12 | 11/21/1921,11/23/1970 |

HIGHEST MINIMUM TEMPERATURE

| Highest | |
|---------|------------------------------------------------------------------------------|
| Minimum | Date(s) / Year(s) |
| 76 | 09/09/1912 |
| 72 | 09/06/1912,09/07/1960 |
| 71 | 09/15/1939,09/05/2023 |
| 70 | 09/14/1939,10/03/2005,09/03/2023 |
| 69 | 09/07/1913,09/13/1931,09/19/1940,09/06/1960,09/04/1973,09/06/2007,09/01/2018 |
| | |
| | |

RHINELANDER FALL PRECIPITATION RECORDS

(Sep 1 - Nov 30 1991-2020 Normal Precipitation - 9.15 Inches)

| Fall | | |
|------|---------|-----------|
| Rank | Wettest | Year(s) |
| 1 | 17.47 | 1934 |
| 2 | 15.04 | 1911 |
| 3 | 14.77 | 1970 |
| 4 | 14.43 | 1985 |
| 5 | 13.50 | 1931 |
| 6 | 13.29 | 1941 |
| 7 | 13.14 | 2014 |
| 8 | 12.75 | 1916 |
| 9 | 12.70 | 1928 |
| 10 | 12.68 | 1942 |
| 11 | 12.67 | 2018 |
| 12 | 12.37 | 1992 |
| 13 | 12.34 | 1983 |
| 14T | 11.99 | 1977,1982 |
| 16 | 11.77 | 1994 |
| 17 | 11.67 | 2001 |
| 18 | 11.63 | 1986 |
| 19 | 11.61 | 1959 |
| 20 | 11.50 | 1990 |
| 21 | 11.36 | 1991 |
| 22 | 11.13 | 1926 |
| 23 | 11.09 | 2010 |
| 24 | 10.90 | 1971 |
| 25 | 10.84 | 2019 |
| 26 | 10.67 | 2002 |
| 27 | 10.58 | 1954 |
| 28 | 10.41 | 1972 |
| 29 | 10.38 | 2005 |
| 30 | 10.33 | 1968 |
| 31 | 10.17 | 1961 |
| 32 | 10.16 | 1913 |
| 33 | 10.05 | 1995 |
| 34 | 9.96 | 1965 |
| 35 | 9.90 | 1975 |
| 36 | 9.82 | 1915 |
| | | |
| | | |

| Fall | | |
|------|--------|-----------|
| Rank | Driest | Year(s) |
| 1 | 1.11 | 1976 |
| 2 | 2.40 | 1952 |
| 3 | 2.68 | 1989 |
| 4 | 2.80 | 1953 |
| 5 | 3.26 | 1923 |
| 6 | 3.58 | 1939 |
| 7 | 3.84 | 1932 |
| 8 | 4.33 | 1924 |
| 9 | 4.70 | 1981 |
| 10 | 4.84 | 1914 |
| 11 | 5.00 | 2008 |
| 12 | 5.21 | 1929 |
| 13T | 5.27 | 1963,1999 |
| 15 | 5.44 | 1956 |
| 16 | 5.45 | 2021 |
| 17 | 5.49 | 1962 |
| 18 | 5.53 | 1998 |
| 19 | 5.58 | 1933 |
| 20T | 5.59 | 1910,1950 |
| 22 | 5.61 | 1920 |
| 23 | 5.63 | 2011 |
| 24 | 5.65 | 1947 |
| 25 | 5.80 | 1917 |
| 26 | 5.82 | 1936 |
| 27 | 5.83 | 2009 |
| 28 | 5.86 | 1921 |
| 29 | 6.07 | 1957 |
| 30 | 6.12 | 1943 |
| 31 | 6.16 | 1944 |
| 32 | 6.30 | 2003 |
| 33 | 6.31 | 2022 |
| 34 | 6.35 | 2006 |
| 35 | 6.53 | 2012 |
| 36 | 6.54 | 1973 |
| 37 | 6.78 | 1940 |
| 38 | 6.81 | 1908 |
| 39 | 6.83 | 1987 |

RHINELANDER FALL SNOWFALL RECORDS

(Sep 1 - Nov 30 1991-2020 Normal Snowfall - 11.8 Inches)

| Fall | | |
|------|----------|----------------|
| Rank | Snowiest | Year(s) |
| 1 | 35.1 | 2014 |
| 2 | 21.5 | 1957 |
| 3 | 19.5 | 1919 |
| 4 | 19.0 | 1911 |
| 5 | 18.1 | 2019 |
| 6 | 17.1 | 2006 |
| 7 | 16.8 | 2018 |
| 8 | 16.1 | 1909 |
| 9 | 16.0 | 1938 |
| 10 | 14.4 | 1948 |
| 11 | 14.3 | 2011 |
| 12T | 13.7 | 2017,2022 |
| 14 | 12.9 | 2020 |
| 15 | 12.6 | 1910 |
| 16 | 12.5 | 1956 |
| 17 | 12.4 | 1933 |
| 18 | 12.3 | 2000 |
| 19 | 12.2 | 1934 |
| 20 | 11.5 | 2002 |
| 21T | 11.0 | 1926,1949,1970 |
| 24 | 10.9 | 2005 |
| 25T | 10.5 | 1965,1966 |
| 27 | 10.4 | 2021 |
| 28 | 10.2 | 1940 |
| 29 | 10.1 | 2001 |
| 30 | 9.8 | 2013 |

SEASONS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE SEASON. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS

| | | |
|--|-------|-----------|
| | E30.9 | 1985 |
| | E23.6 | 1991 |
| | E17.1 | 1979 |
| | E14.1 | 1993 |
| | E13.1 | 1992,1995 |
| | E11.8 | 1978 |
| | E11.1 | 1983 |

| Fall | Least | |
|------|----------|----------------|
| Rank | Snowiest | Year(s) |
| 1 | T | 1931,1963 |
| 3 | 0.5 | 1941 |
| 4T | 1.0 | 1958,1960 |
| 6 | 1.1 | 1930 |
| 7 | 1.3 | 1939 |
| 8T | 1.5 | 1923,1924 |
| 10 | 1.8 | 1951 |
| 11T | 2.0 | 1908,1922,1952 |
| 14 | 2.5 | 1913 |
| 15 | 2.6 | 1967 |
| 16 | 3.5 | 1936 |
| 17 | 3.6 | 1974 |
| 18 | 3.9 | 1943 |
| 19 | 4.0 | 1964 |
| 20T | 4.1 | 1927,2015 |
| 22 | 4.2 | 1928 |
| 23 | 4.5 | 1998 |
| 24 | 4.6 | 2007 |
| 25 | 4.7 | 2009 |
| 26 | 4.8 | 1944 |

SEASONS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE SEASON. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS

| | | |
|--|------|-----------|
| | E0.8 | 1999 |
| | E2.3 | 1953,1973 |
| | E2.4 | 1990 |
| | E2.7 | 1984 |
| | E2.9 | 1972 |
| | E3.3 | 1981 |
| | E3.5 | 1997 |

RHINELANDER FALL HEATING DEGREE DAY RECORDS

(Sep 1 - Nov 30 1991-2020 Normal Heating Degree Days - 1,935)

| Fall Rank | Greatest HDD | Year(s) |
|-----------|--------------|-----------|
| 1 | 2,335 | 1926 |
| 2 | 2,325 | 1976 |
| 3 | 2,321 | 2014 |
| 4 | 2,310 | 1925 |
| 5 | 2,290 | 1985 |
| 6 | 2,234 | 1993 |
| 8T | 2,231 | 1951,1995 |
| 9 | 2,214 | 2002 |
| 10 | 2,206 | 1932 |
| 11 | 2,189 | 1986 |
| 12 | 2,173 | 1919 |
| 13 | 2,167 | 1991 |
| 14 | 2,148 | 1929 |
| 15 | 2,145 | 1917 |
| 16 | 2,136 | 1959 |
| 17 | 2,129 | 1911 |
| 18 | 2,125 | 1972 |
| 19 | 2,121 | 1974 |
| 20 | 2,112 | 1937 |
| 21 | 2,092 | 1996 |
| 22 | 2,091 | 1980 |
| 23 | 2,081 | 2019 |
| 24 | 2,079 | 1943 |
| 25 | 2,077 | 1936 |
| 26 | 2,071 | 2018 |
| 27 | 2,068 | 1916 |
| 28 | 2,053 | 1992 |
| 29 | 2,038 | 2012 |
| 30 | 2,037 | 2013 |
| 31 | 2,035 | 1918 |
| 32 | 2,034 | 1933 |
| 33 | 2,032 | 2006 |
| 34 | 2,016 | 2003 |
| 35 | 2,013 | 1988 |
| 36 | 2,008 | 1979 |
| 37 | 2,005 | 1952 |
| 38 | 2,002 | 1987 |
| | | |
| | | |

| Fall Rank | Least HDD | Year(s) |
|-----------|-----------|---------|
| 1 | 1,257 | 1963 |
| 2 | 1,421 | 2016 |
| 3 | 1,468 | 1931 |
| 4 | 1,499 | 1998 |
| 5 | 1,580 | 2015 |
| 6 | 1,587 | 1994 |
| 7 | 1,591 | 1953 |
| 8 | 1,601 | 1908 |
| 9 | 1,622 | 1914 |
| 10 | 1,627 | 1958 |
| 11 | 1,641 | 1944 |
| 12 | 1,645 | 1947 |
| 13 | 1,652 | 1968 |
| 14 | 1,655 | 1956 |
| 15 | 1,661 | 1999 |
| 16 | 1,662 | 1971 |
| 17 | 1,671 | 2021 |
| 18 | 1,684 | 2004 |
| 19 | 1,690 | 1948 |
| 20 | 1,703 | 1934 |
| 21 | 1,705 | 1960 |
| 22 | 1,710 | 1920 |
| 23 | 1,711 | 2005 |
| 24 | 1,718 | 1946 |
| 25 | 1,721 | 1975 |
| 26 | 1,727 | 1912 |
| 27 | 1,733 | 2009 |
| 28 | 1,736 | 1961 |
| 29 | 1,741 | 1964 |
| 30 | 1,744 | 2007 |
| 31 | 1,745 | 1909 |
| 32 | 1,750 | 1962 |
| 33 | 1,751 | 2011 |
| 34 | 1,755 | 1913 |
| 35 | 1,756 | 1941 |
| 36 | 1,760 | 1922 |
| 37 | 1,763 | 1990 |
| 38 | 1,765 | 1915 |
| | | |
| | | |

RHINELANDER SEASONAL SNOWFALL RECORDS

(1991-2020 Sep 1 - May 31 Normal Snowfall - 81.6 Inches)

(SEPTEMBER-MAY)

| Season | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------------|
| Rank | Snowiest | Winter(s) |
| 1 | 122.9 | 2022-23 |
| 2 | 116.8 | 2018-19 |
| 3 | 110.3 | 2013-14 |
| 4 | 107.0 | 1938-39 |
| 5 | 99.9 | 2017-18 |
| 6 | 93.3 | 2021-22 |
| 7 | 91.3 | 1949-50 |
| 8 | 91.2 | 2010-11 |
| 9 | 89.3 | 2014-15 |
| 10 | 89.2 | 1936-37 |
| 11 | 88.4 | 2019-20 |
| 12 | 87.0 | 1968-69 |
| 13 | 86.0 | 1966-67 |
| 14 | 85.9 | 1950-51 |
| 15 | 83.3 | 2007-08 |
| 16 | 82.5 | 1964-65 |
| 17 | 81.0 | 1927-28 |
| 18 | 79.0 | 1922-23 |
| 19 | 78.8 | 2003-04 |
| 20 | 76.8 | 2011-12 |
| 21 | 76.1 | 1934-35 |
| 22 | 74.7 | 2006-07 |
| 23 | 72.0 | 2008-09 |
| 24 | 70.5 | 1908-09 |
| 25 | 69.8 | 1961-62 |
| 26T | 69.0 | 1937-38,1970-71 |
| 28 | 66.9 | 1933-34 |
| 29 | 66.8 | 2000-01 |
| 30 | 66.2 | 1971-72 |
| SEASONS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE SEASON. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS | | |
| | E91.0 | 1978-79 |
| | E80.4 | 1996-97 |
| | E75.8 | 1995-96 |

| Season | Least | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| Rank | Snowiest | Winter(s) |
| 1 | 20.2 | 1913-14 |
| 2 | 24.9 | 1930-31 |
| 3 | 30.5 | 1914-15 |
| 4 | 30.6 | 1948-49 |
| 5 | 30.7 | 1967-68 |
| 6 | 31.5 | 1929-30 |
| 7 | 34.2 | 1924-25 |
| 8 | 35.1 | 1920-21 |
| 9 | 35.5 | 1918-19 |
| 10 | 36.1 | 1941-42 |
| 11 | 37.0 | 1943-44 |
| 12 | 37.1 | 1963-64 |
| 13 | 39.0 | 1958-59 |
| 14 | 39.9 | 1946-47 |
| 15 | 41.0 | 1931-32 |
| 16 | 41.3 | 1928-29 |
| 17 | 41.5 | 1923-24 |
| 18 | 42.5 | 1947-48 |
| 19 | 45.3 | 1945-46 |
| 20 | 45.6 | 1960-61 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| SEASONS THAT THE ESTIMATED SNOWFALL TOTAL MADE THE HIGHEST / LOWEST OBSERVED SNOWFALL FOR THE SEASON. ESTIMATED SNOWFALL TOTALS WERE NOT USED IN THE COMPUTATION OF DAILY, MONTHLY, SEASONAL OR YEARLY RECORDS | | |
| | E31.8 | 1989-90 |
| | E35.2 | 1986-87 |
| | E38.3 | 1980-81 |

RHINELANDER – GREATEST DAILY DIURNAL RANGE

| | Largest Calendar Day | Temperatures | |
|---------|----------------------|--------------|------------|
| Ranking | Change | (Max-Min) | Date(s) |
| 1 | 68 | 34 / -34 | 02/26/1928 |
| 2 | 66 | 40 / -26 | 03/06/1917 |
| 3 | 63 | 28 / -35 | 02/25/1928 |
| 4T | 60 | 81 / 21 | 05/18/1918 |
| 4T | 60 | 50 / -10 | 02/23/1918 |
| 6T | 59 | 43 / -16 | 02/19/1988 |
| 6T | 59 | 37 / -22 | 01/29/1988 |
| 8T | 58 | 29 / -29 | 01/22/1924 |
| 8T | 58 | 30 / -28 | 01/27/1917 |
| 10T | 57 | 50 / -7 | 02/15/1931 |
| 10T | 57 | 23 / -34 | 12/27/1924 |
| 12T | 56 | 22 / -34 | 01/27/1927 |
| 12T | 56 | 52 / -4 | 03/15/1911 |
| 14T | 55 | 33 / -22 | 03/10/1972 |
| 14T | 55 | 21 / -34 | 01/16/1972 |
| 14T | 55 | 33 / -22 | 03/05/1948 |
| 14T | 55 | 37 / -18 | 02/12/1945 |
| 14T | 55 | 78 / 23 | 05/17/1918 |
| 19T | 54 | 54 / 0 | 03/01/1993 |
| 19T | 54 | 60 / 6 | 02/16/1931 |
| 21T | 53 | 19 / -34 | 02/21/1929 |
| 21T | 53 | 84 / 31 | 05/01/1926 |

RHINELANDER – FIRST/LAST SUBZERO TEMPERATURE OF SEASON

| Winter | First | Last | | Winter | First | Last | | Winter | First | Last |
|-----------|--------|--------|--|-----------|--------|--------|--|-----------|--------|--------|
| 1907-08 | Msg | Mar 20 | | | | | | | | |
| 1908-09 | Dec 2 | Mar 17 | | | | | | | | |
| 1909-10 | Dec 8 | Mar 9 | | | | | | | | |
| | | | | | | | | | | |
| 1910-11 | Dec 5 | Mar 18 | | 1945-46 | Dec 12 | Feb 28 | | 1980-81 | Dec 2 | Feb 14 |
| 1911-12 | Nov 13 | Mar 20 | | 1946-47 | Dec 2 | Mar 18 | | 1981-82 | Dec 14 | Apr 6 |
| 1912-13 | Dec 9 | Mar 17 | | 1947-48 | Nov 30 | Mar 13 | | 1982-83 | Dec 8 | Mar 22 |
| 1913-14 | Jan 12 | Mar 20 | | 1948-49 | Dec 10 | Mar 15 | | 1983-84 | Dec 2 | Mar 12 |
| 1914-15 | Nov 23 | Mar 3 | | 1949-50 | Dec 9 | Apr 6 | | 1984-85 | Dec 3 | Mar 7 |
| | | | | | | | | | | |
| 1915-16 | Dec 10 | Mar 23 | | 1950-51 | Nov 23 | Mar 25 | | 1985-86 | Nov 23 | Mar 20 |
| 1916-17 | Nov 14 | Mar 6 | | 1951-52 | Nov 6 | Mar 25 | | 1986-87 | Nov 12 | Mar 30 |
| 1917-18 | Dec 7 | Mar 10 | | 1952-53 | Dec 29 | Mar 7 | | 1987-88 | Dec 26 | Mar 20 |
| 1918-19 | Dec 1 | Mar 7 | | 1953-54 | Dec 16 | Apr 3 | | 1988-89 | Dec 9 | Mar 22 |
| 1919-20 | Nov 15 | Mar 13 | | 1954-55 | Dec 6 | Mar 28 | | 1989-90 | Nov 24 | Mar 7 |
| | | | | | | | | | | |
| 1920-21 | Dec 19 | Mar 28 | | 1955-56 | Nov 24 | Mar 24 | | 1990-91 | Dec 19 | Feb 28 |
| 1921-22 | Nov 20 | Mar 22 | | 1956-57 | Nov 23 | Mar 8 | | 1991-92 | Nov 7 | Mar 15 |
| 1922-23 | Dec 6 | Apr 9 | | 1957-58 | Nov 30 | Feb 20 | | 1992-93 | Dec 20 | Mar 18 |
| 1923-24 | Jan 1 | Apr 1 | | 1958-59 | Nov 29 | Mar 9 | | 1993-94 | Nov 27 | Feb 27 |
| 1924-25 | Dec 10 | Mar 16 | | 1959-60 | Nov 17 | Mar 25 | | 1994-95 | Dec 11 | Mar 9 |
| | | | | | | | | | | |
| 1925-26 | Dec 10 | Mar 28 | | 1960-61 | Dec 16 | Mar 10 | | 1995-96 | Nov 24 | Mar 27 |
| 1926-27 | Nov 11 | Mar 4 | | 1961-62 | Dec 11 | Mar 2 | | 1996-97 | Nov 27 | Mar 16 |
| 1927-28 | Dec 1 | Apr 15 | | 1962-63 | Dec 11 | Mar 22 | | 1997-98 | Nov 24 | Mar 16 |
| 1928-29 | Dec 5 | Mar 9 | | 1963-64 | Dec 3 | Mar 17 | | 1998-99 | Dec 21 | Mar 7 |
| 1929-30 | Nov 28 | Mar 3 | | 1964-65 | Nov 29 | Mar 30 | | 1999-00 | Dec 16 | Feb 17 |
| | | | | | | | | | | |
| 1930-31 | Nov 29 | Feb 15 | | 1965-66 | Dec 19 | Mar 27 | | 2000-01 | Dec 2 | Feb 28 |
| 1931-32 | Dec 7 | Mar 20 | | 1966-67 | Dec 1 | Mar 18 | | 2001-02 | Dec 31 | Apr 4 |
| 1932-33 | Nov 16 | Mar 11 | | 1967-68 | Nov 29 | Feb 25 | | 2002-03 | Dec 1 | Apr 6 |
| 1933-34 | Nov 16 | Mar 24 | | 1968-69 | Dec 8 | Mar 31 | | 2003-04 | Dec 11 | Mar 22 |
| 1934-35 | Dec 8 | Feb 19 | | 1969-70 | Nov 21 | Mar 29 | | 2004-05 | Dec 3 | Mar 13 |
| | | | | | | | | | | |
| 1935-36 | Dec 19 | Mar 6 | | 1970-71 | Nov 27 | Mar 25 | | 2005-06 | Nov 26 | Mar 4 |
| 1936-37 | Nov 30 | Mar 26 | | 1971-72 | Dec 13 | Mar 10 | | 2006-07 | Dec 4 | Mar 8 |
| 1937-38 | Nov 28 | Mar 10 | | 1972-73 | Dec 3 | Feb 27 | | 2007-08 | Nov 30 | Mar 10 |
| 1938-39 | Dec 19 | Mar 18 | | 1973-74 | Dec 7 | Mar 25 | | 2008-09 | Nov 21 | Mar 12 |
| 1939-40 | Dec 30 | Mar 26 | | 1974-75 | Dec 30 | Mar 27 | | 2009-10 | Dec 10 | Feb 19 |
| | | | | | | | | | | |
| 1940-41 | Nov 28 | Mar 18 | | 1975-76 | Dec 2 | Mar 22 | | 2010-11 | Dec 8 | Mar 28 |
| 1941-42 | Dec 10 | Mar 13 | | 1976-77 | Nov 27 | Mar 1 | | 2011-12 | Dec 6 | Feb 13 |
| 1942-43 | Nov 28 | Mar 18 | | 1977-78 | Nov 25 | Mar 17 | | 2012-13 | Dec 25 | Mar 22 |
| 1943-44 | Dec 13 | Mar 20 | | 1978-79 | Nov 21 | Mar 27 | | 2013-14 | Nov 24 | Apr 15 |
| 1944-45 | Dec 2 | Mar 9 | | 1979-80 | Dec 2 | Mar 12 | | 2014-15 | Nov 15 | Mar 6 |
| | | | | | | | | | | |
| 30 Year | Ave | Ave | | 30 Year | Ave | Ave | | 30 Year | Ave | Ave |
| 1911-1940 | Dec 4 | Mar 16 | | 1941-1970 | Dec 4 | Mar 17 | | 1971-2000 | Dec 4 | Mar 14 |
| 1921-1950 | Dec 5 | Mar 17 | | 1951-1980 | Dec 2 | Mar 17 | | 1981-2010 | Dec 3 | Mar 13 |
| 1931-1960 | Dec 3 | Mar 15 | | 1961-1990 | Dec 4 | Mar 17 | | 1991-2020 | Dec 4 | Mar 15 |

RHINELANDER - FIRST SUBZERO TEMPS OF FALL / WINTER RANKINGS

| Earliest | | |
|----------|--------|---------------------------------|
| Rank | Date | Winter(s) |
| | | |
| 1 | Nov 6 | 1951-52 |
| 2 | Nov 7 | 1991-92 |
| 3 | Nov 11 | 1926-27 |
| 4T | Nov 12 | 1986-87,2019-20 |
| 6 | Nov 13 | 1911-12 |
| 7 | Nov 14 | 1916-17 |
| 8T | Nov 15 | 1919-20,2014-15 |
| 10T | Nov 16 | 1932-33,1933-34 |
| 12 | Nov 17 | 1959-60 |
| 13T | Nov 20 | 1921-22,2022-23 |
| 15T | Nov 21 | 1969-70,1978-79,2008-09 |
| 18T | Nov 23 | 1914-15,1950-51,1956-57,1985-86 |
| 22T | Nov 24 | 1955-56,1989-90,1995-96,1997-98 |
| 22T | Nov 24 | 2013-14 |
| 27 | Nov 25 | 1977-78 |
| 28 | Nov 26 | 2005-06 |
| 29T | Nov 27 | 1970-71,1976-77,1993-94,1996-97 |

| Latest | | |
|--------|--------|---------------------------------|
| Rank | Date | Winter(s) |
| | | |
| 1 | Jan 14 | 2023-24 |
| 2 | Jan 12 | 1913-14 |
| 3 | Jan 10 | 2015-16 |
| 4 | Jan 1 | 1923-24 |
| 5 | Dec 31 | 2001-02 |
| 6T | Dec 30 | 1939-40,1974-75 |
| 8 | Dec 29 | 1952-53 |
| 9 | Dec 26 | 1987-88 |
| 10 | Dec 25 | 2012-13 |
| 11 | Dec 21 | 1998-99 |
| 12 | Dec 20 | 1992-93 |
| 13T | Dec 19 | 1920-21,1935-36,1938-39,1965-66 |
| 13T | Dec 19 | 1990-91 |
| 18T | Dec 16 | 1953-54, 1960-61,1999-00 |
| 21 | Dec 15 | 2017-18 |
| 22T | Dec 14 | 1981-82,2020-21 |
| 24T | Dec 13 | 1971-72,2016-17 |

LAST SUBZERO TEMPERATURES WINTER / SPRING

| Earliest | | |
|----------|--------|---------------------------------|
| Rank | Date | Winter(s) |
| | | |
| 1 | Feb 13 | 2011-12 |
| 2 | Feb 14 | 1980-81 |
| 3 | Feb 15 | 1930-31 |
| 4T | Feb 17 | 1999-00,2015-16 |
| 6T | Feb 19 | 1934-35,2009-10 |
| 8 | Feb 20 | 1957-58 |
| 9 | Feb 25 | 1967-68 |
| 10T | Feb 27 | 1972-73,1993-94 |
| 12T | Feb 28 | 1945-46,1990-91,2000-01 |
| 15T | Feb 29 | 2019-20,2023-24 |
| 17T | Mar 1 | 1976-77,2020-21 |
| 19 | Mar 2 | 1961-62 |
| 20T | Mar 3 | 1914-15,1929-30 |
| 22T | Mar 4 | 1926-27,2005-06 |
| 24T | Mar 6 | 1916-17,1935-36,1984-85 |
| 27T | Mar 7 | 1918-19,1952-53,1984-85,1989-90 |

| Latest | | |
|--------|--------|----------------------------------|
| Rank | Date | Winter(s) |
| | | |
| 1T | Apr 15 | 1927-28,2013-14 |
| 3 | Apr 9 | 1922-23 |
| 4 | Apr 8 | 2017-18 |
| 5T | Apr 6 | 1949-50,1981-82,2002-03 |
| 8 | Apr 4 | 2001-02 |
| 9 | Apr 3 | 1953-54 |
| 10 | Apr 1 | 1923-24 |
| 11 | Mar 31 | 1968-69 |
| 12T | Mar 30 | 1964-65,1986-87 |
| 14 | Mar 29 | 1969-70 |
| 15T | Mar 28 | 1920-21,1925-26,1954-55, 2010-11 |
| 15T | Mar 28 | 2021-22 |
| 20T | Mar 27 | 1965-66,1974-75,1978-79, 1995-96 |
| 24T | Mar 26 | 1936-37,1939-40 |
| 26T | Mar 25 | 1950-51,1959-60,1970-71 |
| 29T | Mar 24 | 1933-34,1955-56 |
| 31 | Mar 23 | 1915-16 |

RHINELANDER – NUMBER OF SUBZERO DAYS WINTER (NOV-APR)

| Winter | Days | | Winter | Days | | Winter | Days | | Winter | Days |
|-----------|---------|--|-----------|---------|--|-----------|---------|--|----------|---------|
| 1908/09 | 26 | | | | | | | | | |
| 1909/10 | 30 | | | | | | | | | |
| | | | | | | | | | | |
| 1910/11 | 28 | | 1945/46 | 32 | | 1980/81 | 40 | | 2015-16 | 17 |
| 1911/12 | 52 | | 1946/47 | 32 | | 1981/82 | 56 | | 2016-17 | 25 |
| 1912/13 | 39 | | 1947/48 | 45 | | 1982/83 | 19 | | 2017-18 | 33 |
| 1913/14 | 28 | | 1948/49 | 29 | | 1983/84 | 49 | | 2018-19 | 35 |
| 1914/15 | 31 | | 1949/50 | 53 | | 1984/85 | 47 | | 2019-20 | 24 |
| | | | | | | | | | | |
| 1915/16 | 35 | | 1950/51 | 48 | | 1985/86 | 74 | | 2020-21 | 27 |
| 1916/17 | 65 | | 1951/52 | 36 | | 1986/87 | 27 | | 2021-22 | 42 |
| 1917/18 | 58 | | 1952/53 | 19 | | 1987/88 | 46 | | 2022-23 | 15 |
| 1918/19 | 20 | | 1953/54 | 27 | | 1988/89 | 47 | | 2023-24 | 10 |
| 1919/20 | 60 | | 1954/55 | 37 | | 1989/90 | 34 | | 2024-25 | |
| | | | | | | | | | | |
| 1920/21 | 22 | | 1955/56 | 47 | | 1990/91 | 35 | | | |
| 1921/22 | 42 | | 1956/57 | 38 | | 1991/92 | 29 | | | |
| 1922/23 | 58 | | 1957/58 | 25 | | 1992/93 | 34 | | | |
| 1923/24 | 36 | | 1958/59 | 55 | | 1993/94 | 42 | | | |
| 1924/25 | 40 | | 1959/60 | 28 | | 1994/95 | 24 | | | |
| | | | | | | | | | | |
| 1925/26 | 47 | | 1960/61 | 32 | | 1995/96 | 58 | | | |
| 1926/27 | 45 | | 1961/62 | 34 | | 1996/97 | 33 | | | |
| 1927/28 | 62 | | 1962/63 | 46 | | 1997/98 | 10 | | | |
| 1928/29 | 58 | | 1963/64 | 32 | | 1998/99 | 28 | | | |
| 1929/30 | 39 | | 1964/65 | 46 | | 1999/00 | 31 | | | |
| | | | | | | | | | | |
| 1930/31 | 17 | | 1965/66 | 30 | | 2000/01 | 43 | | | |
| 1931/32 | 25 | | 1966/67 | 32 | | 2001/02 | 18 | | | |
| 1932/33 | 44 | | 1967/68 | 33 | | 2002/03 | 46 | | | |
| 1933/34 | 38 | | 1968/69 | 33 | | 2003/04 | 33 | | | |
| 1934/35 | 35 | | 1969/70 | 50 | | 2004/05 | 35 | | | |
| | | | | | | | | | | |
| 1935/36 | 51 | | 1970/71 | 47 | | 2005/06 | 20 | | | |
| 1936/37 | 46 | | 1971/72 | 52 | | 2006/07 | 33 | | | |
| 1937/38 | 35 | | 1972/73 | 36 | | 2007/08 | 44 | | | |
| 1938/39 | 35 | | 1973/74 | 49 | | 2008/09 | 52 | | | |
| 1939/40 | 32 | | 1974/75 | 39 | | 2009/10 | 22 | | | |
| | | | | | | | | | | |
| 1940/41 | 32 | | 1975/76 | 42 | | 2010/11 | 30 | | | |
| 1941/42 | 22 | | 1976/77 | 60 | | 2011/12 | 14 | | | |
| 1942/43 | 45 | | 1977/78 | 60 | | 2012/13 | 28 | | | |
| 1943/44 | 19 | | 1978/79 | 55 | | 2013/14 | 66 | | | |
| 1944/45 | 43 | | 1979/80 | 44 | | 2014/15 | 48 | | | |
| | | | | | | | | | | |
| 30 Year | Average | | 30 Year | Average | | 30 Year | Average | | Period | Average |
| | | | | | | | | | | |
| 1911-1940 | 41 | | 1941-1970 | 36 | | 1971-2000 | 42 | | 1908-Now | 39 |
| 1921-1950 | 39 | | 1951-1980 | 40 | | 1981-2010 | 37 | | | |
| 1931-1960 | 36 | | 1961-1990 | 43 | | 1991-2020 | 33 | | | |

RHINELANDER – NUMBER OF SUBZERO DAYS WINTER (NOV-APR)

Greatest Number of Days

| Rank | Days | Winter(s) |
|------|------|-----------------------------------------|
| 1 | 74 | 1985-86 |
| 2 | 66 | 2013-14 |
| 3 | 65 | 1916-17 |
| 4 | 62 | 1927-28 |
| 5T | 60 | 1919-20,1976-77,1977-78 |
| 8T | 58 | 1917-18,1922-23,1928-29,1995-96 |
| 12 | 56 | 1981-82 |
| 13T | 55 | 1958-59,1978-79 |
| 15 | 53 | 1949-50 |
| 16T | 52 | 1911-12,1971-72,2008-09 |
| 19 | 51 | 1935-36 |
| 20 | 50 | 1969-70 |
| 21T | 49 | 1973-74,1983-84 |
| 23T | 48 | 1950-51,2014-15 |
| 25T | 47 | 1925-26,1955-56,1969-1970,1984-85 |
| 30T | 46 | 1936-37,1962-63,1964-65,1987-88,2002-03 |
| 35T | 45 | 1926-27,1942-43,1947-48 |
| 38T | 44 | 1932-33,1979-80,2007-08 |
| 41T | 43 | 1944-45,2000-01 |

Least Number of Days

| Rank | Days | Winter(s) |
|------|------|-------------------------------------------|
| 1T | 10 | 1997-98,2023-24 |
| 3 | 14 | 2011-12 |
| 4 | 15 | 2022-23 |
| 5T | 17 | 1930-31,2015-16 |
| 7 | 18 | 2001-02 |
| 8T | 19 | 1943-44,1952-53,1982-83 |
| 11T | 20 | 1918-19,2005-06 |
| 13T | 22 | 1920-21,1941-42,2009-10 |
| 16T | 24 | 1994-95,2019-20 |
| 18T | 25 | 1931-32,1957-58,2016-17 |
| 21 | 26 | 1908-09 |
| 22T | 27 | 1953-54,1986-87,2020-21 |
| 25T | 28 | 1910-11,1913-14, 1959-60,1998-99, 2012-13 |
| 30T | 29 | 1948-49,1991-92 |
| 32T | 30 | 1909-10,1965-66,2010-11 |
| 35T | 31 | 1914-15,1999-00 |

DATE OF RHINELANDER SPRING AND FALL FREEZES

| Year | Spring | Fall | | Year | Spring | Fall | | Year | Spring | Fall |
|-----------|--------|--------|--|-----------|--------|--------|--|-----------|--------|--------|
| 1908 | Jun 15 | Sep 29 | | 1909 | May 11 | Sep 25 | | | | |
| | | | | | | | | | | |
| 1910 | May 27 | Oct 6 | | 1950 | May 16 | Sep 23 | | 1990 | Jun 5 | Oct 8 |
| 1911 | May 13 | Sep 26 | | 1951 | May 13 | Sep 28 | | 1991 | May 8 | Sep 21 |
| 1912 | Jun 7 | Sep 26 | | 1952 | May 16 | Sep 7 | | 1992 | May 27 | Sep 23 |
| 1913 | Jun 9 | Sep 9 | | 1953 | May 13 | Oct 6 | | 1993 | May 29 | Sep 29 |
| 1914 | May 15 | Sep 8 | | 1954 | May 20 | Sep 23 | | 1994 | May 27 | Oct 2 |
| | | | | | | | | | | |
| 1915 | May 30 | Aug 27 | | 1955 | May 17 | Sep 12 | | 1995 | Jun 7 | Sep 13 |
| 1916 | May 20 | Sep 16 | | 1956 | May 24 | Sep 21 | | 1996 | May 13 | Sep 25 |
| 1917 | May 28 | Aug 30 | | 1957 | May 16 | Sep 26 | | 1997 | May 22 | Oct 1 |
| 1918 | Jun 23 | Sep 10 | | 1958 | May 23 | Oct 1 | | 1998 | Apr 28 | Oct 1 |
| 1919 | May 19 | Sep 13 | | 1959 | May 15 | Sep 16 | | 1999 | May 9 | Sep 21 |
| | | | | | | | | | | |
| 1920 | May 15 | Oct 1 | | 1960 | May 12 | Sep 30 | | 2000 | May 19 | Sep 15 |
| 1921 | Jun 4 | Oct 3 | | 1961 | May 19 | Sep 26 | | 2001 | May 30 | Sep 14 |
| 1922 | Apr 28 | Sep 17 | | 1962 | Apr 29 | Sep 29 | | 2002 | May 21 | Sep 23 |
| 1923 | May 17 | Sep 14 | | 1963 | May 23 | Sep 13 | | 2003 | Jun 1 | Sep 28 |
| 1924 | Jun 16 | Sep 6 | | 1964 | May 14 | Sep 15 | | 2004 | May 28 | Sep 28 |
| | | | | | | | | | | |
| 1925 | May 26 | Sep 25 | | 1965 | May 29 | Sep 26 | | 2005 | May 12 | Oct 7 |
| 1926 | Jun 19 | Sep 13 | | 1966 | May 12 | Sep 26 | | 2006 | May 22 | Sep 21 |
| 1927 | Jun 15 | Sep 23 | | 1967 | May 22 | Sep 10 | | 2007 | May 17 | Sep 14 |
| 1928 | Jun 3 | Jul 30 | | 1968 | May 10 | Oct 4 | | 2008 | May 28 | Oct 2 |
| 1929 | May 20 | Sep 18 | | 1969 | May 25 | Oct 12 | | 2009 | Jun 6 | Sep 29 |
| | | | | | | | | | | |
| 1930 | MSG | Sep 18 | | 1970 | May 17 | Oct 4 | | 2010 | May 15 | Sep 26 |
| 1931 | May 23 | Oct 12 | | 1971 | May 27 | Sep 24 | | 2011 | May 27 | Sep 14 |
| 1932 | May 29 | Sep 18 | | 1972 | Jun 10 | Sep 22 | | 2012 | Jun 1 | Sep 18 |
| 1933 | May 10 | Sep 29 | | 1973 | May 17 | Sep 20 | | 2013 | Jun 3 | Sep 16 |
| 1934 | May 24 | Oct 10 | | 1974 | May 26 | Sep 3 | | 2014 | May 17 | Sep 11 |
| | | | | | | | | | | |
| 1935 | May 22 | Sep 1 | | 1975 | May 16 | Sep 9 | | 2015 | May 31 | Sep 29 |
| 1936 | May 20 | Oct 1 | | 1976 | May 19 | Sep 21 | | 2016 | Jun 8 | Oct 8 |
| 1937 | May 15 | Sep 17 | | 1977 | May 10 | Oct 3 | | 2017 | May 18 | Sep 30 |
| 1938 | May 12 | Oct 1 | | 1978 | May 10 | Oct 7 | | 2018 | May 12 | Sep 29 |
| 1939 | May 17 | Sep 24 | | 1979 | May 26 | Sep 19 | | 2019 | May 13 | Oct 8 |
| | | | | | | | | | | |
| 1940 | May 16 | Sep 26 | | 1980 | May 16 | Sep 16 | | 2020 | May 31 | Sep 11 |
| 1941 | May 17 | Sep 28 | | 1981 | May 18 | Sep 19 | | 2021 | May 29 | Oct 17 |
| 1942 | May 15 | Sep 22 | | 1982 | Jun 3 | Sep 21 | | 2022 | May 23 | Sep 23 |
| 1943 | May 13 | Sep 11 | | 1983 | May 25 | Sep 23 | | 2023 | May 26 | Oct 7 |
| 1944 | May 18 | Sep 8 | | 1984 | May 26 | Sep 25 | | 2024 | | |
| | | | | | | | | | | |
| 1945 | Jun 5 | Sep 16 | | 1985 | May 20 | Sep 24 | | 2025 | | |
| 1946 | Jun 3 | Sep 3 | | 1986 | Jun 1 | Sep 6 | | 2026 | | |
| 1947 | May 29 | Sep 22 | | 1987 | May 11 | Sep 24 | | 2027 | | |
| 1948 | May 10 | Oct 3 | | 1988 | May 25 | Oct 3 | | 2028 | | |
| 1949 | Jun 8 | Sep 24 | | 1989 | Msg | Sep 23 | | 2029 | | |
| | | | | | | | | | | |
| | Ave | Ave | | | Ave | Ave | | | Ave | Ave |
| 1911-1940 | May 25 | Sep 17 | | 1941-1970 | May 19 | Sep 23 | | 1971-2000 | May 22 | Sep 23 |
| 1921-1950 | May 24 | Sep 19 | | 1951-1980 | May 18 | Sep 23 | | 1981-2010 | May 23 | Sep 24 |
| 1931-1960 | May 20 | Sep 23 | | 1961-1990 | May 21 | Sep 23 | | 1991-2020 | May 23 | Sep 22 |
| | | | | | | | | 1908-Now | May 22 | Sep 23 |

RHINELANDER FIRST FALL / LAST SPRING FREEZE DATA

SPRING / SUMMER

LATEST LAST FREEZE

| Rank | Date | Year(s) |
|------|--------|---------------------|
| 1 | Jun 23 | 1918 |
| 2 | Jun 19 | 1926 |
| 3 | Jun 16 | 1924 |
| 4T | Jun 15 | 1908,1927 |
| 6 | Jun 10 | 1972 |
| 7 | Jun 9 | 1913 |
| 8 | Jun 8 | 1949 |
| 9T | Jun 7 | 1912,1995 |
| 11 | Jun 6 | 2009 |
| 12 | Jun 5 | 1945,1990 |
| 13 | Jun 4 | 1921 |
| 14 | Jun 3 | 1928,1946,1982,2013 |
| 15 | Jun 1 | 1986,2003,2012 |

EARLIEST LAST FREEZE

| Rank | Date | Year(s) |
|------|--------|-------------------------------|
| 1T | Apr 28 | 1922,1998 |
| 3 | Apr 29 | 1962 |
| 4 | May 8 | 1991 |
| 5 | May 9 | 1999 |
| 6 | May 10 | 1933,1948,1968,1977,1978 |
| 11T | May 11 | 1909,1987 |
| 13T | May 12 | 1938,1960,1966,2005,2018 |
| 18T | May 13 | 1911,1943,1951,1953,1996 |
| 23 | May 14 | 1964 |
| 24T | May 15 | 1914,1920,1937,1942,1959,2010 |
| 30T | May 16 | 1940,1950,1952,1957,1975,1980 |
| 36T | May 17 | 1923,1939,1941,1955,1970,1973 |
| 36T | May 17 | 2007,2014 |

SUMMER / FALL

EARLIEST FIRST FREEZE

| Rank | Date | Year(s) |
|------|--------|---------------------|
| 1 | Jul 30 | 1928 |
| 2 | Aug 27 | 1915 |
| 3 | Aug 30 | 1917 |
| 4 | Sep 1 | 1935 |
| 5T | Sep 3 | 1946,1974 |
| 7T | Sep 6 | 1924,1986 |
| 9 | Sep 7 | 1952 |
| 10T | Sep 8 | 1914,1944 |
| 12T | Sep 9 | 1913,1975 |
| 14T | Sep 10 | 1918,1967 |
| 16T | Sep 11 | 1943,2014,2020 |
| 19 | Sep 12 | 1955 |
| 20T | Sep 13 | 1919,1926,1963,1995 |
| 24T | Sep 14 | 1923,2001,2007,2011 |

LATEST FIRST FREEZE

| Rank | Date | Year(s) |
|------|--------|--------------------------------|
| 1 | Oct 17 | 2021 |
| 2T | Oct 12 | 1931,1969 |
| 4 | Oct 10 | 1934 |
| 5T | Oct 8 | 1990,2016 |
| 7T | Oct 7 | 1978,2005,2023 |
| 10T | Oct 6 | 1910,1953 |
| 12T | Oct 4 | 1968,1970 |
| 14T | Oct 3 | 1921,1948,1977,1988 |
| 18T | Oct 2 | 1994,2008 |
| 20T | Oct 1 | 1920,1936,1938,1958,1997,1998 |
| 26 | Sep 30 | 1960 |
| 27T | Sep 29 | 1908,1933,1962,1993,2009,2015 |
| 33T | Sep 28 | 1941,1951,2003,2004 |
| 37T | Sep 26 | 1911,1912,1940,1957,1961,1965, |
| 37T | Sep 26 | 1966,2010 |

RHINELANDER FREEZE DATA

| PERIOD | Average Last Freeze | Average 1 st Freeze |
|------------------------------------------------------|---------------------|--------------------------------|
| | Spring | Fall |
| 1991-2020 | May 23 | Sep 24 |
| 1981-2010 | May 23 | Sep 25 |
| 1971-2000 | May 21 | Sep 23 |
| 1961-1990 | May 20 | Sep 23 |
| 1951-1980 | May 18 | Sep 22 |
| 1941-1970 | May 19 | Sep 22 |
| 1931-1960 | May 19 | Sep 22 |
| 1921-1950 | May 25 | Sep 20 |
| 1911-1940 | May 27 | Sep 18 |
| 1908-Present | May 23 | Sep 22 |
| Earliest Last Spring Freeze | | Apr 28, 1922 & Apr 28, 1998 |
| Latest Last Spring / Summer Freeze | | Jun 23, 1918 |
| Earliest Fall Summer / Fall Freeze | | Jul 30, 1928 |
| Latest First Fall Freeze | | Oct 12, 1931 & Oct 12, 1969 |
| Average Consecutive Frost Freeze Days (1991-2020) | | 123 |
| Average Consecutive Frost Freeze Days (1908-present) | | 121 |

CONSECUTIVE – NON-FREEZE DAYS

| Rank | Most Days | Year(s) |
|------|-----------|---------------------|
| 1 | 155 | 1998 |
| 2 | 152 | 1962 |
| 3 | 149 | 1978 |
| 4T | 147 | 2005,2019 |
| 6 | 146 | 1968 |
| 7T | 145 | 1948,1953,1977 |
| 10T | 141 | 1922,1933,1938 |
| 13T | 140 | 1960,2021 |
| 15T | 139 | 1969,1970,2012 |
| 18T | 138 | 1920,1934 |
| 20 | 137 | 1909 |
| 21 | 136 | 1966 |
| 22T | 135 | 1911,1991 |
| 24T | 134 | 1996,1999,2017 |
| 27T | 133 | 1936,1941,2010,2023 |
| 31T | 132 | 1940,1957 |
| 33T | 131 | 1910,1997 |
| 35T | 130 | 1958,1988 |
| 37T | 129 | 1939,1942,1950,1961 |

| Rank | Least Days | Year(s) |
|------|------------|-----------|
| 1 | 56 | 1928 |
| 2 | 78 | 1918 |
| 3 | 81 | 1924 |
| 4 | 85 | 1926 |
| 5 | 88 | 1915 |
| 6T | 91 | 1913,1946 |
| 8 | 93 | 1917 |
| 9T | 99 | 1927,1974 |
| 11 | 101 | 1935, |
| 12T | 102 | 1945,2020 |
| 14T | 103 | 1972,2000 |
| 16 | 104 | 2013 |
| 17T | 105 | 1908,1995 |
| 19 | 106 | 2001 |
| 20 | 107 | 1949 |
| 21 | 108 | 2012 |
| 22 | 109 | 2011 |
| 23T | 110 | 1912,1967 |
| 25 | 111 | 1932 |

RHINELANDER FREEZE GROWING SEASON DATA

GROWING SEASON - SPRING

| Base Temp | Median | Early | 90 % | 10 % | Late |
|-----------|--------|-------|------|------|------|
| 32 | 5/21 | 4/27 | 5/08 | 6/05 | 6/11 |
| 30 | 5/14 | 4/18 | 4/27 | 5/26 | 6/07 |
| 28 | 5/03 | 4/10 | 4/24 | 5/16 | 5/20 |
| 24 | 4/21 | 3/24 | 4/07 | 5/04 | 5/09 |
| 20 | 4/13 | 3/24 | 3/29 | 4/24 | 4/27 |
| 16 | 4/06 | 3/14 | 3/19 | 4/14 | 4/17 |

GROWING SEASON - FALL

| Base Temp | Median | Early | 90 % | 10 % | Late |
|-----------|--------|-------|-------|-------|-------|
| 32 | 9/24 | 9/03 | 9/11 | 10/04 | 10/08 |
| 30 | 10/02 | 9/12 | 9/22 | 10/10 | 10/15 |
| 28 | 10/08 | 9/22 | 9/24 | 10/21 | 10/31 |
| 24 | 10/21 | 9/25 | 10/04 | 11/07 | 11/11 |
| 20 | 11/04 | 10/09 | 10/19 | 11/15 | 11/29 |
| 16 | 11/08 | 10/19 | 10/24 | 11/21 | 11/29 |

GROWING SEASON DAYS

| Base Temp | Median | Short | 10 % | 90 % | Longest |
|-----------|--------|-------|------|------|---------|
| 32 | 125 | 98 | 105 | 145 | 156 |
| 30 | 139 | 98 | 126 | 159 | 169 |
| 28 | 157 | 133 | 137 | 176 | 183 |
| 24 | 186 | 139 | 163 | 211 | 227 |
| 20 | 206 | 176 | 187 | 219 | 249 |
| 16 | 217 | 189 | 201 | 238 | 261 |

RHINELANDER HIGHEST/LOWEST MAXIMUM TEMPERATURES

HIGHEST MAXIMUM

| | Highest | |
|------|---------|-----------------------------------------------------------------------------------------|
| Rank | Maximum | Date(s) / Year(s) |
| 1 | 108 | 07/13/1936 |
| 2 | 106 | 07/11/1936 |
| 3 | 105 | 07/12/1936 |
| 4 | 104 | 06/29/1931 |
| 5 | 102 | 07/14/1936 |
| 6 | 101 | 07/08/1936 |
| 7T | 100 | 07/11/1937,07/13/1995,07/15/2006 |
| 10T | 99 | 05/31/1934,07/23/1934 |
| 12T | 98 | 09/10/1908,06/18/1910,06/29/1910,06/10/1911,07/02/1911,07/29/1917,07/07/1936,07/09/1936 |
| 12T | 98 | 07/26/1955,07/14/1977,07/21/1983,06/18/1995,07/14/1995,07/30/1999 |

LOWEST MAXIMUM

| | Lowest | |
|------|---------|-----------------------------------------------------------------------------------------|
| Rank | Maximum | Date(s) / Year(s) |
| 1 | -19 | 01/18/1994 |
| 2 | -18 | 01/01/1920 |
| 3 | -17 | 01/06/2014 |
| 4T | -16 | 02/17/1936,01/23/1963 |
| 6T | -15 | 01/07/1912,01/13/1929,02/02/1996 |
| 9T | -14 | 01/06/1912,01/11/1912,01/25/1972 |
| 12T | -13 | 01/10/1912,01/12/1912,01/19/1985 |
| 15T | -12 | 01/29/1951,01/14/1972 |
| 17T | -11 | 01/24/1926,01/14/1929,01/26/1929,01/31/1938,01/23/1963,12/23/1983,01/14/1994 |
| 24T | -10 | 01/05/1912,01/04/1924,01/20/1924,01/29/1928,01/30/1928,02/09/1933,12/26/1933,12/18/1983 |
| 24T | -10 | 01/20/1984,02/04/2007 |

RHINELANDER HIGHEST/LOWEST MINIMUM TEMPERATURES

LOWEST MINIMUM

| | Lowest | |
|------|---------|-----------------------------------------------------------------------------------------|
| Rank | Minimum | Date(s) / Year(s) |
| 1 | -42 | 02/03/1996 |
| 2T | -41 | 01/28/1915,02/16/1936 |
| 4T | -40 | 01/06/1912,02/09/1951, 01/16/1982 |
| 7 | -39 | 01/15/1972 |
| 8T | -38 | 01/07/1912,01/12/1912,01/24/1955,01/17/1982,02/01/1996 |
| 13T | -37 | 01/12/1909,01/24/1922,01/25/1922,02/19/1929,02/01/1938,01/09/1977 |
| 19T | -36 | 02/09/1933,01/23/1935,01/18/1948,01/30/1950,03/01/1962,02/02/1996,02/04/1996 |
| 26T | -35 | 02/25/1928,01/27/1935,01/24/1948,01/25/1948,01/27/1950 |
| 31T | -34 | 01/14/1916,12/27/1924,01/27/1927,02/26/1928,02/20/1929,02/21/1929,02/10/1933,01/01/1947 |
| 31T | -34 | 03/11/1948,01/30/1951,01/23/1963,02/08/1971,01/16/1972, |

HIGHEST MINIMUM

| | Highest | |
|------|---------|-----------------------------------------------------------------------------------------|
| Rank | Minimum | Date(s) / Year(s) |
| 1T | 76 | 06/20/1909,09/09/1912 |
| 3T | 75 | 07/02/1911,06/27/1991 |
| 5T | 74 | 06/30/1913,07/05/1914,06/18/1921,06/28/1931,07/13/1936,08/12/1947,07/29/1959,07/01/1970 |
| 5T | 74 | 06/15/1994,07/04/1999,07/16/2006 |
| 16T | 73 | 07/24/1934,07/18/1942,06/27/1944,08/05/1947,07/01/2002,08/05/1947,07/01/2002 |
| 22T | 72 | 07/01/1911,09/06/1912,07/28/1914,07/28/1929,06/29/1931,06/30/1931,07/01/1931,07/20/1932 |
| 22T | 72 | 07/20/1935,07/11/1936,07/25/1941,07/27/1941,08/06/1947,08/24/1948,08/04/1955,09/07/1960 |
| 22T | 72 | 07/19/1977,07/07/1988,06/28/1991,06/16/1994,07/02/2002,08/03/2005 |
| | 71 | Many occurrences |

RHINELANDER HIGHEST/LOWEST DAILY AVERAGE TEMPERATURE

HIGHEST DAILY AVERAGE

| | Highest | |
|------|---------|-----------------------------------------------------------------------------------------|
| Rank | Average | Date(s) / Year(s) |
| 1 | 91.0 | 07/13/1936 |
| 2 | 89.0 | 07/11/1936 |
| 3 | 88.0 | 06/30/1931 |
| 4 | 86.5 | 07/02/1911 |
| 5T | 86.0 | 07/08/1936,07/12/1936 |
| 7 | 85.5 | 07/16/2006 |
| 8 | 85.0 | 07/11/1937 |
| 9T | 84.5 | 07/09/1936,07/26/1955,07/14/1995 |
| 12T | 84.0 | 07/24/1937,08/05/1947,08/12/1947,07/19/1977 |
| 16T | 83.5 | 07/01/1911,09/09/1912,06/30/1931,07/27/1931,07/20/1932,07/01/1970,07/07/1988,06/18/1995 |
| 16T | 83.5 | 07/13/1995 |
| 24T | 83.0 | 07/05/1914,07/11/1921,07/10/1936,06/30/1963,07/14/1977,08/02/1988,07/31/2006 |
| 32T | 82.5 | 06/10/1911,06/28/1931,07/01/1931,06/27/1933,07/14/1936,08/24/1948,07/01/1963,08/02/1964 |
| 32T | 82.5 | 07/04/1999 |
| 41T | 82.0 | 08/06/1947,07/01/1966,08/23/1968,08/16/1988,06/27/1991,07/01/2002 |

LOWEST DAILY AVERAGE

| | Highest | |
|------|---------|-----------------------------------------------------------------------------------------|
| Rank | Average | Date(s) / Year(s) |
| 1 | -28.0 | 01/15/1972 |
| 2 | -27.0 | 01/06/1912 |
| 3 | -26.5 | 01/07/1912 |
| 4T | -25.5 | 01/12/1912,02/02/1996 |
| 6T | -25.0 | 01/23/1963,01/18/1994 |
| 8 | -23.5 | 01/06/2014 |
| 9T | -22.5 | 01/10/1912,01/23/1935,01/29/1951,02/03/1996 |
| 13T | -22.0 | 01/28/1915,01/14/1929,02/10/1933,02/01/1996 |
| 17T | -21.5 | 02/19/1929,02/09/1933,01/30/1951,01/16/1972 |
| 21T | -21.0 | 01/11/1912,02/16/1936 |
| 23T | -20.5 | 01/24/1922,01/15/1929,02/17/1936 |
| 26T | -20.0 | 01/02/1920,01/21/1924,01/31/1938,01/17/1982 |
| 30T | -19.5 | 01/28/1966,02/02/1971,01/26/1972 |
| 33T | -19.0 | 01/24/1935,12/23/1983,01/19/1994 |
| 36T | -18.5 | 12/27/1933,01/1954 |
| 38T | -18.0 | 02/02/1895,02/05/1895,01/12/1909,12/16/1919,01/13/1929,01/07/1942,01/15/1963,01/07/1968 |
| 38T | -18.0 | 01/09/1977,01/18/1984 |

RHINELANDER TEMPERATURE THRESHOLDS – WINTER / SPRING

First 50 Degree Temperature of the Spring

| Rank | Latest 1 st 50F Day |
|------|--------------------------------|
| 1 | Apr 26 - 2013 |
| 2 | Apr 19 - 2018 |
| 3 | Apr 16 - 1933 |
| 4 | Apr 15 - 1950 |
| 5 | Apr 12 - 2002 |
| 6T | Apr 9 - 1964,1965,2023 |
| 9 | Apr 8 - 1971 |
| 10T | Apr 6 - 1940 |
| 11T | Apr 4 - 2001,2008 |
| 13 | Apr 3 - 1924 |
| 14T | Apr 2 - 1947,1956 |
| 16 | Apr 1 - 1909 |
| 17T | Mar 31 - 1941,1952 |
| 19 | Mar 30 - 1982 |
| 20T | Mar 28 - 1912,1916,1949 |
| 23T | Mar 27 - 1951,1960 |
| 25 | Mar 26 - 1978 |
| 26T | Mar 25 - 1988,1998 |
| 28T | Mar 24 - 1926,1943,1962 |
| 31T | Mar 23 - 1939,1963 |
| 33T | Mar 22 - 1928,1957,1970 |
| 36T | Mar 21 - 1953,1972 |
| 38T | Mar 20 - 1919,1948,1975 |

| Rank | Earliest 1 st 50F Day |
|------|----------------------------------|
| 1 | Jan 20 - 1908 |
| 2 | Jan 23 - 1942 |
| 3T | Jan 25 - 1944,1981 |
| 5T | Feb 4 - 1991,2024 |
| 7 | Feb 5 - 2005 |
| 8 | Feb 8 - 1925 |
| 9 | Feb 10 - 1977 |
| 10 | Feb 11 - 1918 |
| 11T | Feb 16 - 1921,1931,2011 |
| 14 | Feb 17 - 2017 |
| 15T | Feb 18 - 1994,1997 |
| 17 | Feb 19 - 1930 |
| 18T | Feb 22 - 1961,1984,2000 |
| 21 | Feb 23 - 1958 |
| 22 | Feb 24 - 1976 |
| 23 | Feb 25 - 1895 |
| 24 | Feb 27 - 2016 |
| 25 | Feb 28 - 1932 |
| 26 | Feb 29 - 2004 |
| 27T | Mar 1 - 1992,1993 |
| 29 | Mar 3 - 1923 |
| 30T | Mar 4 - 1910,1936 |
| 32 | Mar 5 - 1987 |

AVERAGES

| Average Period | Average Date of 1 st 50 F Day |
|----------------|------------------------------------------|
| 1991-2020 | Mar 10 |
| 1981-2010 | Mar 7 |
| 1971-2000 | Mar 5 |
| 1961-1990 | Mar 11 |
| 1951-1980 | Mar 16 |
| 1941-1970 | Mar 18 |
| 1931-1960 | Mar 15 |
| 1921-1950 | Mar 11 |
| 1911-1940 | Mar 11 |
| 1908-Present | Mar 11 |

RHINELANDER TEMPERATURE THRESHOLDS – WINTER / SPRING

First 60 Degree Temperature of the Winter / Spring

| Rank | Latest 1 st 60F Day |
|------|----------------------------------------|
| | |
| 1 | May 5 - 1909 |
| 2 | Apr 30 - 1975 |
| 3 | Apr 29 - 1965 |
| 4 | Apr 28 - 1947 |
| 5 | Apr 26 - 2013 |
| 6 | Apr 25 - 1978 |
| 7 | Apr 24 - 1983 |
| 8T | Apr 23 - 1982,2022 |
| 10T | Apr 22 - 1953,2018 |
| 12 | Apr 21 - 1940 |
| 13 | Apr 20 - 2014 |
| 14T | Apr 19 - 1936,1961,2001 |
| 17T | Apr 18 - 1923,1932,1944,1979 |
| 21T | Apr 17 - 1937,1974 |
| 23T | Apr 16 - 1933,1950,1952,1957,1972,2008 |
| 29 | Apr 15 - 1973 |
| 30T | Apr 14 - 1914,1924,1926,1959 |
| 34T | Apr 13 - 1913,2002 |
| 36T | Apr 12 - 1958,1960 |
| 38T | Apr 11 - 1919,1951,1964,1996 |
| | |
| | |
| | |

| Rank | Earliest 1 st 60F Day |
|------|----------------------------------|
| | |
| 1 | Feb 27 - 2024 |
| 2 | Mar 4 - 2000 |
| 3T | Mar 8 - 1977,1987 |
| 5T | Mar 12 - 1990,1995,2016 |
| 8 | Mar 13 - 2007 |
| 9T | Mar 14 - 2010,2012 |
| 11 | Mar 15 - 1927 |
| 13T | Mar 16 - 1930,2003 |
| 15T | Mar 17 - 1966,1968,2009 |
| 18 | Mar 18 - 1910 |
| 19T | Mar 19 - 1918,1946,1976 |
| 22T | Mar 21 - 1911,1935,1938 |
| 25T | Mar 22 - 1945,1985,1994 |
| 28T | Mar 24 - 1928,1939 |
| 30T | Mar 26 - 1921,1925,1991,1998 |
| 34T | Mar 27 - 1989,1993,1997 |
| 37T | Mar 28 - 1962,1981,2017 |
| 40T | Mar 29 - 1916,1963,2005 |
| 43T | Mar 30 - 1943,1967,1999 |
| 46 | Mar 31 - 1955 |
| | |
| | |
| | |

AVERAGES

| Average Period | Average Date of 1 st 60 F Day |
|----------------|------------------------------------------|
| | |
| 1991-2020 | Mar 31 |
| 1981-2010 | Mar 26 |
| 1971-2000 | Mar 31 |
| 1961-1990 | Apr 3 |
| 1951-1980 | Apr 8 |
| 1941-1970 | Apr 7 |
| 1931-1960 | Apr 6 |
| 1921-1950 | Apr 2 |
| 1911-1940 | Apr 3 |
| 1908-Present | Apr 3 |

RHINELANDER TEMPERATURE THRESHOLDS – WINTER / SPRING

First 70 Degree Temperature of the Spring

| Rank | Latest 1 st 70F Day |
|------|---------------------------------------|
| | |
| 1 | Jun 3 - 1924 |
| 2 | May 27 - 1997 |
| 3 | May 17 - 1967 |
| 4 | May 16 - 1933 |
| 5 | May 13 - 1954 |
| 6 | May 12 - 1972 |
| 7 | May 11 - 1995 |
| 8 | May 10 - 1975 |
| 9T | May 9 - 1920,1956,2022 |
| 12 | May 8 - 2014 |
| 13 | May 7 - 1961 |
| 14 | May 6 - 1936 |
| 15T | May 5 - 1909,1940,1950,1953,1966,1993 |
| 21 | May 4 - 2019 |
| 22T | May 2 - 1937,2020 |
| 24 | May 1 - 1922 |
| 25 | Apr 30 - 2018 |
| 26T | Apr 29 - 1947,1965,1992 |
| 29T | Apr 28 - 1951,1978 |
| 31 | Apr 27 - 2013 |
| | |

| Rank | Earliest 1 st 70F Day |
|------|---------------------------------------|
| | |
| 1T | Mar 7 - 1987,2000 |
| 3 | Mar 14 - 2012 |
| 4 | Mar 19 - 1910 |
| 5 | Mar 26 - 2007 |
| 6T | Mar 27 - 1945,1946 |
| 8 | Mar 31 - 2010 |
| 9T | Apr 2 - 1963,1999 |
| 11 | Apr 4 - 1912,1921 |
| 12T | Apr 5 - 1895,1928,1929,1991,2005,2021 |
| 18T | Apr 7 - 1931,1988 |
| 20 | Apr 8 - 2017 |
| 21 | Apr 9 - 1955 |
| 22T | Apr 10 - 1915,1930,1977,1981 |
| 26 | Apr 11 - 1968 |
| 27T | Apr 12 - 1941,1949,1998,2015,2023 |
| 32T | Apr 13 - 1938,1969 |
| 34T | Apr 14 - 1908,1947,1976,2003 |
| | |
| | |
| | |
| | |

AVERAGES

| Average Period | Average Date of 1 st 70 F Day |
|----------------|------------------------------------------|
| | |
| 1991-2020 | Apr 16 |
| 1981-2010 | Apr 14 |
| 1971-2000 | Apr 19 |
| 1961-1990 | Apr 21 |
| 1951-1980 | Apr 24 |
| 1941-1970 | Apr 21 |
| 1931-1960 | Apr 22 |
| 1921-1950 | Apr 20 |
| 1911-1940 | Apr 22 |
| 1886 - Present | Apr 19 |

RHINELANDER TEMPERATURE THRESHOLDS – WINTER / SPRING

First 80 Degree Temperature of the Spring / Summer

| Rank | Latest 1 st 80F Day |
|------|--------------------------------|
| 1 | Jun 26 - 1947 |
| 2 | Jun 22 - 1945 |
| 3 | Jun 20 - 1938 |
| 4 | Jun 16 - 1924 |
| 5 | Jun 12 - 1910 |
| 6 | Jun 10 - 1927 |
| 7 | Jun 7 - 2008 |
| 8T | Jun 5 - 1956,1973,1981 |
| 11 | Jun 4 - 1971 |
| 12T | Jun 3 - 2005,2011 |
| 14T | Jun 2 - 1943,2017 |
| 16T | May 31 - 1963,1997 |
| 18 | May 30 - 1995 |
| 19 | May 29 - 1937 |
| 20T | May 28 - 1929,1946 |
| 22T | May 27 - 1969,2006 |
| 24T | May 26 - 1919,1920,1966 |
| | |
| | |
| | |
| | |

| Rank | Earliest 1 st 80F Day |
|------|----------------------------------------|
| 1 | Apr 6 - 1991 |
| 2 | Apr 8 - 1931 |
| 3 | Apr 10 - 1977 |
| 4 | Apr 13 - 2023 |
| 5 | Apr 14 - 2003 |
| 6 | Apr 15 - 2002 |
| 7T | Apr 16 - 1964,1976 |
| 9T | Apr 18 - 1985, 1987 |
| 11 | Apr 21 - 1980 |
| 12T | Apr 22 - 1908,1960,2007 |
| 15 | Apr 23 - 1915 |
| 16T | Apr 24 - 1925,1939,1948,1990,2009 |
| 21T | Apr 25 - 1935,1942,1962 |
| 24 | Apr 26 - 1921 |
| 25 | Apr 27 - 1952 |
| 26T | Apr 30 - 1913,1949,1957,1970,2001,2013 |
| 31T | May 1 - 1992,1999,2021 |
| 34T | May 2 - 1926,1955,1959,1965 |
| 38 | May 3 - 2015 |
| | |
| | |
| | |
| | |

AVERAGES

| Average Period | Average Date of 1 st 80 F Day |
|----------------|------------------------------------------|
| 1991-2020 | May 11 |
| 1981-2010 | May 8 |
| 1971-2000 | May 10 |
| 1961-1990 | May 10 |
| 1951-1980 | May 10 |
| 1941-1970 | May 13 |
| 1931-1960 | May 13 |
| 1921-1950 | May 16 |
| 1911-1940 | May 14 |
| 1908-Present | May 12 |

RHINELANDER TEMPERATURE THRESHOLDS – WINTER / SPRING

First 90 Degree Temperature of the Spring / Summer

| Rank | Latest 1 st 90F Day |
|------|---------------------------------------------------|
| | |
| | These years did not record a 90 Degree Day: |
| 1T | 1915,1924,1943,1946,1950,1951,1954,1960,1962,1967 |
| 1T | 1972,1978,1979,1981,1985,1990,1993,1994,1997,2004 |
| 1T | 2008,2014,2015 |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

| Rank | Earliest 1 st 90F Day |
|------|----------------------------------|
| | |
| 1 | Apr 28 - 1952 |
| 2 | May 2 - 1959 |
| 3T | May 6 - 1930,1934 |
| 5T | May 12 - 1977,2022 |
| 7 | May 22 - 1975 |
| 8 | May 24 - 2010 |
| 9T | May 26 - 1911,2018 |
| 11 | May 27 - 1919 |
| 12 | May 28 - 1969 |
| 13 | May 30 - 1939 |
| 14 | Jun 1 - 1988 |
| 15 | Jun 2 - 2020 |
| 16T | Jun 7 - 1968,2011 |
| 18 | Jun 8 - 2000 |
| 19 | Jun 10 - 1956 |
| | |
| | |

AVERAGES

| Average Period | Average Date of 1 st 90 F Day |
|----------------|------------------------------------------|
| | |
| 1991-2020 | Jun 29 |
| 1981-2010 | Jul 1 |
| 1971-2000 | Jun 26 |
| 1961-1990 | Jun 20 |
| 1951-1980 | Jun 23 |
| 1941-1970 | Jul 3 |
| 1931-1960 | Jul 4 |
| 1921-1950 | Jul 6 |
| 1911-1940 | Jun 28 |
| 1908-Present | Jun 28 |

RHINELANDER - AVERAGE FIRST / LAST DATE OF TEMPERATURE

AVERAGE 1ST / LAST DATE HIGH TEMPERATURES

| | 1981-2000 | | | 1981-2000 |
|-------------|------------------------------------------------|--|-------------|-------------------------------------|
| Temperature | Average Date of 1 st High Temp Year | | Temperature | Average Last Date of High Temp Year |
| >- 32 | Jan 11 | | 90s | Aug 3 |
| 40s | Jan 24 | | 80s | Sep 9 |
| 50s | Mar 5 | | 70s | Oct 12 |
| 60s | Mar 29 | | 60s | Oct 31 |
| 70s | Apr 16 | | 50s | Nov 18 |
| 80s | May 9 | | 40s | Dec 9 |
| 90s | Jun 23 | | >-32 | Dec 23 |

NOTE: In some years, RHINELANDER has not reached 90 in a calendar year.

AVERAGE FIRST / LAST DATE LOW TEMPERATURES

| | 1981-2000 | | | 1981-2000 |
|-------------|--------------------------------|--|-------------|-------------------------------|
| Temperature | Average Date of First Low Temp | | Temperature | Average Last Date of Low Temp |
| -20s | Jan 11 | | 40s | Jul 18 |
| -10s | Dec 23 | | 30s | Jun 7 |
| -0s | Dec 5 | | 20s | May 5 |
| 0s | Nov 24 | | 10s | Apr 8 |
| 10s | Nov 7 | | 0s | Mar 23 |
| 20s | Oct 4 | | -0s | Mar 11 |
| 30s | Sep 7 | | -10s | Feb 24 |
| 40s | Aug 11 | | -20s | Jan 11 |

RHINELANDER CONSECUTIVE DAYS OF HIGH TEMPERATURES

| Max | | |
|-----|------|----------------------------------------|
| <0F | Days | Start / End Dates |
| 1 | 11 | 01/02 - 12/1912 |
| 2 | 6 | 02/06 - 11/1933, 01/14 - 19/1994 |
| 4T | 5 | 01/11 - 15/1929, 01/19 - 23/1963 |
| 4T | 5 | 01/30 - 02/03/1996 |
| 7T | 4 | 01/27 - 01/30/1928, 02/15 - 02/18/1936 |
| 7T | 4 | 01/04 - 07/1942, 12/22 - 12/25/1983 |
| | | |
| | | |
| | | |

| Max | | |
|------|------|----------------------------------------|
| <20F | Days | Start / End Dates |
| 1 | 30 | 01/07 - 02/05/1918 |
| 2 | 27 | 01/02 - 28/1912 |
| 3 | 22 | 01/17 - 02/07/1936 |
| 4 | 21 | 01/11 - 01/31/1963 |
| 5T | 19 | 12/22 - 01/09/1968, 01/28 - 02/15/2007 |
| 7 | 18 | 12/31 - 01/17/1979 |
| 8 | 17 | 01/05 - 21/1929 |
| 9T | 16 | 12/29 - 01/13/1974, 12/30 - 01/14/1999 |
| | | |

| Max | | |
|------|------|-------------------------|
| <32F | Days | Start / End Dates |
| 1 | 64 | 12/18/1978 - 02/19/1979 |
| 2 | 60 | 12/18/1970 - 02/15/1971 |
| 3T | 57 | 12/19/1993 - 02/13/1994 |
| 3T | 57 | 11/26/1942 - 01/21/1943 |
| 5 | 56 | 01/01/1929 - 02/25/1929 |
| 6 | 55 | 12/16/1944 - 02/08/1945 |
| 7 | 54 | 12/23/1981 - 02/14/1982 |
| 8 | 51 | 12/27/1911 - 02/15/1912 |
| 9T | 50 | 11/20/1985 - 01/08/1986 |
| 9T | 50 | 01/04/1936 - 02/22/1936 |

| Max | | |
|------|------|-------------------------|
| <40F | Days | Start / End Dates |
| 1 | 118 | 11/05/1921 - 03/02/1922 |
| 2 | 115 | 11/07/1955 - 02/29/1956 |
| 3 | 113 | 11/19/1971 - 03/10/1972 |
| 4 | 107 | 11/23/1919 - 03/08/1920 |
| 5 | 103 | 11/14/1935 - 02/24/1936 |
| 6 | 102 | 11/17/1978 - 02/26/1979 |
| 7T | 100 | 12/05/1962 - 03/14/1963 |
| 7T | 100 | 11/08/1947 - 02/15/1948 |
| 9 | 97 | 12/01/1977 - 03/07/1978 |
| 10 | 96 | 11/26/2000 - 03/01/2001 |

| Max | | |
|------|------|-------------------------|
| <50F | Days | Start / End Dates |
| 1 | 160 | 11/07/1932 - 04/15/1933 |
| 2T | 155 | 10/24/1959 - 03/26/1960 |
| 2T | 155 | 11/11/1949 - 04/14/1950 |
| 2T | 155 | 11/02/1933 - 04/05/1934 |
| 5 | 148 | 11/06/1955 - 04/01/1956 |
| 6T | 147 | 11/08/2000 - 04/03/2001 |
| 6T | 147 | 11/11/1970 - 04/06/1971 |
| 8 | 145 | 11/06/1940 - 03/30/1941 |
| 9T | 143 | 11/02/1997 - 03/24/1998 |
| 11 | 143 | 11/17/1964 - 04/08/1965 |
| 11 | 142 | 11/14/2007 - 04/03/2008 |

| Max | | |
|------|------|-------------------------|
| <60F | Days | Start / End Dates |
| 1 | 198 | 10/19/1908 - 05/04/1909 |
| 2 | 191 | 10/03/1925 - 04/12/1926 |
| 3 | 183 | 10/18/1960 - 04/18/1961 |
| 4T | 180 | 10/21/1943 - 04/17/1944 |
| 4T | 180 | 10/16/1913 - 04/13/1914 |
| 6 | 179 | 10/31/1946 - 04/27/1947 |
| 7 | 177 | 10/17/1957 - 04/11/1958 |
| 8T | 176 | 10/18/1995 - 04/10/1996 |
| 8T | 176 | 10/22/1932 - 04/15/1933 |
| 10T | 174 | 10/25/1973 - 04/16/1974 |
| 10T | 174 | 10/21/1959 - 04/11/1960 |

RHINELANDER CONSECUTIVE DAYS OF HIGH TEMPERATURES

| Max | | |
|------|------|-------------------------|
| <70F | Days | Start / End Dates |
| 1 | 236 | 10/12/1923 - 06/03/1924 |
| 2T | 225 | 09/15/1977 - 04/27/1978 |
| 2T | 225 | 10/02/1932 - 05/14/1933 |
| 4 | 222 | 10/17/1996 - 05/26/1997 |
| 5 | 221 | 09/15/1981 - 04/23/1982 |
| 6 | 217 | 09/30/1952 - 05/04/1953 |
| 7 | 216 | 10/07/1994 - 05/10/1995 |
| 8 | 214 | 10/07/1919 - 05/07/1920 |
| 9 | 213 | 09/29/1921 - 04/29/1922 |
| 10 | 210 | 09/21/1925 - 04/19/1926 |
| 11T | 209 | 10/12/1974 - 05/08/1975 |
| 11T | 209 | 09/21/1972 - 04/17/1973 |
| 13 | 206 | 10/03/1983 - 04/25/1984 |
| 14T | 205 | 10/14/1960 - 05/06/1961 |
| 14T | 205 | 10/09/1936 - 05/01/1937 |
| | | |
| | | |

| Max | | |
|------|------|-------------------------|
| <80F | Days | Start / End Dates |
| 1 | 281 | 09/18/1946 - 06/25/1947 |
| 2 | 277 | 08/31/1972 - 06/03/1973 |
| 3 | 276 | 09/19/1944 - 06/21/1945 |
| 4 | 274 | 08/30/1962 - 05/30/1963 |
| 5 | 272 | 09/12/1982 - 06/10/1983 |
| 6T | 270 | 09/10/1983 - 06/05/1984 |
| 6T | 270 | 08/21/1974 - 05/17/1975 |
| 8T | 269 | 09/09/1980 - 06/04/1981 |
| 8T | 269 | 08/27/1949 - 05/22/1950 |
| 8T | 269 | 09/24/1937 - 06/19/1938 |
| 11 | 268 | 09/08/1970 - 06/02/1971 |
| 12T | 265 | 09/08/1996 - 05/30/1997 |
| 12T | 265 | 08/27/1993 - 05/18/1994 |
| 14 | 264 | 09/18/1926 - 06/08/1927 |
| 15T | 263 | 08/28/1977 - 05/17/1978 |
| 15T | 263 | 09/12/1942 - 06/01/1943 |
| | | |
| | | |

| Max | | |
|------|-------|-------------------------|
| <90F | Days | Start / End Dates |
| 1 | 1,099 | 06/13/1992 - 07/16/1995 |
| 2 | 1,083 | 07/20/1977 - 07/06/1980 |
| 3 | 994 | 08/08/1949 - 04/27/1952 |
| 4 | 743 | 06/30/1996 - 07/12/1998 |
| 5 | 740 | 06/28/1971 - 07/06/1973 |
| 6 | 732 | 07/10/1923 - 07/10/1925 |
| 7 | 728 | 07/02/1961 - 06/29/1963 |
| 8 | 723 | 07/12/1980 - 07/04/1982 |
| 9 | 721 | 07/25/1945 - 07/15/1947 |
| 10 | 719 | 08/22/1942 - 08/09/1944 |
| 11 | 715 | 07/27/1914 - 07/10/1916 |
| 12 | 697 | 07/27/2007 - 06/22/2009 |
| 13 | 693 | 08/06/1959 - 06/28/1961 |
| 14 | 692 | 08/05/1989 - 06/27/1991 |
| 15 | 687 | 08/30/1984 - 07/17/1986 |
| 16 | 682 | 07/26/1966 - 06/06/1968 |
| 17 | 673 | 08/20/2003 - 06/22/2005 |

RHINELANDER - NUMBER OF 90 DEGREE DAYS

| Year | Total | | Year | Total | | Year | Total | | Year | Total | |
|------|-------|--|------|-------|--|------|-------|--|------|-------|--|
| | | | | | | | | | | | |
| 1908 | 7 | | | | | | | | | | |
| 1909 | 4 | | | | | | | | | | |
| | | | | | | | | | | | |
| 1910 | 16 | | 1945 | 2 | | 1980 | 3 | | 2015 | 0 | |
| 1911 | 12 | | 1946 | 0 | | 1981 | 0 | | 2016 | 2 | |
| 1912 | 6 | | 1947 | 13 | | 1982 | 1 | | 2017 | 0 | |
| 1913 | 8 | | 1948 | 4 | | 1983 | 5 | | 2018 | 16 | |
| 1914 | 3 | | 1949 | 1 | | 1984 | 3 | | 2019 | 1 | |
| | | | | | | | | | | | |
| 1915 | 0 | | 1950 | 0 | | 1985 | 0 | | 2020 | 5 | |
| 1916 | 18 | | 1951 | 0 | | 1986 | 1 | | 2021 | 4 | |
| 1917 | 8 | | 1952 | 1 | | 1987 | 11 | | 2022 | 2 | |
| 1918 | 3 | | 1953 | 2 | | 1988 | 19 | | 2023 | 3 | |
| 1919 | 4 | | 1954 | 0 | | 1989 | 4 | | 2024 | | |
| | | | | | | | | | | | |
| 1920 | 1 | | 1955 | 12 | | 1990 | 0 | | | | |
| 1921 | 13 | | 1956 | 4 | | 1991 | 3 | | | | |
| 1922 | 5 | | 1957 | 5 | | 1992 | 1 | | | | |
| 1923 | 1 | | 1958 | 1 | | 1993 | 0 | | | | |
| 1924 | 0 | | 1959 | 4 | | 1994 | 0 | | | | |
| | | | | | | | | | | | |
| 1925 | 2 | | 1960 | 0 | | 1995 | 10 | | | | |
| 1926 | 1 | | 1961 | 3 | | 1996 | 1 | | | | |
| 1927 | 3 | | 1962 | 0 | | 1997 | 0 | | | | |
| 1928 | 2 | | 1963 | 2 | | 1998 | 4 | | | | |
| 1929 | 3 | | 1964 | 12 | | 1999 | 8 | | | | |
| | | | | | | | | | | | |
| 1930 | 7 | | 1965 | 3 | | 2000 | 2 | | | | |
| 1931 | 18 | | 1966 | 10 | | 2001 | 4 | | | | |
| 1932 | 4 | | 1967 | 0 | | 2002 | 4 | | | | |
| 1933 | 16 | | 1968 | 4 | | 2003 | 1 | | | | |
| 1934 | 18 | | 1969 | 4 | | 2004 | 0 | | | | |
| | | | | | | | | | | | |
| 1935 | 7 | | 1970 | 3 | | 2005 | 13 | | | | |
| 1936 | 15 | | 1971 | 1 | | 2006 | 10 | | | | |
| 1937 | 12 | | 1972 | 0 | | 2007 | 4 | | | | |
| 1938 | 1 | | 1973 | 2 | | 2008 | 0 | | | | |
| 1939 | 6 | | 1974 | 2 | | 2009 | 2 | | | | |
| | | | | | | | | | | | |
| 1940 | 4 | | 1975 | 8 | | 2010 | 1 | | | | |
| 1941 | 4 | | 1976 | 9 | | 2011 | 5 | | | | |
| 1942 | 2 | | 1977 | 5 | | 2012 | 6 | | | | |
| 1943 | 0 | | 1978 | 0 | | 2013 | 4 | | | | |
| 1944 | 2 | | 1979 | 0 | | 2014 | 0 | | | | |

MAX NUMBER OF 90 DEGREE DAYS BY MONTH

APRIL

| April | |
|-------|---------|
| Total | Year(s) |
| | |
| 1 | 1952 |
| | |
| | |
| | |
| | |

MAY

| May | |
|-------|-----------------------------------------|
| Total | Year(s) |
| | |
| 4 | 2018 |
| 3 | 1919,1934 |
| 2 | 1930,1959 |
| 1 | 1911,1939,1969,1975,1977,2010,2019,2022 |
| | |

JUNE

| June | |
|-------|-------------------------------|
| Total | Year(s) |
| | |
| 11 | 1910 |
| 8 | 1933 |
| 7 | 1911,1995 |
| 6 | 1988 |
| 5 | 1931 |
| 4 | 1913,1921,1934,1956,1987,2018 |
| | |

JULY

| July | |
|-------|-------------------------------|
| Total | Year(s) |
| | |
| 12 | 1916 |
| 11 | 1936 |
| 9 | 1921,2006 |
| 8 | 1917,2005 |
| 7 | 1934,1937,1955,1964,1966,1988 |
| | |

AUGUST

| August | |
|--------|---------------------|
| Total | Year(s) |
| | |
| 12 | 1947 |
| 6 | 1916,1988 |
| 5 | 1955,1976 |
| 4 | 1922,1934,1936,2018 |
| | |

SEPTEMBER

| September | |
|-----------|--------------------------|
| Total | Year(s) |
| | |
| 5 | 1931 |
| 4 | 1908 |
| 2 | 1912,1913,1933,1939,2023 |
| | |

OCTOBER

| October | |
|---------|---------|
| Total | Year(s) |
| | |
| 1 | 1976 |

MAX NUMBER OF 90 DEGREE DAYS BY YEAR

HIGHEST NUMBER OF 90 DEGREE DAYS BY YEAR

| Maximum | |
|---------|---------------------|
| Days | Year(s) |
| 19 | 1988 |
| 18 | 1916,1931,1934 |
| 16 | 1910,1933,2018 |
| 15 | 1936 |
| 13 | 1921,1947,2005 |
| 12 | 1911,1937,1955,1964 |
| 11 | 1987 |
| 10 | 1966,1995,2006 |
| | |

LOWEST NUMBER OF 90 DEGREE DAYS BY YEAR

| Minimum | |
|---------|------------------------------------------------------------------------------------------------|
| Days | Year(s) |
| 0 | 1915,1924,1943,1946,1950,1951,1954,1960,1962,1967,1972,1978,1979,1981,1985,1990,1993,1994,1997 |
| 0 | 2004,2008,2014,2015,2017 |
| 1 | 1920,1923,1926,1938,1949,1952,1958,1971,1982,1986,1992,1996,2003,2010,2019 |
| 2 | 1925,1928,1942,1944,1945,1953,1963,1973,1974,2000,2009,2016,2022 |
| 3 | 1914,1918,1927,1929,1961,1965,1970,1980,1984,1991,2023 |
| 4 | 1909,1919,1932,1940,1941,1948,1956,1959,1968,1969,1989,1998,2001,2002,2007,2013,2021 |
| | |

100 DEGREE DAYS IN RHINELANDER

| Temp | Date(s) / Year(s) |
|------|------------------------------------|
| 108 | 07/13/1936 |
| 106 | 07/11/1936 |
| 105 | 07/12/1936 |
| 104 | 06/29/1931 |
| 102 | 07/14/1936 |
| 101 | 07/08/1936 |
| 100 | 07/11/1937, 07/13/1995, 07/15/2006 |

MAXIMUM DAYS OF 100 DEGREES

| Total By | |
|--------------|----------|
| Month | Total |
| June | 1 |
| July | 8 |
| August | 0 |
| Total | 9 |

| Most By | |
|--------------|----------|
| Year | Total |
| 1936 | 5 |
| 2006 | 1 |
| 1995 | 1 |
| 1937 | 1 |
| 1931 | 1 |
| Total | 9 |

| By | |
|--------|-------|
| Decade | Total |
| 1910s | 0 |
| 1920s | 0 |
| 1930s | 7 |
| 1940s | 0 |
| 1950s | 0 |
| 1960s | 0 |
| 1970s | 0 |
| 1980s | 0 |
| 1990s | 1 |
| 2000s | 1 |
| 2010s | 0 |

| | |
|------------------------------------|-------------------|
| Earliest on record during the year | 104 on 06/29/1931 |
| Latest on record during the year | 100 on 07/15/2006 |
| Last Occurrence | 100 on 07/15/2006 |

RHINELANDER MAXIMUM / MINIMUM DEW POINTS

JANUARY

MAXIMUM DEW POINTS

| Max | Date(s) / Year(s) |
|-----|-----------------------------------------------------------------|
| | |
| 43 | 18/1973,12/2013 |
| 40 | 11/1980,30/1988,31/1988 |
| 39 | 17/1983,06/2008 |
| 38 | 17/1973,26/1973,22/2017 |
| 37 | 14/1987,07/2008,11/2013,21/2017 |
| 36 | 11/1975,25/1981,05/2007,01/2011,29/2013,20/2017,24/2017,11/2018 |
| | |

MINIMUM DEW POINTS

| Min | Date(s) / Year(s) |
|-----|---------------------------------|
| | |
| -52 | 17/1982 |
| -50 | 09/1977 |
| -45 | 11/1979 |
| -44 | 07/1973,16/1979 |
| -41 | 10/1982 |
| -40 | 16/1982,21/1984,31/1985 |
| -39 | 09/1980 |
| -38 | Many Occurrences – Last 09/2014 |

Note: Dew point data based on available hourly metar data from the Rhineland Airport since 1973. There was considerable missing data during the 1970s, 1980s and 1990s and may not have captured all dew point extremes for the month.

RHINELANDER MAXIMUM / MINIMUM DEW POINTS

FEBRUARY

MAXIMUM DEW POINTS

| Max | Date(s) / Year(s) |
|-----|-----------------------------------------|
| | |
| 50 | 21/2017 |
| 47 | 19/1994 |
| 46 | 02/1991,11/1999,26/2000,20/2017 |
| 45 | 18/1981,17/2011 |
| 44 | 22/2017 |
| 43 | 04/1991,23/2000,24/2000,18/2011 |
| 42 | 18/1994,23/2017 |
| 41 | 19/1981,28/1985,25/2000,10/2009,08/2024 |
| | |
| | |
| | |

MINIMUM DEW POINTS

| Min | Date(s) / Year(s) |
|-----|-----------------------------------------|
| | |
| -41 | 17/1979 |
| -40 | 07/1994 |
| -38 | 04/1982 |
| -36 | 09/1975,09/1979,16/1977,06/1982 |
| -34 | 03/1978 |
| -33 | 05/1979,10/1982,02/1985,18/2006,15/2021 |
| -32 | 07/1977,10/1979,06/2007 |
| | |
| | |

Note: Dew point data based on available hourly metar data from the Rhinelander Airport since 1973. There was considerable missing data during the 1970s, 1980s and 1990s and may not have captured all dew point extremes for the month.

RHINELANDER MAXIMUM / MINIMUM DEW POINTS

MARCH

MAXIMUM DEW POINTS

| Max | Date(s) / Year(s) |
|-----|---------------------------------|
| 61 | 31/1986 |
| 59 | 15/1990,13/1995 |
| 58 | 12/1990,14/1990 |
| 57 | 08/2000 |
| 56 | 13/1990,27/1991,25/2007 |
| 55 | 29/1986,26/2007 |
| 54 | 25/1986,24/1987,14/1995,07/2017 |
| 53 | 08/2016 |
| | |

MINIMUM DEW POINTS

| Min | Date(s) / Year(s) |
|-----|-----------------------------------------|
| -31 | 07/1984,03/2014 |
| -29 | 04/2019 |
| -28 | 01/1978,02/2009 |
| -26 | 03/1982,04/2002,06/2003,02/2014,05/2015 |
| -24 | 09/1984 |
| -23 | 08/1996,06/2019 |
| -22 | 03/2003,09/2003,03/2019 |
| -21 | 06/1978 |
| | |

RHINELANDER MAXIMUM / MINIMUM DEW POINTS

APRIL

MAXIMUM DEW POINTS

| Max | Date(s) / Year(s) |
|-----|---------------------------------|
| | |
| 71 | 19/1987 |
| 69 | 16/1976 |
| 66 | 20/1987 |
| 65 | 26/1986,21/1990,26/1990,27/1990 |
| 64 | 11/1977,22/1985,22/1990,24/1990 |
| 64 | 25/1990 |
| 63 | 18/1987,07/1991,30/1992 |
| | |
| | |

MINIMUM DEW POINTS

| Min | Date(s) / Year(s) |
|-----|------------------------------------------------------------------------------------------|
| | |
| -10 | 07/1982 |
| -6 | 08/2018 |
| -5 | 03/1982,04/1982 |
| -4 | 06/2003,01/2018 |
| -3 | 06/1979,07/1979 |
| -2 | 04/2002,08/2003,15/2014,07/2018 |
| -1 | 06/2018,15/2020 |
| 0 | 09/2007,04/2018 |
| 1 | 13/1973,01/1975,04/1975,12/1975,08/2000, 06/2007,14/2008,03/2013,05/2014,04/2015,05/2018 |
| | |
| | |

Note: Dew point data based on available hourly metar data from the Rhinelander Airport since 1973. There was considerable missing data during the 1970s, 1980s and 1990s and may not have captured all dew point extremes for the month.

RHINELANDER MAXIMUM / MINIMUM DEW POINTS

MAY

MAXIMUM DEW POINTS

| Max | Date(s) / Year(s) |
|-----|-----------------------------------------|
| | |
| 78 | 31/1987,29/1988 |
| 76 | 21/1989 |
| 74 | 22/1989 |
| 73 | 12/1991,29/1991 |
| 72 | 17/1989,11/1993 |
| 71 | 29/1987,30/1988,18/1989,25/1989,12/1993 |
| | |
| | |
| | |

MINIMUM DEW POINTS

| Min | Date(s) / Year(s) |
|-----|-----------------------------------------------------------------------------------------|
| | |
| 5 | 08/2017 |
| 7 | 02/2004,03/2004,07/2017,07/2020 |
| 9 | 01/1978,02/2003 |
| 10 | 02/1978,03/2003,03/2005,07/2004, 08/2004 |
| 11 | 17/2009 |
| 12 | 09/1977,03/1983,09/1983,02/1988,02/2002,18/2002,08/2004,12/2005,16/2009,12/2013,10/2018 |
| | |
| | |
| | |

Note: Dew point data based on available hourly metar data from the Rhinelander Airport since 1973. There was considerable missing data during the 1970s, 1980s and 1990s and may not have captured all dew point extremes for the month.

RHINELANDER MAXIMUM / MINIMUM DEW POINTS

JUNE

MAXIMUM DEW POINTS

| Max | Date(s) / Year(s) |
|-----|-----------------------------------------|
| | |
| 83 | 17/1995 |
| 81 | 18/1995 |
| 80 | 26/1978 |
| 79 | 07/1987 |
| 78 | 21/1975,13/1987 |
| 77 | 14/1987,23/1987,13/1990,19/1995,30/2018 |
| | |

MINIMUM DEW POINTS

| Min | Date(s) / Year(s) |
|-----|-------------------------------------------------|
| | |
| 24 | 02/1978 |
| 25 | 24/1990,04/1993,10/2006,02/2019 |
| 26 | 01/1983,05/1993,07/2023,11/2023 |
| 27 | 01/1993,02/1994,05/1998,01/2003,03/2009,03/2019 |
| 28 | 02/1986,04/1987,03/1993,03/1998,04/1998,01/2015 |
| | |
| | |

Note: Dew point data based on available hourly metar data from the Rhinelander Airport since 1973. There was considerable missing data during the 1970s, 1980s and 1990s and may not have captured all dew point extremes for the month.

RHINELANDER MAXIMUM / MINIMUM DEW POINTS

JULY

MAXIMUM DEW POINTS

| Max | Date(s) / Year(s) |
|-----|-----------------------------------------------------------------------------------------|
| | |
| 82 | 18/1986 |
| 80 | 13/1995 |
| 79 | 05/1977,06/1977,05/1986,23/1987,30/1999,17/2011,18/2011 |
| 78 | 17/1987,26/1987,14/1995 |
| 77 | 04/1977,05/1982,16/1982,05/1986,17/1986,30/1987,26/1990,06/1991,07/1991,31/1999,01/2011 |

MINIMUM DEW POINTS

| Min | Date(s) / Year(s) |
|-----|-----------------------------------------------------------------|
| | |
| 25 | 19/2000,03/2002 |
| 30 | 19/2000,20/2000,01/2001,04/2003 |
| 31 | 12/2009 |
| 34 | 13/2009 |
| 35 | 26/1977,11/1978,03/1986,02/2014 |
| 36 | 08/1989,01/1992,02/2001,05/2001,14/2001,11/2009,01/2015,01/2021 |
| | |

Note: Dew point data based on available hourly metar data from the Rhinelander Airport since 1973. There was considerable missing data during the 1970s, 1980s and 1990s and may not have captured all dew point extremes for the month.

RHINELANDER MAXIMUM / MINIMUM DEW POINTS

AUGUST

MAXIMUM DEW POINTS

| Max | Date(s) / Year(s) |
|-----|---------------------------------|
| | |
| 82 | 02/1988 |
| 81 | 01/1987 |
| 80 | 02/1987,09/1992,10/1992 |
| 79 | 16/1986,05/1989 |
| 77 | 26/1973,27/1983,07/1984,07/2001 |
| | |
| | |

MINIMUM DEW POINTS

| Min | Date(s) / Year(s) |
|-----|-------------------------------------------------|
| | |
| 28 | 20/2004 |
| 30 | 28/1986 |
| 32 | 31/2009 |
| 33 | 13/1992,25/2008,14/2013 |
| 34 | 29/1976,19/2004,21/2004 |
| 35 | 24/1977,17/1981,13/1992,21/1993,24/2017,30/2023 |
| 36 | 15/1992,14/2004,16/2007,17/2007,14/2014 |
| | |
| | |

Note: Dew point data based on available hourly metar data from the Rhinelander Airport since 1973. There was considerable missing data during the 1970s, 1980s and 1990s and may not have captured all dew point extremes for the month.

RHINELANDER MAXIMUM / MINIMUM DEW POINTS

SEPTEMBER

MAXIMUM DEW POINTS

| Max | Date(s) / Year(s) |
|-----|---------------------------------------------------------------------------------------------------------|
| | |
| 78 | 06/1985 |
| 76 | 07/1984,05/1992,15/1994,04/2018 |
| 74 | 01/1990,05/2018 |
| 73 | 03/1973,07/1978,09/1978,18/1985,06/1995 |
| 72 | 08/1978,09/1980,11/1982,07/1985,19/1985,26/1986,07/1989,06/1992,05/1995,01/2010,06/2015,22/2017,02/2018 |
| | |
| | |
| | |
| | |

MINIMUM DEW POINTS

| Min | Date(s) / Year(s) |
|-----|-------------------------------------------------|
| | |
| 19 | 23/1976,25/2001 |
| 20 | 20/1974,10/1993,30/2009 |
| 21 | 22/1974,23/1974,24/2000,30/2003,15/2007,28/2022 |
| 22 | 22/1976,28/1976,29/1984,27/1989,27/1991 |
| 23 | 25/1975,28/1984,22/1989,26/1991 |
| | |
| | |

Note: Dew point data based on available hourly metar data from the Rhinelander Airport since 1973. There was considerable missing data during the 1970s, 1980s and 1990s and may not have captured all dew point extremes for the month.

RHINELANDER MAXIMUM / MINIMUM DEW POINTS

OCTOBER

MAXIMUM DEW POINTS

| Max | Date(s) / Year(s) |
|-----|---------------------------------------------------------|
| | |
| 70 | 03/2005 |
| 69 | 01/1992,01/2019 |
| 68 | 06/1993,04/2005,06/2007,07/2007,08/2007,03/2018,04/2018 |
| 67 | 03/2017 |
| 66 | 05/2005,05/2007,17/2016 |
| 65 | 10/1973,04/2017 |
| | |
| | |
| | |

MINIMUM DEW POINTS

| Min | Date(s) / Year(s) |
|-----|-----------------------------------------------------------------|
| | |
| 5 | 27/1976 |
| 7 | 26/1999 |
| 8 | 19/1992,27/2020 |
| 9 | 24/1981,31/1991,25/1999 |
| 10 | 23/1974,23/1976,23/1981,20/1991,16/1992,05/1993,31/2002,26/2020 |
| 11 | 24/1981,19/1991,12/1992,13/1992,18/1992,17/2018,30/2019,31/2023 |
| | |

Note: Dew point data based on available hourly metar data from the Rhineland Airport since 1973. There was considerable missing data during the 1970s, 1980s and 1990s and may not have captured all dew point extremes for the month.

RHINELANDER MAXIMUM / MINIMUM DEW POINTS

NOVEMBER

MAXIMUM DEWPOINTS

| Max | Date(s) / Year(s) |
|-----|-----------------------------------------------------------------|
| | |
| 59 | 01/1974,10/2022 |
| 58 | 03/1987,09/2020 |
| 57 | 06/1975,07/1975,21/1990 |
| 56 | 05/2015 |
| 55 | 09/1977,20/1982,29/1998,30/1998,15/2001,10/2020,09/2022 |
| 54 | 08/1977,04/1987,01/1990,01/2000,02/2000,14/2001,06/2015,01/2016 |
| | |
| | |
| | |

MINIMUM DEW POINTS

| Min | Date(s) / Year(s) |
|-----|-------------------------|
| | |
| -28 | 29/1976 |
| -23 | 28/1976 |
| -22 | 30/1976 |
| -16 | 29/1985 |
| -15 | 30/1978 |
| -12 | 26/1977,21/1978,28/2014 |
| -11 | 22/1978,29/1989 |
| | |
| | |

Note: Dew point data based on available hourly metar data from the Rhinelander Airport since 1973. There was considerable missing data during the 1970s, 1980s and 1990s and may not have captured all dew point extremes for the month.

RHINELANDER MAXIMUM / MINIMUM DEW POINTS

DECEMBER

MAXIMUM DEW POINTS

| Max | Date(s) / Year(s) |
|-----|-----------------------------------------|
| 56 | 03/1982,05/2001 |
| 54 | 02/1982,06/1998,03/2012,16/2021 |
| 53 | 05/2017 |
| 52 | 04/2017 |
| 49 | 25/2023 |
| 48 | 05/1998,04/2012,15/2021 |
| 46 | 03/1998 |
| 45 | 29/1984,05/1975,19/2002,31/2004 |
| 44 | 28/1984,26/2023 |
| 43 | 03/1973,04/2001,27/2008,15/2014,24/2023 |
| | |

MINIMUM DEW POINTS

| Min | Date(s) / Year(s) |
|-----|-------------------------|
| -37 | 30/1976,19/1983,20/1983 |
| -36 | 13/1976,11/1977 |
| -35 | 18/1983,23/1983 |
| -34 | 02/1976 |
| -33 | 22/1989,26/1990,24/2004 |
| -32 | 25/1980,26/1980 |
| -31 | 19/1989 |
| -30 | 29/1976 |
| | |

Note: Dew point data based on available hourly metar data from the Rhinelander Airport since 1973. There was considerable missing data during the 1970s, 1980s and 1990s and may not have captured all dew point extremes for the month.

RHINELANDER MAXIMUM / MINIMUM DEW POINTS

YEAR

MAXIMUM DEW POINTS

| Max | Date(s) / Year(s) |
|-----|-----------------------------------------------------------------------------------------|
| | |
| 83 | 06/17/1995 |
| 82 | 07/18/1986,08/02/1988 |
| 81 | 08/01/1987,08/04/1989,06/18/1995 |
| 80 | 06/26/1978,08/02/1987,08/09/1992,08/10/1992,07/13/1995,08/31/1995 |
| 79 | 07/05/1977,07/06/1977,07/05/1986,08/16/1986,06/07/1987,08/05/1989,07/30/1999,07/17/2011 |
| 79 | 07/18/2011 |
| | |

MINIMUM DEW POINTS

| Min | Date(s) / Year(s) |
|-----|---------------------------------------------|
| | |
| -52 | 01/17/1982 |
| -50 | 01/09/1977,12/21/1989,12/22/1989 |
| -45 | 01/11/1979 |
| -44 | 01/07/1973,01/16/1979 |
| -41 | 02/17/1979,01/10/1982 |
| -40 | 01/16/1982,01/21/1984,01/31/1985,02/07/1994 |
| | |
| | |
| | |

Note: Dew point data based on available hourly metar data from the Rhineland Airport since 1973. There was considerable missing data during the 1970s, 1980s and 1990s and may not have captured all dew point extremes for the month.

RHINELANDER MONTHLY MAXIMUM AND MINIMUM DEW POINT

| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
|------|-----|-----|-----|-----|-----|-----|-----|--|-----|-----|-----|-----|-----|-----|--|------|
| 1973 | Max | 43 | 31 | 45 | 59 | 57 | 71 | | 73 | 77 | 73 | 65 | 49 | 43 | | 73 |
| 1973 | Min | -44 | -19 | 10 | 11 | 17 | 41 | | 47 | 41 | 28 | 20 | 3 | -25 | | -44 |
| 1974 | Max | 31 | 32 | 47 | 61 | 70 | 66 | | 76 | 75 | 68 | 60 | 59 | 35 | | 76 |
| 1974 | Min | -35 | -24 | -20 | 6 | 15 | 35 | | 46 | 37 | 20 | 10 | 2 | -11 | | -35 |
| 1975 | Max | 36 | 32 | 38 | 46 | 70 | 78 | | 75 | 72 | 67 | 60 | 57 | 45 | | 78 |
| 1975 | Min | -29 | -36 | -13 | 1 | 21 | 31 | | 41 | 38 | 23 | 20 | -4 | -27 | | -36 |
| 1976 | Max | 29 | 40 | 48 | 60 | 59 | 68 | | 71 | 71 | 67 | 58 | 38 | 31 | | 71 |
| 1976 | Min | -30 | -30 | -13 | 6 | 14 | 34 | | 41 | 34 | 19 | 5 | -28 | -37 | | -37 |
| 1977 | Max | 25 | 38 | 52 | 64 | 66 | 69 | | 79 | 73 | 66 | 52 | 55 | 36 | | 79 |
| 1977 | Min | -50 | -36 | -8 | 2 | 12 | 30 | | 35 | 35 | 36 | 23 | -12 | -36 | | -50 |
| 1978 | Max | 31 | 25 | 43 | 54 | 69 | 73 | | 73 | 74 | 73 | 55 | 51 | 27 | | 74 |
| 1978 | Min | -23 | -34 | -28 | 7 | 9 | 33 | | 35 | 42 | 33 | 22 | -18 | -28 | | -34 |
| 1979 | Max | 22 | 31 | 48 | 57 | 65 | 73 | | 73 | 72 | 71 | 63 | 53 | 37 | | 73 |
| 1979 | Min | -45 | -41 | -20 | -3 | 18 | 33 | | 43 | 38 | 32 | 17 | -2 | -21 | | -45 |
| 1980 | Max | 40 | 32 | 44 | 57 | 66 | 72 | | 76 | 74 | 72 | 57 | 45 | 36 | | 76 |
| 1980 | Min | -39 | -26 | -19 | 11 | 21 | 29 | | 44 | 45 | 27 | 14 | 4 | -32 | | -39 |
| 1981 | Max | 36 | 45 | 51 | 53 | 66 | 75 | | 75 | 70 | 67 | 58 | 53 | 31 | | 75 |
| 1981 | Min | -31 | -29 | -5 | 10 | 15 | 36 | | 37 | 35 | 27 | 9 | 7 | -21 | | -31 |
| 1982 | Max | 22 | 37 | 44 | 53 | 64 | 67 | | 77 | 76 | 72 | 62 | 55 | 56 | | 77 |
| 1982 | Min | -52 | -38 | -26 | -10 | 25 | 32 | | 45 | 37 | 31 | 16 | -6 | -13 | | -52 |
| 1983 | Max | 33 | 39 | 48 | 61 | 71 | 75 | | 75 | 77 | 71 | 64 | 53 | 27 | | 77 |
| 1983 | Min | -31 | -26 | -9 | 6 | 12 | 37 | | 37 | 48 | 30 | 21 | 4 | -37 | | -37 |
| 1984 | Max | 32 | 40 | 37 | 61 | 60 | 69 | | 71 | 77 | 68 | 62 | 48 | 45 | | 77 |
| 1984 | Min | -40 | -16 | -31 | 5 | 20 | 37 | | 40 | 40 | 22 | 17 | 2 | -18 | | -40 |
| 1985 | Max | 29 | 41 | 48 | 64 | 62 | 70 | | 72 | 73 | 78 | 55 | 50 | 28 | | 78 |
| 1985 | Min | -40 | -33 | -14 | 6 | 24 | 32 | | 44 | 44 | 28 | 25 | -16 | -24 | | -40 |
| 1986 | Max | 34 | 33 | 61 | 65 | 69 | 74 | | 82 | 79 | 72 | 61 | 46 | 33 | | 82 |
| 1986 | Min | -25 | -15 | -9 | 17 | 26 | 28 | | 35 | 30 | 28 | 24 | -9 | -20 | | -25 |
| 1987 | Max | 42 | 39 | 54 | 71 | 78 | 79 | | 79 | 81 | M | M | 58 | 36 | | 81 |
| 1987 | Min | -29 | -9 | -7 | 11 | 19 | 28 | | 45 | 44 | M | M | 7 | -24 | | -29 |

Note: Dew point data based on available hourly metar data from the Rhinelander Airport since 1973. There was considerable missing data during the 1970s, 1980s and 1990s and may not have captured all dew point extremes for the month.

RHINELANDER MONTHLY MAXIMUM AND MINIMUM DEW POINT

| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
|------|-----|-----|-----|-----|-----|-----|-----|--|-----|-----|-----|-----|-----|-----|--|------|
| 1988 | Max | 40 | 35 | 46 | 56 | 67 | Msg | | Msg | Msg | Msg | Msg | Msg | Msg | | Msg |
| 1988 | Min | Msg | -20 | -15 | 1 | Msg | Msg | | Msg | Msg | Msg | Msg | Msg | Msg | | Msg |
| 1989 | Max | Msg | Msg | Msg | 64 | 76 | 75 | | 76 | 79 | 72 | 64 | 45 | 33 | | 79 |
| 1989 | Min | Msg | Msg | Msg | 14 | 18 | 29 | | 36 | 40 | 22 | 19 | -10 | -33 | | -33 |
| 1990 | Max | 35 | 35 | 59 | 65 | 63 | 77 | | 77 | 75 | 74 | 61 | 57 | 34 | | 77 |
| 1990 | Min | -10 | -15 | -5 | 5 | 20 | 25 | | 37 | 41 | 30 | 20 | 10 | -33 | | -33 |
| 1991 | Max | 29 | 46 | 56 | 63 | 73 | 75 | | 77 | 74 | 71 | 60 | 45 | 36 | | 77 |
| 1991 | Min | -30 | -23 | -2 | 8 | 24 | 42 | | 39 | 42 | 22 | 9 | -7 | -20 | | -30 |
| 1992 | Max | 35 | 38 | 44 | 63 | 69 | 67 | | 74 | 80 | 76 | 69 | 46 | 34 | | 80 |
| 1992 | Min | -27 | -21 | 20 | 5 | 16 | 34 | | 36 | 33 | 24 | 8 | 2 | -22 | | -27 |
| 1993 | Max | 31 | 27 | 37 | M | M | 72 | | 70 | 74 | 76 | 67 | 68 | 45 | | 76 |
| 1993 | Min | -17 | -23 | -18 | M | M | 16 | | 25 | 42 | 35 | 20 | 10 | -4 | | -23 |
| 1994 | Max | 25 | 47 | 46 | 59 | 66 | 74 | | 72 | 74 | 76 | 63 | 50 | 40 | | 76 |
| 1994 | Min | -31 | -40 | -15 | 3 | 15 | 27 | | 43 | 39 | 32 | 17 | 11 | -17 | | -40 |
| 1995 | Max | 35 | 36 | 59 | 51 | 68 | 83 | | 80 | 76 | 73 | 65 | 45 | 28 | | 83 |
| 1995 | Min | -16 | -18 | 3 | 3 | 25 | 32 | | 40 | 47 | 26 | 15 | 1 | -20 | | -20 |
| 1996 | Max | 29 | 31 | 49 | 53 | 66 | 75 | | Msg | Msg | Msg | Msg | Msg | Msg | | Msg |
| 1996 | Min | -28 | -35 | -23 | 5 | 19 | 35 | | Msg | Msg | Msg | Msg | Msg | Msg | | Msg |
| 1997 | Max | Msg | Msg | Msg | Msg | Msg | Msg | | Msg | Msg | Msg | Msg | Msg | Msg | | Msg |
| 1997 | Min | Msg | Msg | Msg | Msg | Msg | Msg | | Msg | Msg | Msg | Msg | Msg | Msg | | Msg |
| 1998 | Max | Msg | Msg | Msg | Msg | Msg | 73 | | 72 | 70 | 70 | 63 | 55 | 52 | | 73 |
| 1998 | Min | Msg | Msg | Msg | Msg | Msg | 27 | | 43 | 41 | 27 | 19 | 7 | -24 | | Msg |
| 1999 | Max | 30 | 46 | 52 | 54 | 63 | 72 | | 79 | 70 | 68 | 54 | 45 | 37 | | 79 |
| 1999 | Min | -29 | -11 | -15 | 5 | 21 | 30 | | 43 | 39 | 25 | 7 | 5 | -29 | | -29 |
| 2000 | Max | 32 | 46 | 57 | 43 | 66 | 70 | | 66 | 73 | 66 | 59 | 54 | 27 | | 73 |
| 2000 | Min | -27 | -27 | -2 | 1 | 18 | 30 | | 25 | 37 | 21 | 18 | 0 | -29 | | -29 |
| 2001 | Max | 32 | 32 | 34 | 59 | 66 | 70 | | 75 | 77 | 70 | 59 | 55 | 56 | | 77 |
| 2001 | Min | -15 | -27 | -4 | 9 | 25 | 28 | | 30 | 39 | 19 | 16 | 14 | -6 | | -27 |
| 2002 | Max | 34 | 36 | 37 | 61 | 64 | 72 | | 75 | 72 | 70 | 64 | 46 | 45 | | 75 |
| 2002 | Min | -11 | -11 | -26 | -2 | 12 | 34 | | 25 | 41 | 34 | 10 | 1 | -17 | | -26 |

Note: Dew point data based on available hourly metar data from the Rhinelander Airport since 1973. There was considerable missing data during the 1970s, 1980s and 1990s and may not have captured all dew point extremes for the month.

RHINELANDER MONTHLY MAXIMUM AND MINIMUM DEW POINT

| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
|------|-----|-----|-----|-----|-----|-----|-----|--|-----|-----|-----|-----|-----|-----|--|------|
| 2003 | Max | 30 | 37 | 46 | 54 | 61 | 72 | | 73 | 73 | 66 | 57 | 46 | 37 | | 73 |
| 2003 | Min | -27 | -27 | -26 | -4 | 9 | 27 | | 30 | 37 | 21 | 18 | -2 | -15 | | -27 |
| 2004 | Max | 32 | 30 | 52 | 57 | 63 | 68 | | 72 | 72 | 66 | 63 | 50 | 45 | | 72 |
| 2004 | Min | -27 | -24 | -11 | 7 | 7 | 30 | | 39 | 28 | 25 | 19 | 7 | -33 | | -33 |
| 2005 | Max | 30 | 37 | 43 | 57 | 57 | 72 | | 73 | 72 | 70 | 70 | 52 | 28 | | 73 |
| 2005 | Min | -27 | -15 | -13 | 9 | 10 | 39 | | 43 | 39 | 27 | 23 | -8 | -15 | | -27 |
| 2006 | Max | 32 | 31 | 49 | 50 | 70 | 67 | | 72 | 72 | 64 | 60 | 52 | 40 | | 72 |
| 2006 | Min | -2 | -33 | -9 | 4 | 20 | 25 | | 41 | 39 | 28 | 13 | -1 | -10 | | -33 |
| 2007 | Max | 36 | 34 | 56 | 56 | 64 | 69 | | 73 | 70 | 68 | 68 | 45 | 34 | | 73 |
| 2007 | Min | -17 | -32 | -18 | 0 | 13 | 35 | | 39 | 36 | 21 | 15 | -9 | -16 | | -32 |
| 2008 | Max | 39 | 28 | 36 | 55 | 58 | 66 | | 72 | 70 | 71 | 63 | 53 | 43 | | 72 |
| 2008 | Min | -30 | -27 | -20 | 1 | 19 | 34 | | 42 | 33 | 34 | 15 | -6 | -21 | | -30 |
| 2009 | Max | 25 | 41 | 41 | 56 | 56 | 72 | | 65 | 72 | 64 | 58 | 48 | 32 | | 72 |
| 2009 | Min | -29 | -27 | -28 | 2 | 11 | 27 | | 31 | 32 | 20 | 15 | 13 | -18 | | -29 |
| 2010 | Max | 34 | 25 | 43 | 62 | 70 | 70 | | 74 | 73 | 72 | 58 | 46 | 41 | | 74 |
| 2010 | Min | -22 | -13 | -6 | 5 | 16 | 34 | | 45 | 39 | 29 | 18 | -2 | -24 | | -24 |
| 2011 | Max | 36 | 45 | 45 | 61 | 65 | 68 | | 79 | 73 | 73 | 57 | 45 | 34 | | 79 |
| 2011 | Min | -26 | -22 | -9 | 2 | 15 | 32 | | 46 | 41 | 25 | 21 | 9 | -8 | | -26 |
| 2012 | Max | 32 | 31 | 58 | 59 | 67 | 72 | | 76 | 69 | 71 | 63 | 53 | 54 | | 76 |
| 2012 | Min | -27 | -11 | -2 | 11 | 20 | 30 | | 38 | 36 | 25 | 12 | 0 | -7 | | -27 |
| 2013 | Max | 43 | 32 | 36 | 56 | 66 | 70 | | 72 | 74 | 71 | 55 | 50 | 32 | | 74 |
| 2013 | Min | -26 | -22 | -14 | 1 | 12 | 29 | | 38 | 33 | 28 | 16 | -9 | -28 | | -28 |
| 2014 | Max | 29 | 31 | 34 | 53 | 65 | 69 | | 71 | 70 | 66 | 57 | 45 | 43 | | 71 |
| 2014 | Min | -38 | -29 | -31 | -2 | 19 | 29 | | 35 | 36 | 28 | 19 | -12 | -23 | | -38 |
| 2015 | Max | 30 | 23 | 41 | 49 | 64 | 65 | | 71 | 70 | 72 | 56 | 56 | 41 | | 72 |
| 2015 | Min | -30 | -28 | -26 | 1 | 21 | 28 | | 36 | 38 | 29 | 13 | 2 | 1 | | -30 |
| 2016 | Max | 33 | 34 | 53 | 46 | 66 | 69 | | 73 | 75 | 71 | 66 | 54 | 38 | | 75 |
| 2016 | Min | -24 | -24 | -15 | -3 | 18 | 31 | | 42 | 45 | 37 | 26 | -10 | -19 | | -24 |
| 2017 | Max | 38 | 50 | 54 | 61 | 67 | 72 | | 74 | 69 | 72 | 67 | 44 | 53 | | 74 |
| 2017 | Min | -24 | -15 | -17 | 9 | 5 | 30 | | 44 | 35 | 33 | 20 | -2 | -28 | | -28 |

Note: Dew point data based on available hourly metar data from the Rhinelander Airport since 1973. There was considerable missing data during the 1970s, 1980s and 1990s and may not have captured all dew point extremes for the month.

RHINELANDER MONTHLY MAXIMUM AND MINIMUM DEW POINT

| Year | | Jan | Feb | Mar | Apr | May | Jun | | Jul | Aug | Sep | Oct | Nov | Dec | | Year |
|------|-----|-----|-----|-----|-----|-----|-----|--|-----|-----|-----|-----|-----|-----|--|------|
| | | | | | | | | | | | | | | | | |
| 2018 | Max | 36 | 34 | 34 | 46 | 69 | 77 | | 75 | 74 | 76 | 68 | 43 | 34 | | 77 |
| 2018 | Min | -27 | -21 | -1 | -6 | 12 | 36 | | 40 | 42 | 27 | 11 | -5 | -6 | | -27 |
| | | | | | | | | | | | | | | | | |
| 2019 | Max | 34 | 36 | 45 | 49 | 57 | 67 | | 72 | 69 | 68 | 69 | 36 | 36 | | 72 |
| 2019 | Min | -37 | -30 | -29 | 3 | 19 | 25 | | 38 | 38 | 25 | 11 | -6 | -24 | | -37 |
| | | | | | | | | | | | | | | | | |
| 2020 | Max | 31 | 31 | 38 | 49 | 66 | 71 | | 73 | 70 | 63 | 56 | 58 | 36 | | 73 |
| 2020 | Min | -22 | -27 | -1 | -1 | 7 | 31 | | 45 | 38 | 25 | 8 | 9 | -14 | | -27 |
| | | | | | | | | | | | | | | | | |
| 2021 | Max | 31 | 31 | 48 | 56 | 67 | 71 | | 70 | 73 | 66 | 64 | 48 | 54 | | 73 |
| 2021 | Min | -10 | -33 | -6 | 4 | 14 | 34 | | 36 | 42 | 33 | 21 | 0 | -18 | | -33 |
| | | | | | | | | | | | | | | | | |
| 2022 | Max | 27 | 29 | 35 | 57 | 69 | 74 | | 69 | 73 | 65 | 57 | 59 | 40 | | 74 |
| 2022 | Min | -31 | -24 | -15 | 3 | 17 | 30 | | 42 | 45 | 21 | 18 | -5 | -21 | | -31 |
| | | | | | | | | | | | | | | | | |
| 2023 | Max | 32 | 40 | 36 | 56 | 55 | 64 | | 70 | 72 | 68 | 63 | 40 | 49 | | 72 |
| 2023 | Min | -27 | -23 | -15 | 4 | 18 | 26 | | 39 | 35 | 32 | 11 | -1 | 1 | | -27 |
| | | | | | | | | | | | | | | | | |
| 2024 | Max | 34 | 41 | 47 | | | | | | | | | | | | |
| 2024 | Min | -18 | -12 | -5 | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| 2025 | Max | | | | | | | | | | | | | | | |
| 2025 | Min | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

Note: Dew point data based on available hourly metar data from the Rhinelander Airport since 1973. There was considerable missing data during the 1970s, 1980s and 1990s and may not have captured all dew point extremes for the month.

RHINELANDER AVERAGE DEW POINT

| Year | Jan | Feb | Mar | Apr | May | Jun | Jul | Aug | Sep | Oct | Nv | Dec | Year |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| 1973 | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg |
| 1974 | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg |
| 1975 | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg |
| 1976 | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg |
| 1977 | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg |
| 1978 | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg |
| 1979 | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg |
| 1980 | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg |
| 1981 | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg |
| 1982 | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg |
| 1983 | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg |
| 1984 | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg |
| 1985 | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg |
| 1986 | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg |
| 1987 | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg |
| 1988 | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg |
| 1989 | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg |
| 1990 | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg |
| 1991 | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg |
| 1992 | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg |
| 1993 | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg |
| 1994 | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg |
| 1995 | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg |
| 1996 | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg |
| 1997 | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg | Msg |
| 1998 | Msg | Msg | Msg | Msg | Msg | 52.7 | 55.1 | 57.2 | 49.9 | 39.0 | 27.4 | 14.6 | Msg |
| 1999 | 5.6 | 15.9 | 15.6 | 27.2 | 42.7 | 52.4 | 60.5 | 55.3 | 47.5 | 32.1 | 25.8 | 13.8 | 32.9 |
| 2000 | 5.6 | 15.9 | 23.6 | 24.6 | 42.5 | 50.9 | 55.4 | 56.2 | 46.5 | 37.0 | 25.2 | 3.0 | 32.2 |
| 2001 | 13.9 | 6.4 | 16.9 | 31.6 | 42.7 | 51.8 | 55.3 | 57.6 | 45.8 | 34.7 | 33.3 | 19.7 | 34.1 |
| 2002 | 15.6 | 15.9 | 11.1 | 29.3 | 36.5 | 54.6 | 60.3 | 57.0 | 52.7 | 31.8 | 21.7 | 15.7 | 33.5 |
| 2003 | 2.6 | 2.2 | 14.8 | 24.4 | 36.0 | 49.4 | 56.0 | 58.4 | 48.0 | 34.6 | 25.1 | 17.3 | 30.7 |
| 2004 | 3.3 | 14.6 | 25.5 | 28.1 | 40.2 | 49.6 | 55.0 | 52.4 | 52.1 | 38.7 | 27.1 | 14.3 | 33.4 |
| 2005 | 6.4 | 16.7 | 15.3 | 30.5 | 39.6 | 58.8 | 57.2 | 55.9 | 51.0 | 41.8 | 26.0 | 15.7 | 34.6 |
| 2006 | 21.0 | 9.1 | 21.3 | 30.1 | 45.1 | 49.6 | 57.7 | 55.9 | 46.0 | 30.9 | 27.8 | 20.8 | 34.6 |
| 2007 | 11.2 | 2.4 | 22.2 | 24.6 | 43.0 | 53.2 | 57.0 | 56.5 | 50.0 | 44.3 | 21.5 | 13.8 | 33.3 |
| 2008 | 21.0 | 7.0 | 14.9 | 29.9 | 35.9 | 51.6 | 57.6 | 53.0 | 49.9 | 36.6 | 25.1 | 8.8 | 32.6 |
| 2009 | 1.7 | 12.2 | 18.8 | 27.9 | 38.2 | 52.6 | 51.2 | 54.4 | 49.6 | 34.9 | 30.9 | 12.6 | 32.1 |
| 2010 | 11.4 | 12.9 | 24.1 | 31.7 | 42.1 | 55.2 | 60.7 | 60.9 | 48.4 | 36.7 | 26.4 | 13.1 | 35.3 |
| 2011 | 6.5 | 11.3 | 19.0 | 29.4 | 42.5 | 52.0 | 62.5 | 56.9 | 48.0 | 38.2 | 27.8 | 19.5 | 34.5 |
| 2012 | 13.7 | 17.3 | 32.9 | 29.2 | 44.4 | 53.9 | 60.4 | 53.8 | 42.5 | 35.8 | 24.9 | 20.3 | 35.7 |
| 2013 | 10.3 | 11.0 | 15.7 | 26.3 | 40.0 | 53.0 | 55.5 | 54.7 | 49.8 | 37.1 | 23.4 | 6.3 | 31.9 |
| 2014 | -2.9 | 1.3 | 12.2 | 27.5 | 41.5 | 55.2 | 54.4 | 56.6 | 47.7 | 36.8 | 18.1 | 19.5 | 30.7 |

Note: Dew point data based on available hourly metar data from the Rhinelander Airport since 1973. There was considerable missing data during the 1970s, 1980s and 1990s and may not have captured all dew point extremes for the month.

RHINELANDER HIGHEST/LOWEST AVERAGE MONTHLY DEW POINT

JANUARY

| Highest Average Dew Point | |
|---------------------------|-----------|
| Average | Year(s) |
| 21.0 | 2006,2008 |
| 18.4 | 2023 |
| 16.9 | 2019 |
| 16.6 | 2017,2024 |
| 15.6 | 2002 |
| 15.1 | 2021 |
| 13.9 | 2001 |
| 13.7 | 2012 |
| 11.6 | 2016 |
| 11.4 | 2010 |
| 11.2 | 2007 |

| Lowest Average Dew Point | |
|--------------------------|-----------|
| Average | Year(s) |
| -2.9 | 2014 |
| 1.7 | 2009 |
| 2.6 | 2003 |
| 2.8 | 2022 |
| 3.3 | 2004 |
| 5.6 | 1999,2000 |
| 6.4 | 2005 |
| 6.5 | 2011 |
| 7.8 | 2015 |
| 10.3 | 2013 |
| 10.9 | 2018 |

FEBRUARY

| Highest Average Dew Point | |
|---------------------------|----------------|
| Average | Year(s) |
| 19.1 | 2024 |
| 18.5 | 2017 |
| 17.3 | 2012 |
| 16.7 | 2005 |
| 15.9 | 1999,2000,2002 |
| 15.1 | 2016 |
| 14.6 | 2004 |
| 12.9 | 2010 |
| 12.2 | 2009,2023 |
| | |
| | |
| | |
| | |

| Lowest Average Dew Point | |
|--------------------------|---------|
| Average | Year(s) |
| -1.9 | 2015 |
| 1.3 | 2014 |
| 2.2 | 2003 |
| 2.4 | 2007 |
| 4.2 | 2021 |
| 4.6 | 2022 |
| 6.4 | 2001 |
| 7.0 | 2008 |
| 8.6 | 2020 |
| 8.7 | 2018 |
| 9.1 | 2006 |
| 9.5 | 2019 |
| 11.0 | 2013 |

Note: Dew point data based on available hourly metar data from the Rhinelander Airport since 1973. There was considerable missing data during the 1970s, 1980s and 1990s. Average monthly dew points are available since 1999.

RHINELANDER HIGHEST/LOWEST AVERAGE MONTHLY DEW POINT

MARCH

| Highest Average Dew Point | |
|---------------------------|---------|
| Average | Year(s) |
| 32.9 | 2012 |
| 27.4 | 2016 |
| 25.5 | 2004 |
| 24.3 | 2020 |
| 24.1 | 2010 |
| 23.6 | 2000 |
| 23.0 | 2021 |
| 22.2 | 2007 |
| 21.3 | 2006 |
| 20.5 | 2017 |
| 20.1 | 2024 |
| 19.0 | 2011 |

| Lowest Average Dew Point | |
|--------------------------|---------|
| Average | Year(s) |
| 11.1 | 2002 |
| 12.2 | 2014 |
| 14.8 | 2003 |
| 14.9 | 2008 |
| 15.3 | 2005 |
| 15.6 | 1999 |
| 15.7 | 2013 |
| 16.5 | 2018 |
| 16.7 | 2015 |
| 16.9 | 2001 |
| 17.5 | 2023 |
| 18.4 | 2022 |
| 18.8 | 2009 |

APRIL

| Highest Average Dew Point | |
|---------------------------|---------|
| Average | Year(s) |
| 35.7 | 2017 |
| 32.5 | 2021 |
| 31.7 | 2010 |
| 31.6 | 2001 |
| 30.5 | 2005 |
| 30.1 | 2006 |
| 29.9 | 2008 |
| 29.4 | 2011 |
| 29.3 | 2002 |

| Lowest Average Dew Point | |
|--------------------------|-----------|
| Average | Year(s) |
| 19.0 | 2018 |
| 24.4 | 2003 |
| 24.6 | 2000,2007 |
| 25.4 | 2020 |
| 26.1 | 2015 |
| 26.2 | 2016 |
| 26.3 | 2013 |
| 27.1 | 2022 |
| 27.2 | 1999 |
| 27.5 | 2014 |
| 27.9 | 2009 |

Note: Dew point data based on available hourly metar data from the Rhinelander Airport since 1973. There was considerable missing data during the 1970s, 1980s and 1990s. Average monthly dew points are available since 1999.

RHINELANDER HIGHEST/LOWEST AVERAGE MONTHLY DEW POINT

MAY

| Highest Average Dew Point | |
|---------------------------|-----------|
| Average | Year(s) |
| 47.9 | 2018 |
| 45.1 | 2006 |
| 44.8 | 2015 |
| 44.4 | 2012 |
| 43.1 | 2022 |
| 43.0 | 2007 |
| 42.7 | 1999,2001 |
| 42.6 | 2014 |
| 42.5 | 2000,2011 |
| 42.1 | 2010,2016 |
| | |

| Lowest Average Dew Point | |
|--------------------------|---------|
| Average | Year(s) |
| 35.9 | 2008 |
| 36.0 | 2003 |
| 36.5 | 2002 |
| 37.8 | 2019 |
| 38.2 | 2009 |
| 38.9 | 2020 |
| 39.0 | 2023 |
| 39.6 | 2005 |
| 40.0 | 2013 |
| 40.2 | 2004 |
| 41.5 | 2014 |

JUNE

| Highest Average Dew Point | |
|---------------------------|-----------|
| Average | Year(s) |
| 58.8 | 2005 |
| 56.4 | 2018 |
| 55.6 | 2021 |
| 55.2 | 2010,2014 |
| 54.6 | 2002,2017 |
| 53.9 | 2012 |
| 53.2 | 2007 |
| 53.0 | 2013 |
| 52.9 | 2016 |
| 52.7 | 1998 |
| 52.6 | 2009,2015 |
| 52.4 | 1999 |
| | |

| Lowest Average Dew Point | |
|--------------------------|---------|
| Average | Year(s) |
| 49.4 | 2003 |
| 49.6 | 2004 |
| 49.6 | 2006 |
| 50.0 | 2019 |
| 50.4 | 2022 |
| 50.9 | 2000 |
| 51.2 | 2023 |
| 51.6 | 2008 |
| 51.8 | 2001 |
| 52.0 | 2011 |
| 52.2 | 2020 |
| | |

Note: Dew point data based on available hourly metar data from the Rhinelander Airport since 1973. There was considerable missing data during the 1970s, 1980s and 1990s. Average monthly dew points are available since 1999.

RHINELANDER HIGHEST/LOWEST AVERAGE MONTHLY DEW POINT

JULY

| Highest Average Dew Point | |
|---------------------------|-----------|
| Average | Year(s) |
| 62.5 | 2011 |
| 60.7 | 2010 |
| 60.5 | 1999 |
| 60.4 | 2012 |
| 60.3 | 2002 |
| 59.7 | 2020 |
| 58.5 | 2016 |
| 58.4 | 2017,2019 |
| 58.0 | 2018 |
| 57.7 | 2006 |
| 57.6 | 2008 |
| | |
| | |

| Lowest Average Dew Point | |
|--------------------------|---------|
| Average | Year(s) |
| 51.2 | 2009 |
| 54.1 | 2023 |
| 54.4 | 2014 |
| 55.0 | 2004 |
| 55.1 | 1998 |
| 55.3 | 2001 |
| 55.4 | 2000 |
| 55.5 | 2013 |
| 56.0 | 2003 |
| 56.4 | 2015 |
| 56.5 | 2022 |
| 56.8 | 2021 |
| 57.0 | 2007 |

AUGUST

| Highest Average Dew Point | |
|---------------------------|-----------|
| Average | Year(s) |
| 61.2 | 2016 |
| 60.9 | 2010 |
| 60.0 | 2018 |
| 58.5 | 2021 |
| 58.4 | 2003 |
| 57.6 | 2001 |
| 57.2 | 1998 |
| 57.0 | 2002 |
| 56.9 | 2011,2022 |
| 56.6 | 2014 |
| 56.5 | 2007 |

| Lowest Average Dew Point | |
|--------------------------|-----------|
| Average | Year(s) |
| 52.4 | 2004 |
| 53.0 | 2008 |
| 53.8 | 2012 |
| 54.4 | 2009,2023 |
| 54.7 | 2013 |
| 54.9 | 2019 |
| 55.3 | 1999,2017 |
| 55.9 | 2005,2006 |
| 56.0 | 2015 |
| 56.1 | 2020 |
| 56.2 | 2000 |

Note: Dew point data based on available hourly metar data from the Rhinelander Airport since 1973. There was considerable missing data during the 1970s, 1980s and 1990s. Average monthly dew points are available since 1999.

RHINELANDER HIGHEST/LOWEST AVERAGE MONTHLY DEW POINT

SEPTEMBER

| Highest Average Dew Point | |
|---------------------------|-----------|
| Average | Year(s) |
| 56.7 | 2018 |
| 55.7 | 2015 |
| 55.3 | 2016 |
| 53.5 | 2017 |
| 52.7 | 2002 |
| 52.1 | 2004 |
| 51.5 | 2023 |
| 51.0 | 2005 |
| 50.0 | 2007 |
| 49.9 | 1998,2008 |
| 49.8 | 2013 |

| Lowest Average Dew Point | |
|--------------------------|-----------|
| Average | Year(s) |
| 42.5 | 2012 |
| 45.8 | 2001 |
| 46.0 | 2006 |
| 46.2 | 2020 |
| 46.3 | 2019 |
| 46.5 | 2000 |
| 47.5 | 1999 |
| 47.7 | 2014 |
| 47.9 | 2021 |
| 48.0 | 2003,2011 |
| 48.4 | 2010 |

OCTOBER

| Highest Average Dew Point | |
|---------------------------|-----------|
| Average | Year(s) |
| 45.3 | 2021 |
| 44.3 | 2007 |
| 43.4 | 2016 |
| 41.8 | 2005,2017 |
| 39.6 | 2023 |
| 39.0 | 1998 |
| 38.7 | 2004 |
| 38.2 | 2011 |
| 37.1 | 2013 |
| 37.0 | 2000 |
| 36.8 | 2014 |
| 36.7 | 2010 |

| Lowest Average Dew Point | |
|--------------------------|---------|
| Average | Year(s) |
| 29.7 | 2020 |
| 30.9 | 2006 |
| 31.8 | 2002 |
| 32.1 | 1999 |
| 34.6 | 2003 |
| 34.7 | 2001 |
| 34.9 | 2009 |
| 35.5 | 2019 |
| 35.6 | 2018 |
| 35.7 | 2022 |
| 35.8 | 2012 |
| 36.6 | 2008 |

Note: Dew point data based on available hourly metar data from the Rhineland Airport since 1973. There was considerable missing data during the 1970s, 1980s and 1990s. Average monthly dew points are available since 1999.

RHINELANDER HIGHEST/LOWEST AVERAGE MONTHLY DEW POINT

NOVEMBER

| Highest Average Dew Point | |
|---------------------------|-----------|
| Average | Year(s) |
| | |
| 34.0 | 2017 |
| 33.3 | 2001 |
| 31.0 | 2015 |
| 30.9 | 2009 |
| 27.8 | 2006,2011 |
| 27.4 | 1998,2020 |
| 27.1 | 2004 |
| | |
| | |
| | |
| | |
| | |
| | |

| Lowest Average Dew Point | |
|--------------------------|-----------|
| Average | Year(s) |
| | |
| 18.1 | 2014 |
| 19.0 | 2018 |
| 20.1 | 2019 |
| 21.5 | 2007 |
| 21.7 | 2002 |
| 22.4 | 2023 |
| 22.8 | 2021 |
| 23.4 | 2013 |
| 24.8 | 2017 |
| 24.9 | 2012 |
| 25.1 | 2003,2008 |
| 25.2 | 2000 |
| 25.8 | 1999 |

DECEMBER

| Highest Average Dew Point | |
|---------------------------|-----------|
| Average | Year(s) |
| | |
| 26.2 | 2023 |
| 25.8 | 2015 |
| 20.8 | 2006 |
| 20.3 | 2012 |
| 19.7 | 2001 |
| 19.5 | 2011,2014 |
| 17.3 | 2003 |
| 17.2 | 2019 |
| 17.0 | 2021 |
| 16.4 | 2020 |
| 15.9 | 2016 |
| 15.7 | 2002,2005 |
| 15.1 | 2017 |

| Lowest Average Dew Point | |
|--------------------------|-----------|
| Average | Year(s) |
| | |
| 3.0 | 2000 |
| 6.4 | 2013 |
| 8.8 | 2008 |
| 11.1 | 2017 |
| 12.6 | 2009 |
| 13.1 | 2010,2022 |
| 13.8 | 1999,2007 |
| 14.3 | 2004 |
| | |
| | |
| | |
| | |

Note: Dew point data based on available hourly metar data from the Rhinelander Airport since 1973. There was considerable missing data during the 1970s, 1980s and 1990s. Average monthly dew points are available since 1999.

RHINELANDER HIGHEST/LOWEST AVERAGE YEARLY DEW POINT

YEAR

| Highest Average Dew Point | |
|---------------------------|----------------|
| Average | Year(s) |
| | |
| 37.0 | 2016 |
| 36.1 | 2017 |
| 35.8 | 2012 |
| 35.3 | 2010 |
| 35.0 | 2021 |
| 34.6 | 2005,2006,2023 |
| 34.5 | 2011 |
| 34.1 | 2001,2015 |
| 33.5 | 2002 |
| 33.4 | 2004 |
| | |

| Lowest Average Dew Point | |
|--------------------------|-----------|
| Average | Year(s) |
| | |
| 30.7 | 2003,2014 |
| 31.6 | 2019 |
| 31.9 | 2013,2022 |
| 32.1 | 2009 |
| 32.2 | 2000 |
| 32.6 | 2008 |
| 32.9 | 1999 |
| 33.3 | 2007 |
| | |
| | |
| | |

Note: Dew point data based on available hourly metar data from the Rhinelander Airport since 1973. There was considerable missing data during the 1970s, 1980s and 1990s. Average monthly dew points are available since 1999.

